

2017 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory

THERMA TRU[®]
DOORS



• Home begins at the door.

Table of Contents

Introduction	2-31
Door Systems	4-5
Door System Components	6-7
Door Selections	8-15
Decorative & Specialty Glass	16-19
The Therma-Tru Difference	20-21
Impact Products	22-23
Curb Appeal Inspiration	24-29
NEW Products	30-31
Classic-Craft ®	32-109
Decorative & Specialty Glass	32-41
Accessories	42-43
American Style Collection™	44-51
Mahogany Collection™	52-63
Rustic Collection™	64-79
Oak Collection™	80-91
Canvas Collection®	92-109
Fiber-Classic® & Smooth-Star ®	110-201
Decorative & Specialty Glass	114-122
Accessories	123
Steel	202-226
Profiles™	202, 204-220
Traditions	203-206, 221-226
Decorative & Specialty Glass	205-206
Fire Doors	227-231
Pulse ®	232-245
Hinged Patio	246-253
Door System Components	254-263
Same-Day® Stain Kit	264-265
Special Quote Program	266
3'6" Width Options Chart	269
7'0" & 6'6" Height Options Charts	270-271
Product Details	272-273
Index	274-291

NEW for 2017



Smooth-Star Shaker-Style Doors & Sidelites
Page 30



Grained & Smooth 3-1/2" Simulated Divided Lites
Page 31



47" Internal Blinds
Page 174



Grip-Style Multi-Point Locking System Handlesets
Page 260

*Brand Use Study, 2016 *Builder* magazine.

Right Page: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM893, Sidelites – CCM8002SL



DISCOVER

• Therma-Tru. You're in expert hands.

Choosing Therma-Tru isn't about just selecting a door. It's about designing an inspired entrance. Creating a look everyone will love. And having confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers virtually unlimited choices to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.* With more than 50 years of industry experience and technical know-how, we've built a reputation for delivering high-quality, low-maintenance exterior door products for the whole house – from entry to patio.

We invented the fiberglass door because we believe it combines the best characteristics of wood and steel – beauty and performance – without the compromises. And we remain committed to making smart, innovative new products that are better and more beautiful every year.

Whatever the entrance needs – from energy efficiency to security – your search ends here. You'll find a wide range of durable and reliable Therma-Tru products built to meet the needs of the home and the homeowner's lifestyle.

That's where the beauty of choosing Therma-Tru begins.

Therma-Tru® Door Systems

Uncompromising quality, inside and out.



A Therma-Tru door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system. One that offers uncompromising quality, inside and out. We manufacture or specify every aspect – from the glass to the hinges – all engineered with craftsman precision for durability and reliability through the years. So you can be confident that it will perform as exceptionally as it looks.

• Backed by our lifetime limited warranty.

Lifetime Limited Warranty

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.



Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 6–7.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 8–15.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 16–19.



Finish Options

Complete the desired look with stain or paint, including the Same-Day® Stain kit available in seven popular finish colors. More on pages 264–265.

Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?


Also consider:

- Regional weather conditions and building codes. See pages 22–23 for more.
- Therma-Tru 2017 new products. See pages 30–31 for more.




Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




- 1 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




- 2 Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 3 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



- 4 Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door and frame**.



- 5 Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



- 6 Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.


A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components shown here are our premium options for long-lasting durability.



Composite Adjustable Sills

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



Dual-Bulb / Dual-Fin Bottom Sweeps

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.




7-Shape Corner Seal Pads

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



Removable Weatherstrip

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.



Multi-Point Locking Systems

Increased engagement between door and frame enhances stability and the homeowner's sense of security.


(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



Ball-Bearing Hinges

Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability.

(Recommended for Classic-Craft doors, 8'0" doors, doors with glass, and Impact- and Fire-rated fiberglass doors.)



Frame Components

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.

For more, including these additional component options, see pages 256-265:

Sill Pans, Rain Protection, Strike Plate and Astragals.



Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense system as an option. It integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.* Look for the (🛡️) icon. For details, visit www.thermatru.com/trudefense.

Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly:	\$250
with a Therma-Tru Sill Pan:	\$500
Multi-Point Lock with Standard Assembly:	\$750
with a Therma-Tru Sill Pan:	\$1,500
Multi-Point Lock with NAFS-Certified Door System:	\$1,000
with a Therma-Tru Sill Pan:	\$2,000




*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.

Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

Classic-Craft® Collections Pages 32-109

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood.



Both Classic-Craft and Fiber-Classic are rated a *Consumers Digest* Best Buy in the fiberglass entry doors category.

Fiber-Classic® Collections Pages 110–201

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.





Smooth-Star® Pages 110–201

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.




Steel Pages 202–226

Bring style and affordability together to create very attractive results with our steel doors.



Pulse® Pages 232–245

A contemporary series of door styles and glass designs that can be combined to make a bold statement.





See the difference.

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.

Feel the difference.

Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.

• Extraordinary in every way.



Classic-Craft® Premium Entryways

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And Classic-Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



Compare for yourself.



Premium – right down to the edge.
A solid hardwood square edge delivers a genuine wood appearance.

Standard fiberglass bullnose edge.
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



The look of real wood.
Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.



Details that define a custom door.
Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.

Architecturally correct for true classic beauty.
Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to 25% wider panels*



Classic-Craft Premium Door

Standard Fiberglass Door

*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.
Left Page: Classic-Craft Rustic Collection Door – CCR8222; Low-E Glass, Sidelite – CCR8000SL, ©TheHouseDesigners.com



- Find options to fit every entrance.



Fiber-Classic® & Smooth-Star® Doors

Bring home the authentic look of wood with the low-maintenance benefits of fiberglass. From front entry to patio, you will find flexible options to fit virtually every entrance with beautiful, energy-efficient, durable and secure fiberglass doors. Choose from a wide range of door styles and sizes, glass designs, and options to meet building codes. And Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.




Portfolio versatility.

With many door styles in common and interchangeable glass designs between collections, it allows flexibility to find the right door, in the right texture, without compromises.



On-trend surfaces.

Available in a variety of textures, including grain choices with the look of real wood or a smooth, paintable alternative to steel. (Wood-grained images shown in Natural Oak stain.)



High-definition panel embossments.

High-definition panel embossments are standard on all doors and sidelites.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Left Page Top: Fiber-Classic Oak Collection, Salinas Glass, Door – 81955P, Sidelites – 81955PSL

Left Page Bottom Left: Smooth-Star, Screen Vented Lite, Door – S243

Left Page Bottom Right: Smooth-Star, Clear Glass, Door – S8140

Door Construction

Therma-Tru fiberglass doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. We combine craftsmanship and innovation to build our doors for long-lasting energy efficiency, durability and security.

Classic-Craft® Premium Entryways



1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4- $\frac{1}{8}$ " wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.*

5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

*Comparison of fiberglass to wood doors (both without glass).

Fiber-Classic® & Smooth-Star® Doors



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1- $\frac{1}{4}$ " engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Our glass designs offer varying levels of privacy and light to suit homeowner needs.
- All Low-E and clear glass panels are tempered to provide added safety.

Doors come to life with Therma-Tru® glass.

More than 10%
wider glass*




**Classic-Craft
Premium Glass**

Standard Glass

*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Classic-Craft® Premium Entryways

- An exclusive collection of 13 decorative glass families, starting on page 32.
- Close attention to detail produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass* welcomes more light into the home and creates a distinctive entryway.
- Fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.



Special Quote Program

Don't sacrifice the look you want. With thousands of standard glass choices and additional glass options available through special quote, we can help you find the right look for virtually any home. See page 266.



Contributes to an energy-efficient home.



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Fiber-Classic® & Smooth-Star® Doors

- A portfolio of 14 interchangeable decorative glass designs, starting on page 114.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 163.
- Scrolled profile lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.

Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 8–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.




Convenient choices for more light.

Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the ☀️ icon.




In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Flush-Glazed Glass



Features frameless design.

Glass built directly into the door during the manufacturing process eliminates the need for a lite frame and provides a high-performance weather seal. Flush-glazed glass features clean lines and eliminates the need for screw plugs. It also offers up to a 16% increase in visible glass area compared to conventional lite frames.

Available in Classic-Craft, Fiber-Classic and Smooth-Star.

Look for the 🔥 icon. See page 122 for more.

Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for maximum energy efficiency or standard clear glass.

Available in Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.



Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile and color choices. See pages 120–121 for more.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear.

Discover the Therma-Tru Difference

Classic-Craft® Canvas Collection.



• The premium smooth, paintable choice.

For years, Classic-Craft premium entryways have defined beauty and durability for fiberglass doors. The innovative Canvas Collection delivers a high-performing alternative to custom wood and heavy-gauge steel. These doors pair durable Classic-Craft construction with crisp embossments and custom wood details. Find choices to match any home décor with a smooth surface that's paintable inside and out, and available in more than 375 door and glass combinations.

- The aesthetics of wood and the performance of fiberglass in a smooth, paintable door.
- Extraordinary in every detail with precision-engineered features and architecturally correct details.

- The largest line of door and glass combinations available in any Classic-Craft collection.
- Classic-Craft is rated a *Consumers Digest* Best Buy for the fiberglass entry door category.
- Available in many styles and sizes – including 8'0" heights – to complement more home styles.

See the collection, starting on page 92.



Fire-Rated Options Tru-Defense Eligible WBDR / HVHZ Options

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL

Discover the Therma-Tru Difference

Vented Sidelites



Ventilation and aesthetics second to none.



Perfect for the front entry.

- Enjoy the added curb appeal of an elegant front entry unobstructed by a screen door.
- Choose eye-catching, decorative glass designs to complement the front entry door selection.

Therma-Tru reinvented sidelites to meet the needs of homeowners seeking ventilation, convenience and aesthetics. Keep the incredible look of the entry or patio door system without sacrificing the pleasure of a fresh breeze. There's no need to cover the door with a screen. Choose beautiful vented sidelites instead. And only Therma-Tru offers vented sidelites with decorative glass design options.

- Works as a small swinging door with sturdy stiles to accommodate hinges, multi-point locking system and thumbturn.
- Wide patio mullions provide required structural strength for years of dependable operation.

- Continuous system, recessed strike plates and multi-point locking gears provide security and stability.
- Convenient, removable screens – available in bronze and white – are easy to operate and designed for years of worry-free use.

Available in Fiber-Classic and Smooth-Star, starting on page 110.



Tru-Defense Eligible

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.


Top: Smooth-Star, Clear Glass with SDLs, Doors – S2000-4C, Sidelites – S2000SL-4C

Bottom: Fiber-Classic Oak Collection, Saratoga Glass, Door – FC905, Sidelites – FC815SL

Tough When You Need It. Beautiful Always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.









Impact-Rated Products


Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

2 Use the icons to find available Therma-Tru® product options in this catalog.

 <p>STRUCTURAL DOOR</p>	+	 <p>IMPACT GLASS</p>	=	 <p>WBDR Option</p>	<p>Designed to withstand wind forces up to 167 mph (DP-50). (ASTM E 1886 / ASTM E 1996)</p> <p>Structural Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option</p>
 <p>IMPACT DOOR</p>	+	 <p>IMPACT GLASS</p>	=	 <p>HVHZ Option</p>	<p>Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)</p> <p>Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option</p>


 **WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.



Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*

Impact Doors

Feature a built-in 24-gauge steel plate lining.




Impact Glass

Features special laminated glass construction.

Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Other Considerations

Fire Doors

We offer an industry-leading selection of fiberglass 20-Minute Fire-rated doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 227–231.

Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 200.

The Power of Curb Appeal



Before



After



\$18,750

A smart investment, a new Therma-Tru entry door can increase a home's perceived value by 4.2% or \$18,750 on average.*¹

24



10 SEC.

Potential homebuyers will form an opinion about a home's value within 10 seconds of seeing it in person.²



90%

90% of homebuyers will look at photos of homes on the Internet, making curb appeal a show stopper.²

• Now that's a smart investment.

Builders

This is the ideal time for you and your customers to think about entry door size. There are many ways to complement a home's style with unique door and glass designs from Therma-Tru.

Remodelers

There are so many ways to renovate a home. But adding a stunning new Therma-Tru entry door is one sure way to help homeowners add curb appeal.

Open the door to increased value with a stylish new Therma-Tru door. Learn more at www.thermatru.com/curbappeal.

¹www.thermatru.com ²www.about.com

*Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Not based on actual home sales. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

Get Inspired



Choose entry doors by design.

With a wide array of door styles, Therma-Tru has something for everyone. New for 2017, the Architectural Home Styles Guide pairs stylish Therma-Tru doors with popular home design trends, giving you confidence that your door selection will add curb appeal while enhancing the home's architectural style. Turn the page for a preview.

■ Download the full Architectural Home Styles Guide at www.homestyles.thermatru.com.



Top: Classic-Rustic Collection, Zaha Glass, Door – CCR1851, Sidelites – CCR1851SL



Colonial

Preserves the classic style of homes from America's history. Known for its formal design and symmetry.



Left: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

European

Inspired by the provincial style of countryside estates. Features rich details on brick, stone and stucco exteriors.




Right: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM898, Sidelites – CCM8102SL



Victorian

Reflects the style of this grand period with elaborate detail. Marked by its asymmetry and textured exteriors.



Left: Classic-Craft Canvas Collection, Arcadia Glass, Door – CCV05029, Sidelites – CCV109SL, Transom – CC620T

Craftsman

Exemplifies the craft of building by hand. Emphasized by the use of natural wood, stone and brick materials.



Right: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300, Sidelites – CCA9100SL



Southwest

Includes breezy spaces practical for warm climates. Feels exotic with stucco exteriors and stone accents.



Left: Classic-Craft Canvas Collection, Augustine Glass, Door – CCV806027

Traditional

Combines practicality with classic looks in almost any form. Represents elements from a variety of styles.




Right: Classic-Craft Oak Collection, Cambridge Glass, Door – CC96, Sidelites – CC2044SL



Coastal

Mixes traditional details and clean lines for casual elegance. Blends indoor and outdoor living with great views.



Left: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM900



Modern

Focuses on clean lines and asymmetrical exteriors. Fuses together industrial concrete, vinyl and glass materials.



Right: Pulse Echo, Granite Glass with Scrolled Lite Frame, Door – S85XN, Sidelite – S85XNSL



NEW

Smooth-Star®

New Shaker-Style Doors & Sidelites



30


Relaxed style for simple living.

A transitional update to the historic Shaker style, new Smooth-Star Shaker-style doors and sidelites feature flush-glazed glass and recessed panels delivering a simple design with broad appeal. Ideal for homes that take design cues from Farmhouse, Prairie and Modern architectural elements, Shaker-style doors and sidelites bridge the gap between yesterday's styles and today's trends.

Available in Smooth-Star, starting on page 165.

Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and sidelite.



Craftsman-Lite 2-Panel
Shaker Flush-Glazed

2-Panel
Craftsman Shaker



Note: To learn more about availability, call 1-800-323-3533. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Rider and ENERGY STAR qualified products.

Top: Smooth-Star, Low-E Glass with SDLs, Door – S4814, Sidelites – S4812SL

NEW

Simulated Divided Lites

New 3-1/2" Wide Bars



• Flush-glazed with modern appeal.

SDL Bar Options*



3-1/2"
Buff Grained
(Shown in Natural Oak.)



3-1/2"
White Smooth

Glass Shapes & Grid Patterns



Add contemporary style to the entry with 3-1/2" wide simulated divided lite (SDL) bars. Designed to pair with flush-glazed doors and sidelites, this addition to the SDL portfolio features a flat profile to complement the seamless appearance of flush-glazed privacy and textured, Low-E and clear glass for a clean, sleek look.

Available in Fiber-Classic Oak Collection™ and Smooth-Star®, starting on page 164. Look for the (🐾) icon.



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Door – S85720


Classic-Craft® Decorative & Specialty Glass Designs

Villager™

Villager beautifully interprets the Craftsman chevron design with ① bronze waterglass, ② seeded glass, ③ clear bevels, ④ gray artique glass and coming. Artistically authentic in every detail.

Available in:
American Style Collection™
Mahogany Collection™
Rustic Collection™
Oak Collection™
Canvas Collection™

1 5 10
Glass Privacy Rating



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass.

An ideal complement for a Transitional home design.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Black Nickel




Brushed Nickel

Arcadia™

With its timeless petal design, Arcadia combines ① gray baroque glass, ② seeded glass, ③ clear curved bevels and coming for a distinctive display that evokes a simpler time.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Black Nickel



Brushed Nickel




Brass

Augustine.

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection®




Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 109 to see an example on a home.

Ashurst™

Ashurst recalls the familiar feel of American-crafted sophistication. ① Clear bevels, ② double waterglass and coming come together to provide modest privacy with a traditional vibe.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection®



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together **1** clear bevels, **2** clear baroque glass, **3** rainglass, **4** seeded glass, **5** bronze waterglass and coming.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Black Nickel



Brushed Nickel

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines **1** narrow reed glass, **2** M seedy glass, **3** waterglass and coming in a symmetrical arrangement accented by **4** pale amber glass, **5** amber artique glass and **6** clear bevels.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.



Black Nickel



Brushed Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 49 to see an example on a home.

Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with **1** hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection®

1  **10**
 Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 109 to see an example on a home.

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Available in:
 Rustic Collection™
 Oak Collection™
 Canvas Collection®

1  **6** **10**
 Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Longford™

The traditional design of Longford integrates a hint of a Celtic knot with ① seeded glass, ② clear bevels, ③ granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Available in:
Mahogany Collection™
Rustic Collection™
Canvas Collection.



Black Nickel




Brushed Nickel

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using ① glue chip glass, ② clear curved bevels, ③ double waterglass and coming.

Available in:
Rustic Collection™
Oak Collection™
Canvas Collection.



Black Nickel



Brushed Nickel



Brass

Zaha.

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features ① oceana and ② seedy glass, ③ clear and ④ multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Canvas Collection®



Black Nickel



Brushed Nickel

Lucerna.

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

Available in:
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection®



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Privacy & Textured Glass

Chord Glass

A vertical flowing pattern reminiscent of waves on the water.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.

1

10

Glass Privacy Rating



Chinchilla Glass

A free-flowing configuration, presenting quiet lines and curves.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection.

1

10

Glass Privacy Rating



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection®



Granite Glass

A coarse grained arrangement with surface detail over the entirety of glass.

Available in:
 American Style Collection™
 Mahogany Collection™
 Rustic Collection™
 Oak Collection™
 Canvas Collection®



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.



Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)*

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home.

Look for the (■) icon.



Classic-Craft®
American Style Collection™



Classic-Craft®
Canvas Collection®

Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (▶) icon.




*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Top: Classic-Craft Canvas Collection, Low-E Glass with SDLs, Door – CCV940, Sidelites – CCV100SL, Transom – 19220T, Dentil Shelf



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2" 1-1/4" 1" 1-3/4" 1-1/4" 1"



18"



Top: Classic-Craft Rustic Collection Door – CCR205; Rainglass, Sidelites – CCR3400XRSL; Clavos & Strap Hinges



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic-Craft. American Style Collection. 4-Block Dentil Shelf



Classic-Craft. American Style Collection. 4-Block Dentil Shelf*



Classic-Craft. American Style Collection. 16-Block Dentil Shelf



Classic-Craft. Canvas Collection. 4-Block Dentil Shelf

*Pairs with 3'6" wide doors.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8230, Sidelites – CCA3500SL, Dentil Shelf



Classic-Craft,
Entry Doors

THERMA TRU
DOORS



INSPIRE

Classic-Craft® American Style Collection™

- Vertical Douglas Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways create a timeless look that is perfect for Craftsman-inspired Cottage- and Bungalow-style homes.

Classic-Craft® American Style Collection™

Features high-definition vertical Douglas Fir grain with Craftsman styling, ideal for homes with an Arts and Crafts flair.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed doors and sidelites.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4- $\frac{1}{8}$ " full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2- $\frac{1}{2}$ " of height trimmability allows flexibility to fit 80"–82- $\frac{1}{2}$ " and 96"–98- $\frac{1}{2}$ " rough openings.


Finish Options

Classic-Craft American Style entryways can be stained or painted any color.

- ❖ Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.



SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 264–265.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Bottom: Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA8240XC

Right Page: Classic-Craft American Style Collection, Arborwatch Glass, Door – CC9100, Sidelites – CCA9100SL, Dentil Shelf

Decorative Glass Designs



Villager[™] Page 48
Glass Privacy Rating: **5**



Homeward[™] Page 48
Glass Privacy Rating: **4**



Arborwatch[®] Page 49
Glass Privacy Rating: **6**

Also Available:

Privacy & Textured Glass
Page 50

Low-E Glass Page 51

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Caming Options

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

▮ Simulated divided lites (SDLs) available to create authentic Craftsman glass configurations.



Villager™



CCA212
 3'0" x 6'8"

CCA8212
 3'0" x 8'0"

CCA222
 3'0" x 6'8"

CCA8222
 3'0" x 8'0"

CCA232
 3'0" x 6'8"

CCA8232
 3'0" x 8'0"

CCA3402SL
 12" x 6'8"
 14" x 6'8"

CCA3502SL
 12" x 8'0"
 14" x 8'0"

CCA212SL
 12" x 6'8"
 14" x 6'8"

VGRT

 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

VG30T

 3'0" Door Only

Homeward™



CCA211
 3'0" x 6'8"

CCA8211
 3'0" x 8'0"

CCA87112
 3'6" x 8'0"

CCA221
 3'0" x 6'8"


CCA8221
 3'0" x 8'0"


CCA87122
 3'6" x 8'0"


CCA231
 3'0" x 6'8"


CCA8231
 3'0" x 8'0"

CCA87132
 3'6" x 8'0"




CCA3401SL
 12" x 6'8"
 14" x 6'8"

CCA3501SL
 12" x 8'0"
 14" x 8'0"

CCA211SL
 12" x 6'8"
 14" x 6'8"

HWRT

 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

HW30T

 3'0" Door Only




*Pairs with 3'6" wide doors.

Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Homeward Glass, Door – CCA211, Sidelites – CCA3401SL, Transom – HWRT, Dentil Shelf
 Right Page: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300, Sidelites – CCA9100SL


Arborwatch.



CCA9100
 ▲ ◆ ◆ ◆
 3'0" x 6'8"



CCA89100
 ▲ ◆ ◆ ◆
 3'0" x 8'0"




CCA87111
 ▲ ◆ ◆ ◆
 3'6" x 8'0"



CCA9200
 ▲ ◆ ◆ ◆
 3'0" x 6'8"



CCA89200
 ▲ ◆ ◆ ◆
 3'0" x 8'0"



CCA87121
 ▲ ◆ ◆ ◆
 3'6" x 8'0"



CCA9300
 ▲ ◆ ◆ ◆
 3'0" x 6'8"



CCA89300
 ▲ ◆ ◆ ◆
 3'0" x 8'0"



CCA87131
 ▲ ◆ ◆ ◆
 3'6" x 8'0"



CCA1423SL
 ▲ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



CCA81423SL
 ▲ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



CCA9100SL
 ▲ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



ABRT
 ▲ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only




AB30T
 ▲ ◆ ◆ ◆
 3'0" Door Only



Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves



Privacy & Textured Glass



CCA210__
3'0" x 6'8"



CCA8210__
3'0" x 8'0"



CCA87100_*
3'6" x 8'0"



CCA220__
3'0" x 6'8"

CCA8220__
3'0" x 8'0"



CCA87200_*
3'6" x 8'0"

CCA230__
3'0" x 6'8"

CCA8230__
3'0" x 8'0"



CCA87300_*
3'6" x 8'0"



CCA240__
3'0" x 6'8"

CCA8240__
3'0" x 8'0"



CCA87400_*
3'6" x 8'0"



CCA260__
3'0" x 6'8"

CCA8260__
3'0" x 8'0"



CCA87600_*
3'6" x 8'0"



CCA3400_SL
12" x 6'8"
14" x 6'8"



CCA3500_SL
12" x 8'0"
14" x 8'0"



CCA3450_SL
12" x 6'8"
14" x 6'8"



CCA3560_SL
12" x 8'0"
14" x 8'0"



CCA210_SL
12" x 6'8"
14" x 6'8"



CCA220_SL
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass

XR = Rainglass

XJ = Chinchilla Glass

XN = Granite Glass

*Available in Rainglass only.

**Pairs with 3'6" wide doors.

Note: See page 273 for important product details that may help with your purchase decision.

Low-E Glass



CCA210
 3'0" x 6'8"
 CCA8210
 3'0" x 8'0"



CCA87100
 3'6" x 8'0"



CCA220
 3'0" x 6'8"
 CCA8220
 3'0" x 8'0"



CCA87200
 3'6" x 8'0"



CCA230
 3'0" x 6'8"
 CCA8230
 3'0" x 8'0"



CCA87300
 3'6" x 8'0"



CCA240
 3'0" x 6'8"
 CCA8240
 3'0" x 8'0"



CCA87400
 3'6" x 8'0"



CCA260
 3'0" x 6'8"
 CCA8260
 3'0" x 8'0"



CCA87600
 3'6" x 8'0"



CCA3400SL
 12" x 6'8"
 14" x 6'8"



CCA3500SL
 12" x 8'0"
 14" x 8'0"

CCA3450SL
 12" x 6'8"
 14" x 6'8"

CCA3560SL
 12" x 8'0"
 14" x 8'0"



CCA210SL
 12" x 6'8"
 14" x 6'8"



CCA220SL
 12" x 6'8"
 14" x 6'8"



19220T

 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems




19200T

 3'0" Door Only

Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves





Classic-Craft[®]
Entry Doors

THERMA TRU
DOORS



D R E A M

Classic-Craft[®]

Mahogany Collection[™]

- Rich, warm Mahogany wood tones.

Especially suited for European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

Classic-Craft® Mahogany Collection™

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction




- 20% heavier construction.*
- Top and bottom composite rails.
- 4- $\frac{1}{8}$ " full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2- $\frac{1}{2}$ " of height trimmability allows flexibility to fit 80"–82- $\frac{1}{2}$ " and 96"–98- $\frac{1}{2}$ " rough openings.

Finish Options

Classic-Craft Mahogany entryways can be stained or painted any color.

- 
WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**
- 
Fire-rated options available on solid-panel doors. See pages 227–231.
- 
Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.


**Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Mahogany Collection, Zaha Glass, Door – CCM1851, Sidelites – CCM1851SL

Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Transom – LCET

Decorative Glass Designs



Villager™ Page 56
Glass Privacy Rating: **5**



Homeward™ Page 56
Glass Privacy Rating: **4**



Arcadia™ Page 57
Glass Privacy Rating: **5**



Augustine® Page 57
Glass Privacy Rating: **10**



Ashurst™ Page 58
Glass Privacy Rating: **8**



Bella™ Page 58
Glass Privacy Rating: **6**



Arborwatch. Page 59
Glass Privacy Rating: **6**



Borrassa. Page 59
Glass Privacy Rating: **10**



Longford™ Page 60
Glass Privacy Rating: **8**



Zaha. Page 60
Glass Privacy Rating: **3**



Lucerna® Page 61
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass Page 61

Low-E Glass Page 62

Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque



Villager[™]




CCM9812
◆
3'0" x 6'8"



CCM9816
◆
3'0" x 6'8"



CCM89818
◆
3'0" x 8'0"



CCM9811
◆
3'0" x 6'8"



CCM9812SL
◆
12" x 6'8"
14" x 6'8"

CCM89812SL
◆
12" x 8'0"
14" x 8'0"




VGRT
◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only




VG30T
◆
3'0" Door Only

Homeward[™]




CCM9925
◆
3'0" x 6'8"



CCM9923
◆
3'0" x 6'8"



CCM89922
◆
3'0" x 8'0"



CCM9926
◆
3'0" x 6'8"



CCM9925SL
◆
12" x 6'8"
14" x 6'8"

CCM89925SL
◆
12" x 8'0"
14" x 8'0"



HWRT
◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
◆
3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Mahogany Collection, Arcadia Glass, Door – CCM209, Sidelites – CCM3309SL, Transom – CC620T

Arcadia™



CCM109
◆ ◆ ◆
3'0" x 6'8"



CCM209
◆ ◆ ◆
3'0" x 6'8"



CCM894
◆ ◆ ◆
3'0" x 8'0"




CCM309
◆ ◆ ◆
3'0" x 6'8"



CCM409
◆ ◆ ◆
3'0" x 6'8"



CCM509
◆ ◆ ◆
3'0" x 6'8"



CCM609
◆ ◆ ◆
3'0" x 6'8"



CCM709
◆ ◆ ◆
3'0" x 6'8"



CCM809
◆ ◆ ◆
3'0" x 6'8"



CCM3409SL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"



CCM8003SL
◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



CCM3309SL
◆ ◆ ◆ ◆
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3509SL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"



ARHRT
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC620T
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC060T
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
◆ ◆ ◆
3'0" Door Only

Augustine®

Note: Product images show exterior side of door.



CCM30027
X
3'0" x 6'8"



CCM1485
X
3'0" x 6'8"



CCM805027
X
3'0" x 8'0"



CCM1495
X
3'0" x 6'8"



CCM3400XNSL
◆
12" x 6'8"
14" x 6'8"



CCM8000XNSL
◆
12" x 8'0"
14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Ashurst[™]



CCM105
◆ ■■
3'0" x 6'8"



CCM205
◆ ■■
3'0" x 6'8"



CCM893
◆ ■■
3'0" x 8'0"



CCM305
◆ ■■
3'0" x 6'8"



CCM405
◆ ■■
3'0" x 6'8"



CCM505
◆ ■■
3'0" x 6'8"



CCM605
◆ ■■
3'0" x 6'8"



CCM705
◆ ■■
3'0" x 6'8"



CCM805
◆ ■■
3'0" x 6'8"



CCM3405SL
▲ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"



CCM8002SL
▲ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



CCM3305SL
▲ ◆ ◆ ◆
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3505SL
▲ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"



ASHRT
◆ ■■
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ASRT
◆ ■■
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



ASET
◆ ■■
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AS30T
◆ ■■
3'0" Door Only

Bella[™]



CCM110B
◆ ■■
3'0" x 6'8"




CCM210B
◆ ◆ ◆
3'0" x 6'8"



CCM895B
◆ ◆ ◆
3'0" x 8'0"



CCM310B
◆ ■■
3'0" x 6'8"



CCM610B
◆ ■■
3'0" x 6'8"



CCM710B
◆ ■■
3'0" x 6'8"



CCM810B
◆ ■■
3'0" x 6'8"



CCM3410BSL
 ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



CCM8004BSL
 ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



CCM3310BSL
 ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



BEBHRT
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



BERT-B
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only




BEET-B
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Arborwatch[®]




CCM1423
 ◆ ◆ ◆
 3'0" x 6'8"



CCM1419
 ◆ ◆ ◆
 3'0" x 6'8"



CCM81418
 ◆ ◆ ◆
 3'0" x 8'0"



CCM1424
 ◆ ◆ ◆
 3'0" x 6'8"



CCM1423SL
 ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



CCM81423SL
 ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

ABRT
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



AB30T
 ◆ ◆ ◆
 3'0" Door Only

Borrassa[®]

Note: Product images show exterior side of door.



CCM1528
 X
 3'0" x 6'8"



CCM1475
 X
 3'0" x 6'8"



CCM81519
 X
 3'0" x 8'0"



CCM1465
 X
 3'0" x 6'8"



CCM3400XHSL
 ◆
 12" x 6'8"
 14" x 6'8"

Note: Coordinating sidelites feature hammered glass without wrought iron.

CCM8000XHSL
 ◆
 12" x 8'0"
 14" x 8'0"

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)

Longford[™]



CCM103
◆ ◆
3'0" x 6'8"



CCM203
◆ ◆
3'0" x 6'8"



CCM892
◆ ◆
3'0" x 8'0"




CCM303
◆ ◆
3'0" x 6'8"



CCM403
◆ ◆
3'0" x 6'8"



CCM503
◆ ◆
3'0" x 6'8"



CCM603
◆ ◆
3'0" x 6'8"



CCM703
◆ ◆
3'0" x 6'8"



CCM803
◆ ◆
3'0" x 6'8"



CCM3403SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"



CCM8001SL
◆ ◆ ◆
12" x 8'0"
14" x 8'0"



CCM3303SL
◆ ◆ ◆
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3503SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"



LFHRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LFRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFET
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
◆ ◆
3'0" Door Only

Zaha[®]

Note: Product images show exterior side of door.



CCM1851
◆ ◆
3'0" x 6'8"



CCM1844
◆ ◆
3'0" x 6'8"



CCM81843
◆ ◆
3'0" x 8'0"



CCM1842
◆ ◆
3'0" x 6'8"



CCM1851SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"



CCM81851SL
◆ ◆ ◆
12" x 8'0"
14" x 8'0"



CCM1843SL
◆ ◆ ◆
10" x 6'8"
12" x 6'8"
14" x 6'8"



ZHHRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ZHRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Lucerna[®]



CCM10022
◆ ◆
3'0" x 6'8"

CCM204
◆ ◆
3'0" x 6'8"

CCM898
◆ ◆
3'0" x 8'0"

CCM302
◆ ◆
3'0" x 6'8"

CCM612
◆ ◆
3'0" x 6'8"

CCM702
◆ ◆
3'0" x 6'8"

CCM822
◆ ◆
3'0" x 6'8"



CCM3412SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CCM8102SL
◆ ◆ ◆
12" x 8'0"
14" x 8'0"



CCM3302SL
◆ ◆ ◆
10" x 6'8"
12" x 6'8"
14" x 6'8"



CCM3502SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"



LCHRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LCRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCET
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
◆ ◆
3'0" Door Only

Privacy & Textured Glass



CCM100__
3'0" x 6'8"

CCM200__
3'0" x 6'8"

CCM891__
3'0" x 8'0"

CCM300__
3'0" x 6'8"

CCM3400__SL
◆
12" x 6'8"
14" x 6'8"

CCM8000__SL
◆
12" x 8'0"
14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-40.

XC = Chord Glass
XJ = Chinchilla Glass

XR = Rainglass
XN = Granite Glass

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

Low-E Glass



CCM100 ★ 3'0" x 6'8"	CCM200 ★ 3'0" x 6'8"	CCM891 ★ 3'0" x 8'0"	CCM300 ★ 3'0" x 6'8"	CCM400 ★ 3'0" x 6'8"	CCM500 ★ 3'0" x 6'8"	CCM600 ★ 3'0" x 6'8"	CCM700 ★ 3'0" x 6'8"
-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------



CCM800 ★ 3'0" x 6'8"	CCM3400SL ▲★ 12" x 6'8" 14" x 6'8"	CCM8000SL ▲★ 12" x 8'0" 14" x 8'0"	CCM3300SL ▲★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	CCM3500SL ▲★ 12" x 6'8" 14" x 6'8"	DLHRT ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	19220T ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems
					19020T ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	19200T ★ 3'0" Door Only

Solid Panel



CCM890 6 3'0" x 8'0"	CCM60 6 3'0" x 6'8"	CCM701 6 3'0" x 6'8"	CCM801 3'0" x 6'8"
-----------------------------------	----------------------------------	-----------------------------------	------------------------------

Key

- ▲ Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- 6 WBD / HVHZ Options





Classic-Craft[®]
Entry Doors

THERMA TRU[®]
DOORS

BEAUTY

Classic-Craft®

Rustic

Collection™

- Casually elegant wood graining.

Designed to complement American Southwest and European-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.

Classic-Craft® Rustic Collection™

Seamlessly blends Southwest and European styling with rustic wood grains to evoke Old World charm.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction


- 20% heavier construction.*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.


Available Sizes


- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability allows flexibility to fit 80"–82-1/2" and 96"–98-1/2" rough openings.


Finish Options

Classic-Craft Rustic entryways can be stained or painted any color.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**

 Fire-rated options available on solid-panel doors. See pages 227–231.

 Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 264–265.

*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Rustic Collection, Ashurst Glass, Door – CCR804035

Decorative Glass Designs



Villager™ Page 68
Glass Privacy Rating: **5**



Homeward™ Page 69
Glass Privacy Rating: **4**



Arcadia™ Page 69
Glass Privacy Rating: **5**



Augustine® Page 70
Glass Privacy Rating: **10**



Ashurst™ Page 71
Glass Privacy Rating: **8**



Bella™ Page 72
Glass Privacy Rating: **6**



Arborwatch™ Page 72
Glass Privacy Rating: **6**



Borrassa™ Page 73
Glass Privacy Rating: **10**



Provincial™ Page 74
Glass Privacy Rating: **6**



Longford™ Page 75
Glass Privacy Rating: **8**



Cambridge™ Page 75
Glass Privacy Rating: **8**



Zaha® Page 76
Glass Privacy Rating: **3**



Lucerna® Page 76
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass
Page 77

Low-E Glass
Page 78

Glass Privacy Rating Scale



Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Panel Embossments




2-Panel Square Top – WS



2-Panel Soft Arch
4-Panel Round Top
Arched 2-Panel Soft Arch
Radiused 4-Panel Round Top
2-Panel Round Top
Radiused 2-Panel Round Top



2-Panel Plank Soft Arch
Arched 2-Panel Plank Soft Arch
1-Panel Plank Soft Arch
2-Panel Plank Round Top
Radiused 2-Panel Plank Round Top



Arched Full Plank
Full Plank
Radiused Full Plank

Villager™



VGRT
 ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



VG30T
 ◆ ◆ ◆
 3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision.
 Top: Classic-Craft Rustic Collection, Villager Glass, Door – CCR9822

Homeward™



HWRT
 ◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



HW30T
 ◆◆
 3'0" Door Only

Arcadia™



ARHRT
 ◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CC060T
 ◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC620T
 ◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC600T
 ◆◆◆
 3'0" Door Only

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

Augustine

Note: Product images show exterior side of door.



CCR30027
X
3'0" x 6'8"



CCR04027
X
3'0" x 6'8"



CCR804027
X
3'0" x 8'0"
3'6" x 8'0"



CCR04037
X
3'0" x 6'8"



CCR804037
X
3'0" x 8'0"
3'6" x 8'0"



CCR04037A
X
3'0" x 6'8"



CCR804037A
X
3'0" x 8'0"
3'6" x 8'0"



CCR20527
X
3'0" x 6'8"



CCR820527
X
3'0" x 8'0"
3'6" x 8'0"



CCR20537
X
3'0" x 6'8"



CCR820537A
X
3'0" x 8'0"
3'6" x 8'0"



CCR20027
X
3'0" x 6'8"



CCR820027
X
3'0" x 8'0"



CCR822227
X
3'0" x 8'0"
3'6" x 8'0"



CCR20037
X
3'0" x 6'8"



CCR820037
X
3'0" x 8'0"



CCR20037A
X
3'0" x 6'8"



CCR820037A
X
3'0" x 8'0"



CCR3400XNSL
▲
12" x 6'8"
14" x 6'8"



CCR8000XNSL
▲
12" x 8'0"
14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.





ASHRT ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



ASET ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



ASRT ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



AS30T ◆ ◆
 3'0" Door Only

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

Bella™



BEBHRT
 ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



BEET-B
 ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



BERT-B
 ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Arborwatch®



ABRT
 ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



AB30T
 ◆ ◆
 3'0" Door Only

Borrassa®

Note: Product images show exterior side of door.



CCR1528
X
3'0" x 6'8"

CCR1518
X
3'0" x 6'8"

CCR81518
X
3'0" x 8'0"
3'6" x 8'0"

CCR1514
X
3'0" x 6'8"

CCR81514
X
3'0" x 8'0"
3'6" x 8'0"

CCR1514A
X
3'0" x 6'8"

CCR81514A
X
3'0" x 8'0"
3'6" x 8'0"

CCR1516
X
3'0" x 6'8"

CCR81516
X
3'0" x 8'0"
3'6" x 8'0"

CCR1512
X
3'0" x 6'8"

CCR81512
X
3'0" x 8'0"
3'6" x 8'0"



CCR1512A
X
3'0" x 6'8"

CCR81512A
X
3'0" x 8'0"
3'6" x 8'0"

CCR1515
X
3'0" x 6'8"

CCR81515
X
3'0" x 8'0"

CCR822215
X
3'0" x 8'0"
3'6" x 8'0"

CCR1511
X
3'0" x 6'8"

CCR81511
X
3'0" x 8'0"

CCR1511A
X
3'0" x 6'8"

CCR81511A
X
3'0" x 8'0"

CCR3400XHSL
▲
12" x 6'8"
14" x 6'8"

CCR8000XHSL
▲
12" x 8'0"
14" x 8'0"

Note:
Coordinating
sidelites
feature
hammered
glass without
wrought iron.



Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)

Provincial[™]



CCR30028
 ◆ ◆ ◆
 3'0" x 6'8"

CCR04028
 ◆ ◆ ◆ ◆
 3'0" x 6'8"

CCR804028
 ◆ ◆ ◆ ◆
 3'0" x 8'0"

CCR20528
 ◆ ◆ ◆ ◆
 3'0" x 6'8"

CCR820528
 ◆ ◆ ◆ ◆
 3'0" x 8'0"

CCR20028
 ◆ ◆ ◆ ◆
 3'0" x 6'8"

CCR820028
 ◆ ◆ ◆ ◆
 3'0" x 8'0"

CCR822228
 ◆ ◆ ◆ ◆
 3'0" x 8'0"

CCR3408SL
 ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

CCR8008SL
 ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



PRHRT
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems




CC040T
 ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC420T
 ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only




CC400T
 ◆ ◆ ◆ ◆
 3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision.
 Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

Longford™



Cambridge™



Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

Zaha[®]

Note: Product images show exterior side of door.



CCR1851
◆ ◆
3'0" x 6'8"

CCR1841
◆ ◆
3'0" x 6'8"

CCR81841
◆ ◆
3'0" x 8'0"

CCR81847
◆ ◆
3'0" x 8'0"

CCR81847A
◆ ◆
3'0" x 8'0"

CCR1839
◆ ◆
3'0" x 6'8"

CCR81839
◆ ◆
3'0" x 8'0"

CCR81846
◆ ◆
3'0" x 8'0"



CCR81846A
◆ ◆
3'0" x 8'0"

CCR1838
◆ ◆
3'0" x 6'8"

CCR81838
◆ ◆
3'0" x 8'0"

CCR822238
◆ ◆
3'0" x 8'0"

CCR81845
◆ ◆
3'0" x 8'0"

CCR81845A
◆ ◆
3'0" x 8'0"

CCR1851SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CCR81851SL
◆ ◆ ◆
12" x 8'0"
14" x 8'0"



ZHRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ZHRT
◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Lucerna[®]



CCR10022
◆ ◆
3'0" x 6'8"

CCR04022
◆ ◆
3'0" x 6'8"

CCR804022
◆ ◆
3'0" x 8'0"
3'6" x 8'0"

CCR20522
◆ ◆
3'0" x 6'8"

CCR820522
◆ ◆
3'0" x 8'0"
3'6" x 8'0"

CCR20022
◆ ◆
3'0" x 6'8"

CCR820022
◆ ◆
3'0" x 8'0"

CCR822222
◆ ◆
3'0" x 8'0"
3'6" x 8'0"

CCR820532
◆ ◆
3'0" x 8'0"


*Available in Rainglass only.
Note: See page 273 for important product details that may help with your purchase decision.




CCR820532A
 ◆ ■ ■
 3'0" x 8'0"




CCR820032
 ◆ ■ ■
 3'0" x 8'0"



CCR820032A
 ◆ ■ ■
 3'0" x 8'0"



CCR804032
 ◆ ■ ■
 3'0" x 8'0"



CCR804032A
 ◆ ■ ■
 3'0" x 8'0"



CCR3412SL
 ◆ ◆ ■ ■
 12" x 6'8"
 14" x 6'8"



CCR8102SL
 ◆ ◆ ■ ■
 12" x 8'0"
 14" x 8'0"



LCHRT
 ◆ ■ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



LCET
 ◆ ■ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LCRT
 ◆ ■ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LC30T
 ◆ ■ ■
 3'0" Door Only

Privacy & Textured Glass



CCR30020
 3'0" x 6'8"



CCR04020
 3'0" x 6'8"



CCR804020
 3'0" x 8'0"
 3'6" x 8'0"*



CCR20520
 3'0" x 6'8"



CCR820520
 3'0" x 8'0"
 3'6" x 8'0"*



CCR20020
 3'0" x 6'8"



CCR820020
 3'0" x 8'0"



CCR822220
 3'0" x 8'0"
 3'6" x 8'0"*



CCR804030
 3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-40.

XC = Chord Glass
 XJ = Chinchilla Glass

XR = Rainglass
 XN = Granite Glass

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)

Privacy & Textured Glass *Continued*



CCR820530
3'0" x 8'0"



CCR820030
3'0" x 8'0"



CCR804030A
3'0" x 8'0"



CCR820530A
3'0" x 8'0"



CCR820030A
3'0" x 8'0"



CCR3400_SL	CCR8000_SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"

Low-E Glass



CCR30020
★ 3'0" x 6'8"



CCR04020	CCR804020
★ 3'0" x 6'8"	★ 3'0" x 8'0"
	★ 3'6" x 8'0"



CCR804030
★ 3'0" x 8'0"



CCR804030A
★ 3'0" x 8'0"



CCR20520	CCR820520
★ 3'0" x 6'8"	★ 3'0" x 8'0"
	★ 3'6" x 8'0"



CCR820530
★ 3'0" x 8'0"



CCR820530A
★ 3'0" x 8'0"



CCR20020	CCR820020
★ 3'0" x 6'8"	★ 3'0" x 8'0"



CCR822220
★ 3'0" x 8'0"



CCR820030
★ 3'0" x 8'0"



CCR820030A
★ 3'0" x 8'0"



CCR3400SL	CCR8000SL
▲ ★ 12" x 6'8"	▲ ★ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



DLHRT
★ 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T
★ 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19220T
★ 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19200T
★ 3'0" Door Only

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass
XJ = Chinchilla Glass

XR = Rainglass
XN = Granite Glass

Solid Panel



CCR205
3'0" x 6'8"
CCR8205
3'0" x 8'0"
3'6" x 8'0"



CCR205A
3'0" x 6'8"
CCR8205A
3'0" x 8'0"
3'6" x 8'0"



CCR8225
3'0" x 8'0"
3'6" x 8'0"



CCR8225R
3'0" x 8'0"
3'6" x 8'0"



CCR8005
3'0" x 8'0"



CCR8005A
3'0" x 8'0"



CCR040
3'0" x 6'8"
CCR8040
3'0" x 8'0"
3'6" x 8'0"



CCR040R
3'0" x 6'8"
CCR8040R
3'0" x 8'0"
3'6" x 8'0"



CCR8222
3'0" x 8'0"
3'6" x 8'0"



CCR200
3'0" x 6'8"
CCR8200
3'0" x 8'0"



CCR200A
3'0" x 6'8"
CCR8200A
3'0" x 8'0"



CCR8220
3'0" x 8'0"



CCR8220R
3'0" x 8'0"



CCR100
3'0" x 6'8"
3'6" x 6'8"
CCR8100
3'0" x 8'0"
3'6" x 8'0"



CCR100A
3'0" x 6'8"
3'6" x 6'8"
CCR8100A
3'0" x 8'0"
3'6" x 8'0"



CCR100R
3'0" x 6'8"
3'6" x 6'8"
CCR8100R
3'0" x 8'0"
3'6" x 8'0"

Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  WBDR / HVHZ Options



Classic-Craft[®]
Entry Doors

THERMA TRU[®]
DOORS

STRIKING

Classic-Craft®

Oak

Collection™

- Warm wood graining.

With warm wood graining, Classic-Craft Oak premium fiberglass entryways are designed as the perfect complement to homes with Traditional styling.

Classic-Craft® Oak Collection™

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.


Available Sizes


- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability allows flexibility to fit 80"–82-1/2" and 96"–98-1/2" rough openings.


Finish Options

Classic-Craft Oak entryways can be stained or painted any color.



 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**

 Fire-rated options available on solid-panel doors. See pages 227–231.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Oak Collection, Lucerna Glass, Door – CC822
Right Page: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T




SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Decorative Glass Designs



Villager™ Page 84
Glass Privacy Rating: **5**



Homeward™ Page 84
Glass Privacy Rating: **4**



Arcadia™ Page 84
Glass Privacy Rating: **5**



Bella™ Page 85
Glass Privacy Rating: **6**




Arborwatch™ Page 86
Glass Privacy Rating: **6**



Provincial™ Page 87
Glass Privacy Rating: **6**



Cambridge™ Page 87
Glass Privacy Rating: **8**



Lucerna™ Page 88
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass
Page 89

Low-E Glass
Page 90

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10
Clear Opaque

Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

▶ Removable wood grilles available to create authentic Colonial configurations.



Villager™



CC9812
◆ ◆
3'0" x 6'8"

CC9818
◆ ◆ ◆
3'0" x 6'8"

CC89818
◆ ◆ ◆
3'0" x 8'0"

CC89815
◆ ◆ ◆
3'0" x 8'0"

CC9811
◆ ◆ ◆
3'0" x 6'8"

CC9812SL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CC89812SL
◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



VGRT
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



VG30T
◆ ◆ ◆
3'0" Door Only

Homeward™



CC9925
◆ ◆ ◆
3'0" x 6'8"

CC9922
◆ ◆ ◆
3'0" x 6'8"

CC89922
◆ ◆ ◆ ◆
3'0" x 8'0"

CC89924
◆ ◆ ◆ ◆
3'0" x 8'0"

CC9926
◆ ◆ ◆ ◆
3'0" x 6'8"

CC9925SL
◆ ◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CC89925SL
◆ ◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



HWRT
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
◆ ◆ ◆ ◆
3'0" Door Only

Arcadia™



CC109
◆ ◆ ◆ ◆
3'0" x 6'8"

CC99
◆ ◆ ◆ ◆ ◆
3'0" x 6'8"

CC899
◆ ◆ ◆ ◆ ◆
3'0" x 8'0"

CC839
◆ ◆ ◆ ◆ ◆
3'0" x 8'0"

CC45
◆ ◆ ◆ ◆ ◆
2'8" x 6'8"
3'0" x 6'8"

CC79
◆ ◆ ◆ ◆ ◆
3'0" x 6'8"

CC19
◆ ◆ ◆ ◆ ◆
3'0" x 6'8"

CC2060SL
◆ ◆ ◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CC8009SL
◆ ◆ ◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



CC2279SL
 ▲ ◆ ■ ❖
 12" x 6'8"
 14" x 6'8"



CC2160SL
 ▲ ◆ ■ ❖
 12" x 6'8"
 14" x 6'8"



CC1019SL
 ▲ ◆ ■ ❖
 12" x 6'8"
 14" x 6'8"



ARHRT
 ◆ ■ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CC060T
 ◆ ■ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC620T
 ◆ ■ ❖
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC600T
 ◆ ■ ❖
 3'0" Door Only

Bella™



CC111B
 ◆ ■
 3'0" x 6'8"



CC114B
 ◆ ■
 3'0" x 6'8"



CC901B
 ◆ ■
 3'0" x 8'0"



CC900B
 ◆ ■
 3'0" x 8'0"



CC110B
 ◆ ■
 3'0" x 6'8"



CC113B
 ◆ ■
 3'0" x 6'8"



CC112B
 ◆ ■
 3'0" x 6'8"



CC2080BSL
 ▲ ◆ ■
 12" x 6'8"
 14" x 6'8"



CC8010BSL
 ▲ ◆ ■
 12" x 8'0"
 14" x 8'0"



BEBHRT
 ◆ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



BEET-B
 ◆ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



BERT-B
 ◆ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

Arborwatch®



CC1423
 ◆ ◆
 3'0" x 6'8"




CC1418
 ◆ ◆
 3'0" x 6'8"



CC81418
 ◆ ◆
 3'0" x 8'0"



CC81420
 ◆ ◆
 3'0" x 8'0"



CC1424
 ◆ ◆
 3'0" x 6'8"



CC1423SL
 ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



CC81423SL
 ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



ABRT
 ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



AB30T
 ◆ ◆
 3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision.
 Bottom: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T

Provincial™



CC107
◆ ◆ ◆
3'0" x 6'8"

CC97
◆ ◆ ◆
3'0" x 6'8"

CC897
◆ ◆ ◆
3'0" x 8'0"

CC837
◆ ◆ ◆
3'0" x 8'0"

CC47
◆ ◆ ◆
2'8" x 6'8"
3'0" x 6'8"

CC77
◆ ◆ ◆
3'0" x 6'8"

CC17
◆ ◆ ◆
3'0" x 6'8"



CC2040SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CC8007SL
◆ ◆ ◆
12" x 8'0"
14" x 8'0"

CC2277SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CC2140SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CC1017SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"



PRHRT
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC040T
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
◆ ◆ ◆
3'0" Door Only

Cambridge™



CC106
◆ ◆ ◆
3'0" x 6'8"

CC96
◆ ◆ ◆
3'0" x 6'8"

CC896
◆ ◆ ◆
3'0" x 8'0"

CC836
◆ ◆ ◆
3'0" x 8'0"

CC44
◆ ◆ ◆
2'8" x 6'8"
3'0" x 6'8"

CC76
◆ ◆ ◆
3'0" x 6'8"

CC16
◆ ◆ ◆
3'0" x 6'8"

Cambridge Glass Continues on next page.

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

Cambridge™ Glass *Continued*



CC2044SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



CC8006SL
 ◆◆◆◆◆
 12" x 8'0"
 14" x 8'0"



CC2276SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



CC2144SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



CC1016SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



CBHRT
 ◆◆◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CC090T
 ◆◆◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC920T
 ◆◆◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CC900T
 ◆◆◆◆◆
 3'0" Door Only

Lucerna®




CC10022
 ◆◆◆◆◆
 3'0" x 6'8"



CC922
 ◆◆◆◆◆
 3'0" x 6'8"



CC898
 ◆◆◆◆◆
 3'0" x 8'0"



CC833
 ◆◆◆◆◆
 3'0" x 8'0"



CC612
 ◆◆◆◆◆
 3'0" x 6'8"



CC78
 ◆◆◆◆◆
 3'0" x 6'8"



CC822
 ◆◆◆◆◆
 3'0" x 6'8"



CC3412SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



CC8102SL
 ◆◆◆◆◆
 12" x 8'0"
 14" x 8'0"



CC2272SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



CC2122SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



CC3502SL
 ◆◆◆◆◆
 12" x 6'8"
 14" x 6'8"



LCHRT
 ◆◆◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



LCRT
 ◆◆◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LCET
 ◆◆◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



LC30T
 ◆◆◆◆◆
 3'0" Door Only

Privacy & Textured Glass with Divided Lites



CC102_>
3'0" x 6'8"

CC92_>
3'0" x 6'8"

CC892_>
3'0" x 8'0"

CC832_>
3'0" x 8'0"

CC2025_SL
▲>
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass



CC100_>
3'0" x 6'8"

CC90_>
3'0" x 6'8"

CC890_>
3'0" x 8'0"



CC830_>
3'0" x 8'0"

CC2020_SL
▲
12" x 6'8"
14" x 6'8"

CC8000_SL
▲
12" x 8'0"
14" x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass
XJ = Chinchilla Glass

XR = Rainglass
XN = Granite Glass

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ▶ Removable Wood Grilles (RG)

Low-E Glass with Divided Lites



CC102
★
3'0" x 6'8"

CC92 | CC892
★ >
3'0" x 6'8" | 3'0" x 8'0"



CC49
★ >
2'8" x 6'8"
3'0" x 6'8"



CC832
★ >
3'0" x 8'0"



CC2025SL
★ >
12" x 6'8"
14" x 6'8"



19020T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only
Grille Sticks Applied



19220T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only
Grille Sticks Applied



19200T
★
3'0" Door Only
Grille Sticks Applied

Low-E Glass



CC100
★
3'0" x 6'8"

CC90 | CC890
★ >
3'0" x 6'8" | 3'0" x 8'0"



CC48
★
2'8" x 6'8"
3'0" x 6'8"



CC830
★
3'0" x 8'0"



CC70
★
3'0" x 6'8"



CC10
★
3'0" x 6'8"



CC811
★
3'0" x 8'0"
3'6" x 8'0"



CC61
★
3'0" x 6'8"

CC2020SL | CC8000SL
★ >
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



CC2270SL
★ >
12" x 6'8"
14" x 6'8"



CC2120SL
★ >
12" x 6'8"
14" x 6'8"



CC1010SL
★ >
12" x 6'8"
14" x 6'8"



DLHRT
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
★
3'0" Door Only

Solid Panel



CC91
6
3'0" x 6'8"



CC831
6
3'0" x 8'0"



CC40
3'6" x 6'8"



CC11
3'0" x 6'8"



CC810
6
3'0" x 8'0"
3'6" x 8'0"



CC60
6
2'8" x 6'8"
3'0" x 6'8"



CC860
6
3'6" x 8'0"



Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  Removable Wood Grilles (RG)
-  WBDR / HVHZ Options



Classic-Craft[®]
Entry Doors

THERMA TRU[®]
DOORS



EXCLUSIVE

Classic-Craft®

Canvas

Collection®

- Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.

Classic-Craft® Canvas Collection®

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.



Architectural Character

- Architecturally correct design – up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction




- 20% heavier construction.*
- Top and bottom composite rails.
- 4- $\frac{1}{8}$ " full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2- $\frac{1}{2}$ " of height trimmability allows flexibility to fit 80"–82- $\frac{1}{2}$ " and 96"–98- $\frac{1}{2}$ " rough openings.

Finish Options

Classic-Craft Canvas entryways can be painted any color.

-
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**
 -  Fire-rated options available on solid-panel doors. See pages 227–231.
 -  Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.




*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Canvas Collection, Borrassa Glass, Door – CCV1515, Straps

Decorative Glass Designs



Villager™ Page 97
Glass Privacy Rating: **5**



Homeward™ Page 97
Glass Privacy Rating: **4**



Arcadia™ Page 98
Glass Privacy Rating: **5**



Augustine® Page 99
Glass Privacy Rating: **10**



Ashurst™ Page 99
Glass Privacy Rating: **8**



Bella™ Page 100
Glass Privacy Rating: **6**



Arborwatch™ Page 101
Glass Privacy Rating: **6**



Borrassa™ Page 101
Glass Privacy Rating: **10**



Provincial™ Page 102
Glass Privacy Rating: **6**



Longford™ Page 103
Glass Privacy Rating: **8**



Cambridge™ Page 103
Glass Privacy Rating: **8**



Zaha® Page 104
Glass Privacy Rating: **3**



Lucerna™ Page 105
Glass Privacy Rating: **7**

Also Available:

Privacy & Textured Glass

Page 105

Low-E Glass

Page 107

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

▶ Simulated divided lites (SDLs) and removable wood grilles available to create authentic Craftsman and Colonial configurations.

Panel Embossments



4-Panel Square Top
4-Panel Soft Arch
Arched 4-Panel Soft Arch
6-Panel



2-Panel Plank Soft Arch
Arched 2-Panel Plank Soft Arch



2-Panel Square Top - WS



2-Panel 3/4 Top
3-Panel
5-Panel




Craftsman Lite
1-Panel Plank



Villager™



CCV9812 ◆ ■■ 3'0" x 6'8"	CCV9818 ◆ ■■ 3'0" x 6'8"	CCV89818 ◆ ■■ 3'0" x 8'0"	CCV9821 ◆ ■■ 3'0" x 6'8"	CCV89821 ◆ ■■ 3'0" x 8'0"	CCV9822 ◆ ■■ 3'0" x 6'8"	CCV89822 ◆ ■■ 3'0" x 8'0"	CCV9820 ◆ ■■ 3'0" x 6'8"	CCV9811 ◆ ■■ 3'0" x 6'8"	CCV89819 ◆ ■■ 3'0" x 8'0"
---------------------------------------	---------------------------------------	--	---------------------------------------	--	---------------------------------------	--	---------------------------------------	---------------------------------------	--



CCV89815 ◆ ■■ 3'0" x 8'0"	CCV912 ◆ ◆ ■■ 3'0" x 6'8"	CCV922 ◆ ◆ ■■ ■■ 3'0" x 6'8"	CCV932 ◆ ◆ ■■ ■■ 3'0" x 6'8"	CCV912SL ◆ ◆ ■■ 12" x 6'8" 14" x 6'8"	CCV8112SL ◆ ◆ ■■ 12" x 8'0" 14" x 8'0"	CCV9012SL ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"
--	--	---	---	---	--	---



VGRT
◆ ■■
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



VG30T
◆ ■■
3'0" Door Only

Homeward™



CCV9925 ◆ ■■ 3'0" x 6'8"	CCV9922 ◆ ■■ 3'0" x 6'8"	CCV89922 ◆ ■■ 3'0" x 8'0"	CCV9919 ◆ ■■ 3'0" x 6'8"	CCV89919 ◆ ■■ 3'0" x 8'0"	CCV9918 ◆ ■■ 3'0" x 6'8"	CCV89918 ◆ ■■ 3'0" x 8'0"	CCV9920 ◆ ■■ 3'0" x 6'8"	CCV9926 ◆ ■■ 3'0" x 6'8"	CCV89921 ◆ ■■ 3'0" x 8'0"
---------------------------------------	---------------------------------------	--	---------------------------------------	--	---------------------------------------	--	---------------------------------------	---------------------------------------	--

Homeward Glass Continues on next page.

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ■ ■ Simulated Divided Lites (SDL)

Note: See page 273 for important product details that may help with your purchase decision.

Left Page: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT

Optional Dentil Shelf



4-Block Dentil Shelf
Available for all Craftsman-style Canvas Collection doors.

Homeward™ Glass *Continued*



CCV89924
◆ ◆
3'0" x 8'0"




CCV911
◆ ◆ ◆
3'0" x 6'8"



CCV921
◆ ◆ ◆ ◆
3'0" x 6'8"



CCV931
◆ ◆ ◆ ◆
3'0" x 6'8"



CCV911SL
◆ ◆ ◆
12" x 6'8"
14" x 6'8"



CCV8111SL
◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"

CCV9011SL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"



HWRT
◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
◆ ◆ ◆
3'0" Door Only

Arcadia™



CCV10029
◆ ◆ ◆ ◆
3'0" x 6'8"



CCV05029
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV805029
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV20529
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV820529
◆ ◆ ◆ ◆
3'0" x 8'0"




CCV22029
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV822029
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV45529
◆ ◆ ◆ ◆
3'0" x 6'8"



CCV06029
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV806029
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV803029
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV109SL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CCV8109SL
◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



ARHRT
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC620T
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC060T
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
◆ ◆ ◆ ◆
3'0" Door Only

Augustine

Note: Product images show exterior side of door.



CCV10027
X
3'0" x 6'8"

CCV05027
X
3'0" x 6'8"

CCV805027
X
3'0" x 8'0"

CCV20527
X
3'0" x 6'8"

CCV820527
X
3'0" x 8'0"

CCV22027
X
3'0" x 6'8"

CCV822027
X
3'0" x 8'0"

CCV45527
X
3'0" x 6'8"

CCV20537
X
3'0" x 6'8"

CCV820537
X
3'0" x 8'0"



CCV45537
X
3'0" x 6'8"

CCV20537A
X
3'0" x 6'8"

CCV820537A
X
3'0" x 8'0"

CCV45537A
X
3'0" x 6'8"

CCV803027
X
3'0" x 8'0"

CCV806027
X
3'0" x 8'0"

CCV100XNSL
◆
12" x 6'8"
14" x 6'8"

CCV8100XNSL
◆
12" x 8'0"
14" x 8'0"

Note:
Coordinating
sidelites feature
granite glass
without
wrought iron.

Ashurst™



CCV10025
◆
3'0" x 6'8"

CCV05025
◆
3'0" x 6'8"

CCV805025
◆
3'0" x 8'0"

CCV20525
◆
3'0" x 6'8"

CCV820525
◆
3'0" x 8'0"

CCV22025
◆
3'0" x 6'8"

CCV822025
◆
3'0" x 8'0"

CCV45525
◆
3'0" x 6'8"

CCV820535
◆
3'0" x 8'0"

Ashurst Glass Continues on next page.

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- ◆ Simulated Divided Lites (SDL)

Optional Dentil Shelf



4-Block Dentil Shelf
Available for all Craftsman-style
Canvas Collection doors.

Ashurst™ Glass *Continued*



CCV06025
◆ ◆
3'0" x 6'8"

CCV806025
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV803025
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV820535A
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV105SL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CCV8105SL
◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



ASHRT
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ASET
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



ASRT
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AS30T
◆ ◆ ◆ ◆
3'0" Door Only

Bella™




CCV10024B
◆ ◆ ◆ ◆
3'0" x 6'8"




CCV05024B
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV805024B
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV20524B
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV820524B
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV22024B
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV822024B
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV45524B
◆ ◆ ◆ ◆
3'0" x 6'8"



CCV06024B
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV806024B
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV803024B
◆ ◆ ◆ ◆
3'0" x 8'0"



CCV104BSL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CCV8104BSL
◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



BEBHRT
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



BERT-B
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



BEET-B
◆ ◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Arborwatch



CCV1423
◆
3'0" x 6'8"

CCV1418
◆
3'0" x 6'8"

CCV81418
◆
3'0" x 8'0"

CCV1415
◆
3'0" x 6'8"

CCV81415
◆
3'0" x 8'0"

CCV1414
◆
3'0" x 6'8"

CCV81414
◆
3'0" x 8'0"

CCV1416
◆
3'0" x 6'8"

CCV1424
◆
3'0" x 6'8"

CCV81417
◆
3'0" x 8'0"



CCV81420
◆
3'0" x 8'0"

CCV4100
◆
3'0" x 6'8"

CCV4200
◆
3'0" x 6'8"

CCV4300
◆
3'0" x 6'8"

CCV1423SL
◆
12" x 6'8"
14" x 6'8"

CCV81423SL
◆
12" x 8'0"
14" x 8'0"

CCV4100SL
◆
12" x 6'8"
14" x 6'8"

ABRT
◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
◆
3'0" Door Only

Borrassa

Note: Product images show exterior side of door.



CCV1528
X
3'0" x 6'8"

CCV1519
X
3'0" x 6'8"

CCV81519
X
3'0" x 8'0"

CCV1516
X
3'0" x 6'8"

CCV81516
X
3'0" x 8'0"

CCV1515
X
3'0" x 6'8"

CCV81515
X
3'0" x 8'0"

CCV1517
X
3'0" x 6'8"

CCV1512
X
3'0" x 6'8"

CCV81512
X
3'0" x 8'0"

Borrassa Glass Continues on next page.

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

- X Wrought Iron (1W)
- ◆ Simulated Divided Lites (SDL)

Optional Dentil Shelf



Borrassa® Glass *Continued*

Note: Product images show exterior side of door.




CCV1513
✗
3'0" x 6'8"




CCV1512A
✗
3'0" x 6'8"

CCV81512A
✗
3'0" x 8'0"



CCV1513A
✗
3'0" x 6'8"



CCV81518
✗
3'0" x 8'0"



CCV81520
✗
3'0" x 8'0"



CCV100XHSL
▲
12" x 6'8"
14" x 6'8"

CCV8100XHSL
▲
12" x 8'0"
14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

Provincial™



CCV10028
◆◆◆
3'0" x 6'8"



CCV05028
◆◆◆
3'0" x 6'8"

CCV805028
◆◆◆
3'0" x 8'0"



CCV20528
◆◆◆
3'0" x 6'8"

CCV820528
◆◆◆
3'0" x 8'0"



CCV22028
◆◆◆
3'0" x 6'8"

CCV822028
◆◆◆
3'0" x 8'0"



CCV45528
◆◆◆
3'0" x 6'8"



CCV06028
◆◆◆
3'0" x 6'8"

CCV806028
◆◆◆
3'0" x 8'0"



CCV803028
◆◆◆
3'0" x 8'0"



CCV108SL
◆◆◆
12" x 6'8"
14" x 6'8"

CCV8108SL
◆◆◆
12" x 8'0"
14" x 8'0"



PRHRT

◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC420T

◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC040T

◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T

◆◆◆
3'0" Door Only

Longford™



CCV10023
◆ ◆
3'0" x 6'8"

CCV05023
◆ ◆ ◆
3'0" x 6'8"

CCV805023
◆ ◆ ◆
3'0" x 8'0"

CCV20523
◆ ◆ ◆
3'0" x 6'8"

CCV820523
◆ ◆ ◆
3'0" x 8'0"

CCV22023
◆ ◆ ◆
3'0" x 6'8"

CCV822023
◆ ◆ ◆
3'0" x 8'0"

CCV45523
◆ ◆ ◆
3'0" x 6'8"




CCV60023
◆ ◆ ◆
3'0" x 6'8"

CCV806023
◆ ◆ ◆
3'0" x 8'0"



CCV803023
◆ ◆ ◆
3'0" x 8'0"



CCV103SL
◆ ◆ ◆ ◆
12" x 6'8"
14" x 6'8"

CCV8103SL
◆ ◆ ◆ ◆
12" x 8'0"
14" x 8'0"



LFHRT

◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



LFRT

◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFET

◆ ◆ ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T

◆ ◆ ◆
3'0" Door Only

Cambridge™



CCV10026
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV05026
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV805026
◆ ◆ ◆ ◆
3'0" x 8'0"

CCV20526
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV820526
◆ ◆ ◆ ◆
3'0" x 8'0"

CCV22026
◆ ◆ ◆ ◆
3'0" x 6'8"

CCV822026
◆ ◆ ◆ ◆
3'0" x 8'0"


CCV45526
◆ ◆ ◆ ◆
3'0" x 6'8"

Cambridge Glass Continues on next page.

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Cambridge™ Glass *Continued*



CCV06026
◆◆◆
3'0" x 6'8"

CCV806026
◆◆◆
3'0" x 8'0"



CCV803026
◆◆◆
3'0" x 8'0"



CCV106SL
◆◆◆◆
12" x 6'8"
14" x 6'8"

CCV8106SL
◆◆◆◆
12" x 8'0"
14" x 8'0"



CBHRT
◆◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



CC920T
◆◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC090T
◆◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
◆◆◆◆
3'0" Door Only

Zaha®

Note: Product images show exterior side of door.




CCV1851
◆◆◆
3'0" x 6'8"




CCV1843
◆◆◆
3'0" x 6'8"

CCV81843
◆◆◆
3'0" x 8'0"



CCV1839
◆◆◆
3'0" x 6'8"

CCV81839
◆◆◆
3'0" x 8'0"



CCV1838
◆◆◆
3'0" x 6'8"

CCV81838
◆◆◆
3'0" x 8'0"



CCV1840
◆◆◆
3'0" x 6'8"



CCV81841
◆◆◆
3'0" x 8'0"




CCV81840
◆◆◆
3'0" x 8'0"



CCV81846
◆◆◆
3'0" x 8'0"



CCV81846A
◆◆◆
3'0" x 8'0"



CCV1851SL
◆◆◆◆
12" x 6'8"
14" x 6'8"

CCV81851SL
◆◆◆◆
12" x 8'0"
14" x 8'0"



ZHHRT
◆◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



ZHRT
◆◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass

XJ = Chinchilla Glass


XR = Rainglass

XN = Granite Glass

Lucerna



CCV10022 ◆ ■■ 3'0" x 6'8"	CCV05022 ◆ ■■ 3'0" x 6'8"	CCV805022 ◆ ■■ 3'0" x 8'0"	CCV20522 ◆ ■■ 3'0" x 6'8"	CCV820522 ◆ ■■ 3'0" x 8'0"	CCV22022 ◆ ■■ 3'0" x 6'8"	CCV822022 ◆ ■■ 3'0" x 8'0"	CCV45522 ◆ ■■ 3'0" x 6'8"	CCV06022 ◆ ■■ 3'0" x 6'8"	CCV806022 ◆ ■■ 3'0" x 8'0"
--	--	---	--	---	--	---	--	--	---



CCV803022 ◆ ■■ 3'0" x 8'0"	CCV820532 ◆ ■■ 3'0" x 8'0"	CCV820532A ◆ ■■ 3'0" x 8'0"	CCV3412SL ▲ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	CCV8102SL ▲ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	LCVRT ◆ ■■ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	LCRT ◆ ■■ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	LCET ◆ ■■ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	LC30T ◆ ■■ 3'0" Door Only
---	---	--	---	---	---	---	---	--

Privacy & Textured Glass with Divided Lites



CCV10015 > 3'0" x 6'8"	CCV05012 > 3'0" x 6'8"	CCV805015 > 3'0" x 8'0"	CCV822012 > 3'0" x 8'0"	CCV820512 > 3'0" x 8'0"	CCV806012 > 3'0" x 8'0"	CCV803012 > 3'0" x 8'0"
-------------------------------------	-------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ◆ ■ ■ ■ Brass Caming (1A)
- > Removable Wood Grilles (RG)

Privacy & Textured Glass with Divided Lites *Continued*



CCV920__
▲ ▲
3'0" x 6'8"



CCV930__
▲ ▲
3'0" x 6'8"



CCV940__
▲ ▲
3'0" x 6'8"



CCV960__
▲ ▲
3'0" x 6'8"



CCV8950__SL
▲ ▲
12" x 8'0"
14" x 8'0"



CCV950__SL
▲ ▲
12" x 6'8"
14" x 6'8"



CCV920__SL
▲ ▲
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass



CCV10020__
3'0" x 8'0"



CCV05020__
3'0" x 6'8"



CCV805020__
3'0" x 8'0"

CCV20520__
3'0" x 6'8"

CCV820520__
3'0" x 8'0"



CCV22020__
3'0" x 6'8"

CCV822020__
3'0" x 8'0"



CCV45520__
3'0" x 6'8"



CCV806020__
3'0" x 8'0"



CCV803020__
3'0" x 8'0"



CCV820530__
3'0" x 8'0"



CCV820530A__
3'0" x 8'0"



CCV910__
▲
3'0" x 6'8"



CCV100__SL
▲
12" x 6'8"
14" x 6'8"



CCV8100__SL
▲
12" x 8'0"
14" x 8'0"



CCV910__SL
▲
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

Low-E Glass with Divided Lites



CCV10015
 * >
 3'0" x 6'8"

CCV05012
 * >
 3'0" x 6'8"

CCV805015
 * >
 3'0" x 8'0"

CCV822012
 * >
 3'0" x 8'0"

CCV820512
 * >
 3'0" x 8'0"

CCV0609
 * >
 3'0" x 6'8"

CCV806012
 * >
 3'0" x 8'0"

CCV803012
 * >
 3'0" x 8'0"



CCV920
 * * *
 3'0" x 6'8"

CCV930
 * * *
 3'0" x 6'8"

CCV940
 * * *
 3'0" x 6'8"

CCV960
 * * *
 3'0" x 6'8"

CCV950SL
 * * *
 12" x 6'8"
 14" x 6'8"

CCV8950SL
 * * *
 12" x 6'8"
 14" x 6'8"

CCV9020SL
 * * *
 12" x 6'8"
 14" x 6'8"

Low-E Glass



CCV10020
 *
 3'0" x 6'8"

CCV05020
 *
 3'0" x 6'8"

CCV805020
 *
 3'0" x 8'0"

CCV20520
 *
 3'0" x 6'8"

CCV820520
 *
 3'0" x 8'0"


CCV22020
 *
 3'0" x 6'8"

CCV822020
 *
 3'0" x 8'0"

CCV45520
 *
 3'0" x 6'8"

Low-E Glass *Continues on next page.*

Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Removable Wood Grilles (RG)

Optional Dentil Shelf



4-Block Dentil Shelf
 Available for all Craftsman-style
 Canvas Collection doors.

Low-E Glass *Continued*



CCV06020
* 3'0" x 6'8"

CCV806020
* 3'0" x 8'0"



CCV910
* 3'0" x 6'8"



CCV803020
* 3'0" x 8'0"



CCV820530
* 3'0" x 8'0"




CCV820530A
* 3'0" x 8'0"



CCV100SL
* 12" x 6'8"
* 14" x 6'8"



CCV8100SL
* 12" x 8'0"
* 14" x 8'0"



CCV9010SL
* 12" x 6'8"
* 14" x 6'8"



DLHRT
* 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T
* 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
* 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
* 3'0" Door Only



19210T
* 12" & 14" Sidelite Only

Solid Panel



CCV400
6 3'0" x 6'8"



CCV205
6 3'0" x 6'8"



CCV8205
6 3'0" x 8'0"

CCV205A
6 3'0" x 6'8"

CCV8205A
6 3'0" x 8'0"



CCV455
6 3'0" x 6'8"



CCV455A
6 3'0" x 6'8"



CCV220
6 3'0" x 6'8"



CCV8220
6 3'0" x 8'0"



CCV200
6 3'0" x 6'8"



CCV060
6 3'0" x 6'8"



CCV860
6 3'0" x 8'0"



CCV831
6 3'0" x 8'0"

CCV050
6 3'0" x 6'8"



Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Canvas Collection Door – CCV455; Ashurst Glass, Sidelites – CCV105SL, Transom – ASET

Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- WBDP / HVHZ Options

Optional Dentil Shelf

4-Block Dentil Shelf
Available for all Craftsman-style Canvas Collection doors.



Top: Classic-Craft Canvas Collection, Zaha Glass, Door – CCV813838
Bottom Left: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR1528; Hammered Glass, Sidelites – CCR3400XHSL
Bottom Right: Classic-Craft Rustic Collection, Augustine Glass, Door – CCR820537A

Fiber-Classic®

Mahogany Collection™ & Oak Collection™



110

- Wood grains to suit any style.



Choose from two wood-grained collections for the perfect fiberglass door to fit a variety of home styles at an excellent value. Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak is the door that started the fiberglass revolution, featuring the distinctive look of natural Oak graining.

Top: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL
 Bottom: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM911, Sidelite – FCM809SL

Smooth-Star®



• Smooth, paintable surfaces.



Smooth-Star is the answer when the best look for the home is delivered in a sleek, paintable package. The more attractive and durable alternative to steel, Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more color options for their doorways.

Top: Smooth-Star, Sedona Glass, Door – S91, Sidelites – S139SL, Transom – 19520T
Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S84812


Fiber-Classic® & Smooth-Star® Fiberglass Doors


Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. Find flexible options to fit virtually every entrance from front entry to patio to utility doors.





Fiber-Classic & Smooth-Star fiberglass doors offer:

- High-definition panel embossments.
- Composite top and bottom rails.
- 1-¼" engineered lumber lock stiles.
- 22-½" lock block in Fiber-Classic and 12-½" lock block in Smooth-Star.
- Durable, long-lasting fiberglass skins.

 WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

 Fire-rated options available on solid-panel doors. See pages 227–231.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



Fiber-Classic® Mahogany Collection™

Features deep Mahogany graining to complement homes with richer wood tones.



Fiber-Classic® Oak Collection™

Features the warm look and feel of Oak graining.



Smooth-Star®

Features smooth, ready-to-paint surfaces.

*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Vented Sidelites



More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites.
Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

- = Available
- = Not Applicable
- S = Stain
- P = Paint

	Fiber-Classic [®] Mahogany Collection [™]	Fiber-Classic [®] Oak Collection [™]	Smooth-Star [®]
--	--	---	--------------------------

Door Widths

2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	●	●	■

Door Heights

6'6"	■	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■

Glass Options

Decorative	14	14	14
Privacy & Textured	5	5	5
Internal Blinds	■	■	■
Flush-Glazed	●	■	■
Screen Vented	●	●	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■

Additional Options

Finish	S / P	S / P	P
Vented Sidelites	■	■	■

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 246–248.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



SAME-DAY[®] STAIN


See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Decorative & Specialty Glass Designs

Blackstone® Page 125

Traditional English design meets
 ① clear curved bevels, ② rainglass
 and coming to create the distinctive
 styling of Blackstone. Entries get
 the best of both privacy and
 simple refinement.

1 7 10
 Glass Privacy Rating



Black Nickel




Brushed Nickel

Crystalline™ Page 128

This time-honored design features
 geometric styling brought to life
 with ① glue chip glass, ② glue chip
 bevels, ③ clear bevels and coming.
 Offering modest privacy, Crystalline
 is a shining example of traditional
 decorative glass with lasting beauty.

1 7 10
 Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

Sedona Page 131

Art meets glass in Sedona where Arts
 and Crafts simplicity is designed with
 ① slump glass, ② clear bevels, ③ clear
 antique glass and coming. Sedona Art
 glass featuring ruby red granite glass is
 also available with black nickel coming.

1 7 10
 Glass Privacy Rating



Art Glass /
 Black Nickel



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Salinas® Page 134

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

Maple Park® Page 137

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel

Avonlea® Page 140

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel caming.




Black Nickel

Saratoga™ Page 142

Saratoga evokes a certain urban sophistication while offering modest privacy with its **1** clear bevels, **2** diamond glass, **3** reed glass and coming. The geometric pattern bridges both modern and traditional designs.



Black Nickel



Brushed Nickel

Texas Star Page 144


Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass and brushed nickel coming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Brushed Nickel

Wellesley™ Page 146

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Black Nickel



Brushed Nickel



Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.


Riserva™ Page 149

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Glass Privacy Rating

Wrought Iron



Concorde™ Page 152

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, **2** clear curved bevels, **3** clear glass and coming make up its Old World charm.



Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass

Kensington™ Page 155

Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, **2** glue chip glass, **3** granite glass and coming.



Glass Privacy Rating

Black Nickel



Brushed Nickel

Axis™ Page 158


Simple and smart, Axis combines

- 1 narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of
- 2 clear glass bevels completes this linear design, ideal for Modern home styles.



Glass Privacy Rating

Black Nickel



Frosted Images®

Page 161

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of

- 1 white-frosted glass.




Glass Privacy Rating



Internal Blinds Page 174

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1 Single-Hand Operator
- 2 Privacy Bar



Screen Vented Page 176

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.


Privacy & Textured Glass Page 163



Satin Etch Glass



Glass Privacy Rating



Chord Glass



Glass Privacy Rating



Chinchilla Glass



Glass Privacy Rating



Rainglass



Glass Privacy Rating



Granite Glass



Glass Privacy Rating

Also Available:
Clear Glass Page 177

Divided Lites Pages 163, 167, 177, 183

Simulated Divided Lites with Grilles Between Glass

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the ( ) icons.



Shown with flat bronze GBGs, recommended.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Look for the ( ) icons.



Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the ( ) icons.



Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the () icon.



Interior view.

*Available in Special Quote Program.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM608


Fixed Grilles

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the (◆) icon.




SDL Bar Options



GBG Bar Options



GBG Color Options



Key

- ▣ Simulated Divided Lites (SDL)**
- ▣ Simulated Divided Lites (SDLF1)**
- ▣ Simulated Divided Lites (SDLF2)**
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)

Long-Term Performance


Glass built directly into the door during manufacturing offers long-term performance.

The **1** polyurethane foam core surrounds the glass, helping to provide durability and strength, and a **2** dual adhesive weather seal provides high-performance protection inside and out.

Authentic Wood Door Appeal

Features true flush-glazed construction, crafted with attention to detail that replicates traditional wood door construction.

Available in privacy and textured glass, as well as divided lites, Low-E and clear glass. Look for the (🔥) icon.



Up to 16% wider daylight opening



Flush-Glazed Glass

Traditional Lip-Lite

Wider Daylight Opening*

Let in more natural light with up to a 16% increase in visible glass area.

Seamless, Clean Lines

Factory-built, seamless construction eliminates the need for a lite frame and screw plugs.



Flush-Glazed Fiberglass Door Replacement Rider


Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and sidelite.

*Compared to conventional lite frames.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and Rider.

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf**



Smooth-Star. 4-Block Dentil Shelf**



**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XC SL, Dentil Shelf




Top: Smooth-Star, Clear Glass with GBGs, Door – S8321, Sidelites – S3487SL
Bottom Left: Fiber-Classic Oak Collection, Avonlea Glass, Door – FC785, Sidelites – FC758SL, Transom – AVRT
Bottom Right: Smooth-Star, Salinas Glass, Door – S81937P

Blackstone®

Fiber-Classic® Mahogany

								
FCM108 ◆◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM871 ◆◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM310 ◆◆ 6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FCM816 ◆◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM765 ◆◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM109 ◆◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM863 ◆◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6032 ◆◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6052 ◆◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

									
FCM110 ◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM164 ◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM760 ◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM808SL ◆◆ 6 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	FCM81918SL ◆◆ 6 12" x 8'0" 14" x 8'0"	FCM871SL ◆◆ 6 12" x 8'0" 14" x 8'0"	FCM765SL ◆◆ 6 12" x 6'8" 14" x 6'8"	FCM882SL ◆◆ 6 12" x 8'0" 14" x 8'0"	FCM109SL ◆◆ 6 12" x 6'8" 14" x 6'8"	FCM863SL ◆◆ 6 12" x 8'0" 14" x 8'0"

Fiber-Classic® Oak

								
FC108 ◆◆ 6 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	81918P ◆◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC310 ◆◆ 6 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC816 ◆◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC765 ◆◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC770 ◆◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81952P ◆◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC109 ◆◆ 6 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	81933P ◆◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Blackstone Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
(8'0" only in 14")
- ‡ 7'0" Height Available

Blackstone® Glass *Continued*



81975P
 ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC129
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC714
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC164
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC794
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC801
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80943
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86243
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC108SL
 ◆ ◆ 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



81918PSL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



FC808SL
 ◆ ◆ ◆ 6
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



81918SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

FC765SL
 ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

81952PSL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

FC109SL
 ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

81933PSL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S6002
 ◆ ◆ 6
 2'6" x 6'8" △
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



S85892
 ◆ ◆ ◆ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S310
 ◆ ◆ ◆ 6
 2'6" x 6'8" △
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8"

S816
 ◆ ◆ ◆ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



S975
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S979
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S894
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6000
 ◆ ◆ ◆ 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S81933P
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S6032
 ◆ ◆ ◆ 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6052
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S972
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85905
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S6013
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S771
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6085
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S997
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6111
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S9343
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83143
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6002SL
 ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

S85892SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

S4570SL
 ◆ ◆ ◆ 6
 10" x 6'8"
 12" x 6'8" ⚠ ‡
 14" x 6'8" ⚠ ‡

S85927SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

S975SL
 ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

S894SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

S6000SL
 ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

S85912SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



BSHRT
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



BSRT
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")
- ⚡ WBDR Options
- ⚠ 6'6" Height Available
- ‡ 7'0" Height Available



Crystalline™

Fiber-Classic® Mahogany



FCM16
 ◆◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8114
 ◆◆◆◆◆◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM668
 ◆◆◆◆◆◆
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

FCM814
 ◆◆◆◆◆◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM38
 ◆◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM45
 ◆◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM898
 ◆◆◆◆◆◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM6027
 ◆◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM6047
 ◆◆◆◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Note: See page 273 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Crystalline Glass, Door – FC16, Sidelites – FC46SL, Transom – 19820T



FCM124 ◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM802 ◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM18101SL ◆◆◆◆◆ 10" x 6'8" † 12" x 6'8" † 14" x 6'8" †	FCM81800SL ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	FCM8114SL ◆◆◆◆ 12" x 8'0" 14" x 8'0"	FCM38SL ◆◆◆◆ 12" x 6'8" 14" x 6'8"	FCM8105SL ◆◆◆◆ 12" x 8'0" 14" x 8'0"	FCM707SL ◆◆◆◆ 12" x 6'8" 14" x 6'8"	FCM45SL ◆◆◆◆ 12" x 6'8" 14" x 6'8"	FCM898SL ◆◆◆◆ 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--	---	--	---

Fiber-Classic® Oak



FC16 ◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	81800P ◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC668 ◆◆◆◆◆ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC814 ◆◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC38 ◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC772 ◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81953P ◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC45 ◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	81935P ◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81977P ◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---	--	---	--	---	---




FC43 ◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC124 ◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80941 ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86241 ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC21 ◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC802 ◆◆◆◆ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC46SL ◆◆◆◆◆ 10" x 6'8" 12" x 6'8" 14" x 6'8"	81800PSL ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"
---	--	---	---	--	---	--	--

Crystalline Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⬆ 6'6" Height Available
- ⬆† 7'0" Height Available
- 6 WBDR Options
- 6 WBDR / HVHZ Options



BLHRT ◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19080T ◆◆◆◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19810T ◆◆◆◆
 12" & 14" Sidelite Only



19800T ◆◆◆◆
 3'0" Door Only



19820T ◆◆◆◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Sedona

Note: Shown in art glass with black nickel caming.

Fiber-Classic® Mahogany



FCM100-A
 ▶
FCM100
 ◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM872-A
 ▶
FCM872
 ◆◆◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM241-A
 ▶
FCM241
 ◆◆◆◆
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

FCM822-A
 ▶
FCM822
 ◆◆◆◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM131-A
 ▶
FCM131
 ◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM101-A
 ▶
FCM101
 ◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM864-A
 ▶
FCM864
 ◆◆◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM6025-A
 ▶
FCM6025
 ◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM6045-A
 ▶
FCM6045
 ◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM604-A
 ▶
FCM604
 ◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM126-A
 ▶
FCM126
 ◆◆◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM816SL-A
 ▶
FCM816SL
 ◆◆◆◆
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡

FCM81968SL-A
 ▶
FCM81968SL
 ◆◆◆◆
 12" x 8'0"
 14" x 8'0"

FCM872SL-A
 ▶
FCM872SL
 ◆◆◆
 12" x 8'0"
 14" x 8'0"

FCM131SL-A
 ▶
FCM131SL
 ◆◆◆
 12" x 6'8"
 14" x 6'8"

FCM883SL-A
 ▶
FCM883SL
 ◆◆◆
 12" x 8'0"
 14" x 8'0"

FCM101SL-A
 ▶
FCM101SL
 ◆◆◆
 12" x 6'8"
 14" x 6'8"

FCM864SL-A
 ▶
FCM864SL
 ◆◆◆
 12" x 8'0"
 14" x 8'0"

Sedona Glass Continues on next page.

Key

- No Stile Lines
- ▶ Art Glass / Black Nickel Caming (1D)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for all Craftsman-style
 Fiber-Classic Mahogany Collection doors.

Fiber-Classic® Oak



FC100-A
▶
FC100
◆◆
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



81968P-A
▶
81968P
◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC241-A
▶▶
FC241
◆◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC822-A
▶▶
FC822
◆◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC131-A
▶
FC131
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




FC773-A
▶
FC773
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



81954P-A
▶
81954P
◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC101-A
▶
FC101
◆◆
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



81936P-A
▶
81936P
◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



81978P-A
▶
81978P
◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC128-A
▶
FC128
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




FC126-A
▶
FC126
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC80952-A
▶
FC80952
◆◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC86252-A
▶
FC86252
◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC100SL-A
▶
FC100SL
◆◆
10" x 6'8"
12" x 6'8"
14" x 6'8"

Smooth-Star®



S139-A
▶
S139
◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



S241-A
▶
S241
◆◆◆
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8"

FC816SL-A
▶▶
FC816SL
◆◆◆
12" x 6'8" ‡
14" x 6'8" ‡

81968SL-A
▶▶
81968SL
◆◆◆
12" x 8'0"
14" x 8'0"

FC131SL-A
▶
FC131SL
◆◆
12" x 6'8"
14" x 6'8"

81954PSL-A
▶
81954PSL
◆◆
12" x 8'0"
14" x 8'0"

FC101SL-A
▶
FC101SL
◆◆
12" x 6'8"
14" x 6'8"

81936PSL-A
▶
81936PSL
◆◆
12" x 8'0"
14" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.



- | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| <p>S95-A
▶
S95
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S91-A
▶
S91
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S887-A
▶
S887
◆ ■■
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S211-A
▶
S211
◆ ■■
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>S81936P-A
▶
S81936P
◆ ■■
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S6025-A
▶
S6025
◆ ■■
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>S6045-A
▶
S6045
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S35-A
▶
S35
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S833-A
▶
S833
◆ ■■
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> |
|--|--|--|--|--|--|--|--|--|



- | | | | | | | | |
|--|--|--|--|--|--|---|---|
| <p>S294-A
▶
S294
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S604-A
▶
S604
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S8604-A
▶
S8604
◆ ■■
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S12-A
▶
S12
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S9352-A
▶
S9352
◆ ■■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S83152-A
▶
S83152
◆ ■■
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S139SL-A
▶
S139SL
◆ ■■
12" x 6'8"
14" x 6'8"</p> | <p>S604SL-A
▶ ▶ ●
S604SL
◆ ◆ ●
10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡</p> |
|--|--|--|--|--|--|---|---|



- | | | | |
|---|---|---|---|
| <p>S91SL-A
▶
S91SL
◆ ■■
12" x 6'8"
14" x 6'8"</p> | <p>S887SL-A
▶
S887SL
◆ ■■
12" x 8'0"
14" x 8'0"</p> | <p>S294SL-A
▶
S294SL
◆ ■■
12" x 6'8"
14" x 6'8"</p> | <p>S85915SL-A
▶
S85915SL
◆ ■■
12" x 8'0"
14" x 8'0"</p> |
|---|---|---|---|



- 19055T-A**
▶
19055T
◆ ■■
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only




- 19520T-A**
▶
19520T
◆ ■■
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Key

- No Stile Lines
- ▶ Art Glass / Black Nickel Caming (1D)
- ◆ Black Nickel Caming (1D)
- ■■ Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*



Salinas®

Fiber-Classic® Mahogany

Note: Product images show exterior side of door.



- | | | | | | | | | | |
|---|---|--|--|---|---|---|--|--|--|
| FCM113
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM873
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM369
X6
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | FCM817
X6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM115
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM114
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM865
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6031
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6051
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM118
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|---|--|--|---|---|---|--|--|--|

Fiber-Classic® Oak




- | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| FCM814SL
X6
10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡ | FCM81919SL
X6
12" x 8'0"
14" x 8'0" | FCM873SL
X6
12" x 8'0"
14" x 8'0" | FCM115SL
X6
12" x 6'8"
14" x 6'8" | FCM884SL
X6
12" x 8'0"
14" x 8'0" | FCM114SL
X6
12" x 6'8"
14" x 6'8" | FCM865SL
X6
12" x 8'0"
14" x 8'0" | FC113
X6
2'6" x 6'8"
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" † | 81919P
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC369
X6
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | FC817
X6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|---|---|---|---|---|---|---|---|---|---|



- | | | | | | | | | |
|--|--|---|---|---|---|---|---|--|
| FC115
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC775
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 81955P
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC114
X6
2'6" x 6'8"
2'8" x 6'8" †
2'10" x 6'8" †
3'0" x 6'8" † | 81937P
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 81980P
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC130
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC118
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC80953
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|---|---|---|---|---|---|--|

Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Doors – FCM865



FC86253
 X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC113SL 81919PSL
 X 6 X 6
 10" x 6'8" 12" x 8'0"
 12" x 6'8" 14" x 8'0"
 14" x 6'8"

FC814SL 81919SL
 X 6 X 6
 12" x 6'8" Δ‡ 12" x 8'0"
 14" x 6'8" Δ‡ 14" x 8'0"

FC115SL 81955PSL
 X 6 X 6
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

FC114SL 81937PSL
 X 6 X 6
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Salinas Glass *Continues on next page.*

Key

- No Stile Lines
- X Wrought Iron (1W)
- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Smooth-Star®



- | | | | | | | | | | |
|---|--|--|--|---|---|--|---|---|---|
| <p>S6008
X6
2'6" x 6'8" Δ
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡</p> | <p>S85893
X6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S369
X6
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡
3'6" x 6'8"</p> | <p>S817
X6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"</p> | <p>S6009
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S6010
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S895
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S6006
X6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>S81937P
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S6031
X6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> |
|---|--|--|--|---|---|--|---|---|---|



- | | | | | | | | |
|---|--|--|--|--|--|---|--|
| <p>S6051
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S973
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S893
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>S6011
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S6014
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S6012
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S9353
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>S83153
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> |
|---|--|--|--|--|--|---|--|



- | | | | | | | | |
|--|---|---|---|--|---|--|---|
| <p>S6008SL
X6
12" x 6'8"
14" x 6'8"</p> | <p>S85893SL
X6
12" x 8'0"
14" x 8'0"</p> | <p>S6134SL
X6
10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡</p> | <p>S85931SL
X6
12" x 8'0"
14" x 8'0"</p> | <p>S6009SL
X6
12" x 6'8"
14" x 6'8"</p> | <p>S895SL
X6
12" x 8'0"
14" x 8'0"</p> | <p>S6006SL
X6
12" x 6'8"
14" x 6'8"</p> | <p>S85916SL
X6
12" x 8'0"
14" x 8'0"</p> |
|--|---|---|---|--|---|--|---|



SART
X
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.

Maple Park®

Fiber-Classic® Mahogany




FCM900
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM1006
 ■ ◆ ◆ ◆ 6
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FCM902
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM901
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM886
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM6107
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6108
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM609
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM904
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM736
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8736
 ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM812SL
 ■ ◆ ◆ ◆ 6
 10" x 6'8"
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



FCM902SL
 ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"



FCM887SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



FCM901SL
 ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"



FCM886SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



FC900
 ◆ ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC1006
 ■ ◆ ◆ ◆ 6
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FC902
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC777
 ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81957P
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC901
 ◆ ◆ ◆ 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



81939P
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



81982P
 ◆ ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC903
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

- Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*












4-Block Dentil Shelf
 Available for all Craftsman-style
 Fiber-Classic Mahogany Collection doors.









Maple Park Glass *Continues on next page.*

Maple Park® Glass *Continued*

										
FC904 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80955 ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86255 ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC736 ◆ ◆ ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8736 ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC900SL ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC812SL ◆ ◆ ◆ ◆ ◆ 12" x 6'8" ‡ 14" x 6'8" ‡	FC902SL ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	81957PSL ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	FC901SL ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	81939PSL ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"

Smooth-Star®

								
S6100 ◆ ◆ ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S1006 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8"	S6102 ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6103 ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85898 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6101 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81939P ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6107 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6108 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

							
S6106 ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85897 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6104 ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S609 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8609 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6105 ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9355 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83155 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.



S736
◆◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S8736
◆◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S6100SL
◆◆◆6
12" x 6'8"
14" x 6'8"



S6131SL
◆◆◆6
10" x 6'8"
12" x 6'8" ▲‡
14" x 6'8" ▲‡



S6102SL
◆◆◆6
12" x 6'8"
14" x 6'8"



S85898SL
◆◆◆6
12" x 8'0"
14" x 8'0"



S6101SL
◆◆◆6
12" x 6'8"
14" x 6'8"



S85918SL
◆◆◆6
12" x 8'0"
14" x 8'0"



FWRT ◆◆◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*

- 4-Block Dentil Shelf
Available for all Craftsman-style
Smooth-Star doors.

Avonlea®

Note: Product images show exterior side of door.

Fiber-Classic® Mahogany



- | | | | | | | | | |
|---|--|---|---|---|---|---|---|---|
| <p>FCM758
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM1027
◆ 6
2'8" x 6'8" △ ‡
2'10" x 6'8" △ ‡
3'0" x 6'8" △ ‡</p> | <p>FCM764
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM761
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM896
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FCM968
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM966
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM785
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM788
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|---|--|---|---|---|---|---|---|---|



- | | | | | | |
|---|---|--|---|--|--|
| <p>FCM800
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FCM807SL
◆ 6
10" x 6'8"
12" x 6'8" △ ‡
14" x 6'8" △ ‡</p> | <p>FCM764SL
◆ 6
12" x 6'8"
14" x 6'8"</p> | <p>FCM8104SL
◆ 6
12" x 8'0"
14" x 8'0"</p> | <p>FCM761SL
◆ 6
12" x 6'8"
14" x 6'8"</p> | <p>FCM896SL
◆ 6
12" x 8'0"
14" x 8'0"</p> |
|---|---|--|---|--|--|

Fiber-Classic® Oak



- | | | |
|--|---|--|
| <p>FC758
◆ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>FC1027
◆ 6
2'8" x 6'8" △ ‡
2'10" x 6'8" △ ‡
3'0" x 6'8" △ ‡</p> | <p>FC764
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|--|---|--|




- | | | | | | | | | |
|--|---|--|---|---|--|--|--|--|
| <p>FC769
◆ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>81967P
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FC761
◆ 6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡</p> | <p>81932P
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>81974P
◆ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"</p> | <p>FC782
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC785
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC788
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> | <p>FC792
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"</p> |
|--|---|--|---|---|--|--|--|--|




FC800 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80956 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86256 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC758SL ◆ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC807SL ◆ 6 12" x 6'8" † 14" x 6'8" †	FC764SL ◆ 6 12" x 6'8" 14" x 6'8"	81967PSL ◆ 6 12" x 8'0" 14" x 8'0"	FC761SL ◆ 6 12" x 6'8" 14" x 6'8"	81932PSL ◆ 6 12" x 8'0" 14" x 8'0"
---	---	---	---	---	---	--	---	--

Smooth-Star®



S962 ◆ 6 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S1027 ◆ 6 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † 3'6" x 6'8"	S976 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S980 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85900 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S964 ◆ 6 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S81932P ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S968 ◆ 6 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S966 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---	--	--



S970 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85906 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S985 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S988 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S991 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S995 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6121 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9356 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---	---

Avonlea Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Avonlea® Glass *Continued*

Note: Product images show exterior side of door.



S83156
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S962SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"



S6127SL
 ◆ ◆ ◆ ◆ 6
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡



S976SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"



S85900SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"

S964SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"

S85911SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"



AVRT ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Saratoga™

Fiber-Classic® Mahogany




FCM905
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM6093
 ◆ ◆ ◆ 6
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡




FCM907
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM906
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM888
 ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM6029
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6049
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM602
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM909
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM707
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8707
 ◆ ◆
 2'8" x 8'0"
 3'0" x 8'0"




FCM815SL
 ◆ ◆ ◆ ◆ 6
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡



FCM81986SL
 ◆ ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



FCM893SL
 ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



FCM907SL
 ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"



FCM889SL
 ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



FCM906SL
 ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"



FCM888SL
 ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



FC905
 ◆ ◆ 6
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FC6093
 ◆ ◆ ◆ 6
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.



FC907 ◆ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC776 ◆ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81956P ◆ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC906 ◆ ■ ■ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81938P ◆ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81981P ◆ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC908 ◆ ■ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC909 ◆ ■ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80954 ◆ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	--	--	---	---	---



FC86254 ◆ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC707 ◆ ■ ■ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8707 ◆ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC905SL ◆ ■ ■ 6 10" x 6'8" 12" x 6'8"	81986PSL ◆ ■ ■ 6 12" x 8'0" 14" x 8'0"	FC815SL ◆ ■ ■ ■ 6 12" x 6'8" ‡ † 14" x 6'8" ‡ †	81986SL ◆ ■ ■ ■ 6 12" x 8'0" 14" x 8'0"	FC907SL ◆ ■ ■ 6 12" x 6'8" 14" x 6'8"	81956PSL ◆ ■ ■ 6 12" x 8'0" 14" x 8'0"	FC906SL ◆ ■ ■ 6 12" x 6'8" 14" x 6'8"	81938PSL ◆ ■ ■ 6 12" x 8'0" 14" x 8'0"
---	---	--	---	--	---	---	---	--	---	--

Smooth-Star®



S154 ◆ ■ ■ 6 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	S6093 ■ ◆ ■ ■ 6 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S6092 ◆ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S982 ◆ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S891 ◆ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S213 ◆ ■ ■ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81938P ◆ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6029 ◆ ■ ■ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6049 ◆ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	--	--	---	---	---	---

Saratoga Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
(8'0" only in 14")
- ⚡ WBDR Options
- ⚡ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*

- 
- 4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.



S41
◆ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S85908
◆ ■ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S291
◆ ■ ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S602
◆ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S8602
◆ ■ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S20
◆ ■ ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S9354
◆ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83154
◆ ■ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S707
◆ ■ ■
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



S8707
◆ ■ ■
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S154SL
◆ ■ 6
12" x 6'8"
14" x 6'8"




S8602SL
◆ ■ 6
12" x 8'0"
14" x 8'0"



S602SL
◆ ■ ■ 6
10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡



19740T
◆ ■ ■
3'0" Door Only



19750T
◆ ■ ■
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



S85932SL
◆ ■ ■ 6
12" x 8'0"
14" x 8'0"



S6092SL
◆ ■ 6
12" x 6'8"
14" x 6'8"



S891SL
◆ ■ 6
12" x 8'0"
14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Texas Star

Fiber-Classic® Mahogany



FCM142
■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM1029
■ ■ 6
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡



FCM143
■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM144
■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM899
■ ■ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM6074
■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM6075
■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM146
■ ■ ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM165
■ ■ ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.

Fiber-Classic® Oak



FCM817SL
 ■ ■ ■ 6
 10" x 6'8"
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡

FCM143SL
 ■ ■ 6
 12" x 6'8"
 14" x 6'8"

FCM8103SL
 ■ ■ 6
 12" x 8'0"
 14" x 8'0"

FCM144SL
 ■ ■ 6
 12" x 6'8"
 14" x 6'8"

FCM899SL
 ■ ■ 6
 12" x 8'0"
 14" x 8'0"



FC142
 ■ ■ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC1029
 ■ ■ 6
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

FC143
 ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC778
 ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81958P
 ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC144
 ■ ■ 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81940P
 ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

81983P
 ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC145
 ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC146
 ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC165
 ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC795
 ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC80957
 ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth-Star®



FC86257
 ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC142SL
 ■ ■ 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC817SL
 ■ ■ ■ 6
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡

FC143SL
 ■ ■ 6
 12" x 6'8"
 14" x 6'8"

81958PSL
 ■ ■ 6
 12" x 8'0"
 14" x 8'0"

FC144SL
 ■ ■ 6
 12" x 6'8"
 14" x 6'8"

81940PSL
 ■ ■ 6
 12" x 8'0"
 14" x 8'0"



S6070
 ■ ■ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡

S1029
 ■ ■ 6
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8"


S6071
 ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Texas Star Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ 6 Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⚙️ WBDR Options
- ⚙️ WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*



Texas Star Glass *Continued*



S6072

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85901

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6073

2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S81940P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6075

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6074

2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

S6076

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81983

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6077

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S6078

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S6079

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S998

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S9357

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S83157

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S6070SL

12" x 6'8"
14" x 6'8"

S6135SL

10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡

S6071SL

12" x 6'8"
14" x 6'8"

85901SL

12" x 8'0"
14" x 8'0"

S6073SL

12" x 6'8"
14" x 6'8"

85919SL

12" x 8'0"
14" x 8'0"

Wellesley™

Fiber-Classic.® Mahogany



FCM104

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM874

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6094

2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡

FCM821

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM147

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM105

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM866

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM6030

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM6050

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM106
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM163
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM125
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM721
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8721
 ◆ ■ ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM818SL
 ◆ ■ ■ ■ 6
 10" x 6'8"
 12" x 6'8" †
 14" x 6'8" †



FCM81921SL
 ◆ ■ ■ ■ 6
 12" x 8'0"
 14" x 8'0"

FCM874SL
 ◆ ■ ■ ■ 6
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



FCM147SL
 ◆ ■ ■ ■ 6
 12" x 6'8"
 14" x 6'8"



FCM885SL
 ◆ ■ ■ ■ 6
 12" x 8'0"
 14" x 8'0"

FCM105SL
 ◆ ■ ■ ■ 6
 12" x 6'8"
 14" x 6'8"

FCM866SL
 ◆ ■ ■ ■ 6
 12" x 8'0"
 14" x 8'0"



FC104
 ◆ ■ ■ ■ 6
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



81921P
 ◆ ■ ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC6094
 ◆ ■ ■ ■ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †




FC821
 ◆ ■ ■ ■ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC147
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC779
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81959P
 ◆ ■ ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC105
 ◆ ■ ■ ■ 6
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



81984P
 ◆ ■ ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC127
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC713
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC163
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC796
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC125
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ◆ ■ ■ Brass Caming (1A)

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available

Wellesley Glass *Continues on next page.*



FC80949 ◆ ◆ ◆ 6 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8"	FC86249 ◆ ◆ ◆ 6 2'8" x 8'0" △ 2'10" x 8'0" △ † 3'0" x 8'0"	FC721 ◆ ◆ ◆ 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FC8721 ◆ ◆ ◆ 2'8" x 8'0" △ 2'10" x 8'0" △ † 3'0" x 8'0"	FC104SL ◆ ◆ ◆ 6 10" x 6'8" △ 12" x 6'8" △ 14" x 6'8" △	81921PSL ◆ ◆ ◆ 6 12" x 8'0" △ 14" x 8'0" △	FC818SL ◆ ◆ ◆ 6 12" x 6'8" △ † 14" x 6'8" △ †	81921SL ◆ ◆ ◆ 6 12" x 8'0" △ 14" x 8'0" △	FC147SL ◆ ◆ ◆ 6 12" x 6'8" △ 14" x 6'8" △	81959PSL ◆ ◆ ◆ 6 12" x 8'0" △ 14" x 8'0" △	FC105SL ◆ ◆ ◆ 6 12" x 6'8" △ 14" x 6'8" △	81941PSL ◆ ◆ ◆ 6 12" x 8'0" △ 14" x 8'0" △
---	---	---	--	---	--	---	---	---	--	---	--

Smooth-Star®



S155 ◆ ◆ ◆ 6 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S85896 ◆ ◆ ◆ 6 2'6" x 8'0" △ 2'8" x 8'0" △ † 2'10" x 8'0" △ † 3'0" x 8'0" △ †	S6094 ◆ ◆ ◆ 6 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ † 3'6" x 6'8"	S821 ◆ ◆ ◆ 6 2'6" x 8'0" △ 2'8" x 8'0" △ † 2'10" x 8'0" △ † 3'0" x 8'0" △ † 3'6" x 8'0"	S6091 ◆ ◆ ◆ 6 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S983 ◆ ◆ ◆ 6 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S892 ◆ ◆ ◆ 6 2'8" x 8'0" △ 2'10" x 8'0" △ † 3'0" x 8'0" △ †	S214 ◆ ◆ ◆ 6 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S81941P ◆ ◆ ◆ 6 2'8" x 8'0" △ 2'10" x 8'0" △ † 3'0" x 8'0" △ †	S6030 ◆ ◆ ◆ 6 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S6050 ◆ ◆ ◆ 6 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †
---	---	---	--	---	--	--	---	---	--	---



S42 ◆ ◆ ◆ 6 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S85909 ◆ ◆ ◆ 6 2'8" x 8'0" △ 2'10" x 8'0" △ † 3'0" x 8'0" △ †	S292 ◆ ◆ ◆ 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S774 ◆ ◆ ◆ 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S6082 ◆ ◆ ◆ 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S999 ◆ ◆ ◆ 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S6117 ◆ ◆ ◆ 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S9349 ◆ ◆ ◆ 6 2'8" x 6'8" △ 2'10" x 6'8" △ † 3'0" x 6'8" △ †	S83149 ◆ ◆ ◆ 6 2'8" x 8'0" △ 2'10" x 8'0" △ † 3'0" x 8'0" △ †
---	--	--	--	---	--	---	---	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.



S721
 ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S8721
 ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S155SL
 ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

S85896SL
 ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

S5870SL
 ◆ ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



S85934SL
 ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



S6091SL
 ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



S892SL
 ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



WLHRT ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19720T ◆ ◆ ◆ ◆
 3'0" Door Only



19730T ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

S292SL
 ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

S85922SL
 ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Riserva™

Note: Product images show exterior side of door.

Fiber-Classic® Mahogany




FCM574
 X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM8574
 X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM571
 X X 6
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FCM8571
 X X 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM543
 X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM581
 X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8581
 X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM575
 X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM577
 X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM508
 X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM506
 X
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM572SL
 ◆ X ◆ ◆
 10" x 6'8"
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



FCM8572SL
 ◆ X ◆ ◆
 12" x 8'0"
 14" x 8'0"

FCM8573SL
 X 6
 12" x 8'0"
 14" x 8'0"

FCM545SL
 X 6
 12" x 6'8"
 14" x 6'8"

FCM8545SL
 X 6
 12" x 8'0"
 14" x 8'0"

FCM583SL
 X 6
 12" x 6'8"
 14" x 6'8"

FCM8583SL
 X 6
 12" x 8'0"
 14" x 8'0"

Riserva Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- X Wrought Iron (1W)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⊕ WBDR Options
- ⊕ WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for all Craftsman-style
 Fiber-Classic Mahogany Collection doors.

Fiber-Classic® Oak



- | | | | | | | | | | |
|---|---|---|--|--|--|---|---|---|---|
| FC574
X6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | FC8574
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC571
■ X6
2'6" x 6'8" †‡
2'8" x 6'8" †‡
2'10" x 6'8" †‡
3'0" x 6'8" †‡ | FC8571
■ X6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC543
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC529
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC8529
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC581
X6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡ | FC8581
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC8579
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|---|---|--|--|--|---|---|---|---|




- | | | | | | | | |
|---|---|--|--|--|---|--|---|
| FC585
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC506
X
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC507
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC549
X6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC573SL
X6
10" x 6'8"
12" x 6'8"
14" x 6'8" | FC8573SL
X6
12" x 8'0"
14" x 8'0" | FC572SL
■ X6
12" x 6'8" †‡
14" x 6'8" †‡ | FC8572SL
■ X6
12" x 8'0"
14" x 8'0" |
|---|---|--|--|--|---|--|---|

Smooth-Star®



- | | | | |
|--|---|--|---|
| FC545SL
X6
12" x 6'8"
14" x 6'8" | FC8545SL
X6
12" x 8'0"
14" x 8'0" | FC583SL
X6
12" x 6'8"
14" x 6'8" | FC8583SL
X6
12" x 8'0"
14" x 8'0" |
|--|---|--|---|




- | | | | | |
|---|---|--|--|---|
| S574
X6
2'6" x 6'8" †
2'8" x 6'8" †‡
2'10" x 6'8" †‡
3'0" x 6'8" †‡ | S8574
X6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | S571
■ X6
2'6" x 6'8" †
2'8" x 6'8" †‡
2'10" x 6'8" †‡
3'0" x 6'8" †‡
3'6" x 6'8" | S8571
■ X6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0" | S543
X6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|---|---|--|--|---|

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.




S529
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8529
X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S581
X 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S8581
X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S575
X 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S577
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S579
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8579
X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S585
X
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S508
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8508
X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S506
X
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S507
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S549
X 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S573SL
X 6
 12" x 6'8"
 14" x 6'8"

S8573SL
X 6
 12" x 8'0"
 14" x 8'0"



S572SL
X 6
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡

S8572SL
X 6
 12" x 8'0"
 14" x 8'0"



S545SL
X 6
 12" x 6'8"
 14" x 6'8"



S8545SL
X 6
 12" x 8'0"
 14" x 8'0"

S583SL
X 6
 12" x 6'8"
 14" x 6'8"

S8583SL
X 6
 12" x 8'0"
 14" x 8'0"




RSRT
X
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Key

- No Stile Lines
- X Wrought Iron (1W)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14"
 8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*



Concorde™

Fiber-Classic® Mahogany



- | | | | | | | | | | |
|--|--|--|---|--|--|--|---|---|--|
| <p>FCM910

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM890

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FCM6095

 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †</p> | <p>FCM820

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FCM912

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM911

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM891

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FCM6026

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM6046

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM916

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> |
|--|--|--|---|--|--|--|---|---|--|



- | | | | | | | | | | | | |
|--|--|--|---|--|--|--|--|--|--|--|--|
| <p>FCM915

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM914

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM735

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FCM8735

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FCM809SL

 10" x 6'8"
 12" x 6'8" †
 14" x 6'8" †</p> | <p>FCM81928SL

 12" x 8'0"
 14" x 8'0"</p> | <p>FCM890SL

 12" x 8'0"
 14" x 8'0"</p> | <p>FCM912SL

 12" x 6'8"
 14" x 6'8"</p> | <p>FCM892SL

 12" x 8'0"
 14" x 8'0"</p> | <p>FCM916SL

 12" x 6'8"
 14" x 6'8"</p> | <p>FCM911SL

 12" x 6'8"
 14" x 6'8"</p> | <p>FCM891SL

 12" x 8'0"
 14" x 8'0"</p> |
|--|--|--|---|--|--|--|--|--|--|--|--|

Fiber-Classic® Oak



- | | | | | | | | | | |
|--|---|---|--|---|---|--|--|--|--|
| <p>FC910

 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †</p> | <p>81928P

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC6095

 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †</p> | <p>FC820

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC912

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>FC780

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"</p> | <p>81960P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>FC911

 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †</p> | <p>81942P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> | <p>81985P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"</p> |
|--|---|---|--|---|---|--|--|--|--|

Note: See page 273 for important product details that may help with your purchase decision.



FC913 ◆ ■ ■ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC916 ◆ ■ ■ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC915 ◆ ■ ■ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC797 ◆ ■ ■ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC914 ◆ ■ ■ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80947 ◆ ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86247 ◆ ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	---	---	---



FC735 ◆ ■ ■ ■ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8735 ◆ ■ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC917 ◆ ■ ■ ■ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC910SL ◆ ■ ■ ■ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81928PSL ◆ ■ ■ ■ 6 12" x 8'0" 14" x 8'0"	FC809SL ■ ◆ ■ ■ ■ 6 12" x 6'8" ‡ 14" x 6'8" ‡	81928SL ■ ◆ ■ ■ ■ 6 12" x 8'0" 14" x 8'0"	FC912SL ◆ ■ ■ ■ 6 12" x 6'8" 14" x 6'8"	81960PSL ◆ ■ ■ ■ 6 12" x 8'0" 14" x 8'0"	FC916SL ◆ ■ ■ ■ 12" x 6'8" 14" x 6'8"	FC911SL ◆ ■ ■ ■ 6 12" x 6'8" 14" x 6'8"	81942PSL ◆ ■ ■ ■ 6 12" x 8'0" 14" x 8'0"
---	--	--	---	--	--	--	---	--	---	---	--

Smooth-Star®



S6090 ◆ ■ ■ ■ 6 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	S85895 ◆ ■ ■ ■ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6095 ■ ◆ ■ ■ ■ 6 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡ 3'6" x 6'8"	S820 ■ ◆ ■ ■ ■ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S912 ◆ ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S97 ◆ ■ ■ ■ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85902 ◆ ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S426 ◆ ■ ■ ■ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81942P ◆ ■ ■ ■ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6026 ◆ ■ ■ ■ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	---	---	--	--	---	--	---	---	--

Concorde Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ ■ Brushed Nickel Caming (1C)
- ◆ ■ ■ ■ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- 6 WBDR Options
- 6 WBDR / HVHZ Options



S6046
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S37
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S837
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S450
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S430
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S400
 ◆ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" †
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8"

S773
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S6084
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S1000
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S17
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S9347
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83147
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S735
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S8735
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S454
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S416SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

S85895SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



S4070SL
 ◆ ◆ ◆ ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡

S85930SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

S757SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"


S85902SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

S767SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

S430SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

S85920SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

S450SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"



CNVRT
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



CNRT
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.


Fiber-Classic® Mahogany



FCM148
◆ ■ ■ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8"



FCM626
■ ◆ ■ ■ 6
2'8" x 6'8" △ ‡
2'10" x 6'8" △ ‡
3'0" x 6'8" △ ‡



FCM156
◆ ■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM149 | **FCM8149**
◆ ■ ■ 6 | ◆ ■ ■ 6
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"



FCM6036
◆ ■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM6056
◆ ■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM151
■ ■ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM789
◆ ■ ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM150
◆ ■ ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM813SL
■ ◆ ■ ■ ■ 6
10" x 6'8"
12" x 6'8" △ ‡
14" x 6'8" △ ‡



FCM1442SL
◆ ■ ■ 6
12" x 6'8"
14" x 6'8"



FCM8107SL
◆ ■ ■ 6
12" x 8'0"
14" x 8'0"

FCM149SL
◆ ■ ■ 6
12" x 6'8"
14" x 6'8"

FCM867SL
◆ ■ ■ 6
12" x 8'0"
14" x 8'0"

Fiber-Classic® Oak




FC148
◆ ■ ■ 6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC626
■ ◆ ■ ■ 6
2'8" x 6'8" △ ‡
2'10" x 6'8" △ ‡
3'0" x 6'8" △ ‡



FC20042
◆ ■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




81961P
◆ ■ ■ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC156
◆ ■ ■ 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC149
◆ ■ ■ 6
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC8149
◆ ■ ■ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC89701
◆ ■ ■ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC152
◆ ■ ■
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ◆ ■ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available



FC709
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC151
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC798
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC150
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC80942
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC86242
 ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC148SL
 ◆ ◆ 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC813SL
 ◆ ◆ 6
 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡

Smooth-Star®



FC1442SL
 ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"



81961PSL
 ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"

FC149SL
 ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

FC8867SL
 ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



S160
 ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



S626
 ◆ ◆ 6
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8"




S20042
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S902
 ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S156
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S161
 ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S8149
 ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S6036
 ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6056
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S43
 ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S89701
 ◆ ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S162
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S709
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S163
 ◆ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S1001
 ◆ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S6119
 ◆ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S9342
 ◆ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S83142
 ◆ ■ ■ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S160SL
 ◆ ■ ■ 6
 12" x 6'8"
 14" x 6'8"



S6132SL
 ■ ◆ ◆ ■ ■ 6
 10" x 6'8"
 12" x 6'8" ▲ †
 14" x 6'8" ▲ †



S1442SL
 ◆ ■ ■ 6
 12" x 6'8"
 14" x 6'8"



S902SL
 ◆ ■ ■ 6
 12" x 8'0"
 14" x 8'0"

S161SL
 ◆ ■ ■ 6
 12" x 6'8"
 14" x 6'8"

S867SL
 ◆ ■ ■ 6
 12" x 8'0"
 14" x 8'0"



KNRT ◆ ■ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- † 7'0" Height Available

Fiber-Classic® Mahogany



FCM1652
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM81652
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM1651
 ◆ 6
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡

FCM81651
 ◆ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


FCM1647
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM1654
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM81654
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM1656
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM1658
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1650
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM1645
 ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM81645
 ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM1651SL
 ◆ 6
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡

FCM81651SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"

FCM81652SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"

FCM1646SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"

FCM81646SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"

FCM1656SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"

FCM81654SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



FC1652
 ◆ 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC81652
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC1651
 ◆ 6
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡

FC81651
 ◆ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC1647
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC1646
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC81646
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC1654
 ◆ 6
 2'8" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC81654
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.



FC81653 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1655 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC81649 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1645 ◆ 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC81645 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1661 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC1652SL ◆ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC81652SL ◆ 6 12" x 8'0" 14" x 8'0"	FC1651SL ◆ 6 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	FC81651SL ◆ 6 12" x 8'0" △ ‡ 14" x 8'0" △ ‡
---	--	---	---	---	--	--	---	--	---

Smooth-Star®



FC1646SL ◆ 6 12" x 6'8" 14" x 6'8"	FC81646SL ◆ 6 12" x 8'0" 14" x 8'0"	FC1656SL ◆ 6 12" x 6'8" 14" x 6'8"	FC81654SL ◆ 6 12" x 8'0" 14" x 8'0"
--	---	--	---



S1652 ◆ 6 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	S81652 ◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1651 ◆ 6 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡ 3'6" x 6'8"	S81651 ◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S1647 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1646 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81646 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---	---	--



S1654 ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81654 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1656 ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S1658 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1653 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81653 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1650 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81650 ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1655 ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	---	--	---	--	---

Axis Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- Ⓜ WBDR Options
- Ⓜ WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelves*

-  4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.
-  4-Block Dentil Shelf
Available for all Craftsman-style
Smooth-Star doors.

Axis™ Glass *Continued*



S81649
 ◆ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S1645
 ◆
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S81645
 ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S1661
 ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S1652SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"



S81652SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"

S1651SL
 ◆ ◆ ◆ 6
 10" x 6'8"
 12" x 6'8" ‡ ‡
 14" x 6'8" ‡ ‡

S81651SL
 ◆ ◆ ◆ 6
 12" x 8'0"
 14" x 8'0"



S1646SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"



S81646SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"



AXRT ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

S1656SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"

S81654SL
 ◆ 6
 12" x 8'0"
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Frosted Images®

Fiber-Classic® Mahogany



FCM11 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8113 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM669 6 2'6" x 6'8" Δ‡ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡	FCM813 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM763 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM66 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM895 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6023 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6043 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	--	---	--	---	---

Fiber-Classic® Oak



FCM784 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM787 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM13101SL 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	FCM81300SL 6 12" x 8'0" 14" x 8'0"	FCM8113SL 6 12" x 8'0" 14" x 8'0"	FCM8109SL 6 12" x 8'0" 14" x 8'0"	FCM66SL 6 12" x 6'8" 14" x 6'8"	FC11 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81970P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC669 6 2'6" x 6'8" Δ‡ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡	FC813 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	--	--	---	---	---	---	--	--	--



FC763 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC768 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81963P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC66 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81931P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81973P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC44 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC784 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC787 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	---	--	--	---	--	--

Frosted Images Glass *Continues on next page.*











Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⬆ WDR Options
- 6 WDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Frosted Images. Glass *Continued*

									
FC791 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80945 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86245 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC806 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC11SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC8113SL 12" x 8'0" 14" x 8'0"	13101SL 12" x 6'8" † 14" x 6'8" †	81300SL 12" x 8'0" 14" x 8'0"	81963PSL 12" x 8'0" 14" x 8'0"	FC44SL 12" x 6'8" 14" x 6'8"

Smooth-Star.

									
S138 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	S812 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S669 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S813 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S84 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S94 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S884 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S206E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81931P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6023 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡


								
S6043 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S34 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S834 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S250 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S289E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S103 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	S989 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6081 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S994 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass	XJ = Chinchilla Glass	XN = Granite Glass
XC = Chord Glass	XR = Rainglass	

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.




S9345 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83145 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S260 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S138SL 6 12" x 6'8" 14" x 6'8"	S8113SL 6 12" x 8'0" 14" x 8'0"	S2070SL 6 10" x 6'8" 12" x 6'8" ⚠ 14" x 6'8" ⚠	S81300SL 6 12" x 8'0" 14" x 8'0"	S884SL 6 12" x 8'0" 14" x 8'0"	S289ESL 6 12" x 6'8" 14" x 6'8"	S250SL 12" x 6'8" 14" x 6'8"
---	--	---	--	---	---	--	--	---	---


Flush-Glazed Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.

Fiber-Classic® Oak



FC1207_ ▲ 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'6" 3'0" x 6'8" ⚠	2010_ ▲ 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'6" 3'0" x 6'8" ⚠	2050_ ▲ 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'6" 3'0" x 6'8" ⚠	2050_SL ▲ 12" x 6'8" 14" x 6'8"
--	--	--	---



FC02000_-2C ▲ 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'6" 3'0" x 6'8" ⚠	FC082000_-2C ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC02000_-3C ▲ 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'6" 3'0" x 6'8" ⚠	FC082000_-3C ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---



Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ▲ Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDL)*
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⚠ 6'6" Height Available
- ⚠ 7'0" Height Available
- Ⓜ WBDR Options
- Ⓜ WBDR / HVHZ Options

Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*



FC02000_-4C
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



FC082000_-4C
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



FC02000_-6C
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲

FC082000_-6C
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



FC5700_
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲

FC85700_
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

FC5710_
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲

FC85710_
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



FC5720_
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲

FC85720_
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



FC5700_SL
 ▲ ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



FC5710_SL
 ▲ ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



FC5720_SL
 ▲ ▲
 12" x 6'8" ▲
 14" x 6'8" ▲

Smooth-Star®



S1207_
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S82105_
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82106_
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82107_
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2010_SL
 ▲ ▲
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲

S84886_SL
 ▲ ▲
 12" x 8'0" ▲
 14" x 8'0" ▲



S2000_-2C
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000_-2C
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000_-3C
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000_-3C
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000_-4C
 ▲ ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000_-4C
 ▲ ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass

XN = Granite Glass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.



S2000_-6C
 ▲ Simulated Divided Lites (SDL)
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000_-6C
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82112_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82113_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82114_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82116_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S4812_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S84812_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S4813_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S84813_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S4814_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S84814_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S4816_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S84816_
 ▲ Simulated Divided Lites (SDL)
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S2000_SL-2C
 ▲ Simulated Divided Lites (SDL)
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S2000_SL-4C
 ▲ Simulated Divided Lites (SDL)
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲



S4812_SL
 ▲ Simulated Divided Lites (SDL)
 12" x 6'8" ▲
 14" x 6'8" ▲

S84812_SL
 ▲ Simulated Divided Lites (SDL)
 12" x 8'0" ▲
 14" x 8'0" ▲




S5700_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85700_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5710_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85710_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S5720_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S85720_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S85730_
 ▲ Simulated Divided Lites (SDL)
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*


Key

- ▲ Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDL)*
- Simulated Divided Lites (SDLF1)*

- Simulated Divided Lites (SDLF2)*
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- ▲ 6'6" Height Available
- ± 7'0" Height Available

Optional Dentil Shelf*



Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*



S5700_SL S85700_SL
 ▲ R
 10" x 6'8" 12" x 8'0"
 12" x 6'8" 14" x 8'0"
 14" x 6'8"




S5710_SL S85710_SL
 ▲ R
 10" x 6'8" 12" x 8'0"
 12" x 6'8" 14" x 8'0"
 14" x 6'8"



S5720_SL S85720_SL
 ▲ R
 10" x 6'8" 12" x 8'0"
 12" x 6'8" 14" x 8'0"
 14" x 6'8"

Flush-Glazed Privacy & Textured Glass

Fiber-Classic® Oak



2000_ 8000_
 ▲ 2'0" x 6'8" ▲ 2'0" x 8'0"
 2'6" x 6'8" ▲ 2'6" x 8'0"
 2'8" x 6'8" ▲ 2'8" x 8'0"
 2'10" x 6'6" ▲ 2'10" x 8'0"
 3'0" x 6'8" ▲ 3'0" x 8'0"

2000_SL
 ▲ 12" x 6'8"
 14" x 6'8"

Smooth-Star®



S2000_ S8000_
 ▲ 2'0" x 6'8" ▲ 2'0" x 8'0"
 2'6" x 6'8" ▲ 2'6" x 8'0"
 2'8" x 6'8" ▲ 2'8" x 8'0"
 2'10" x 6'8" ▲ 2'10" x 8'0"
 3'0" x 6'8" ▲ 3'0" x 8'0"

S82200_
 ▲ 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S4810_ S84810_
 ▲ 2'8" x 6'8" ▲ 2'8" x 8'0"
 2'10" x 6'8" ▲ 2'10" x 8'0"
 3'0" x 6'8" ▲ 3'0" x 8'0"



S2000_SL S8000_SL
 ▲ 10" x 6'8" ▲ 12" x 8'0"
 12" x 6'8" ▲ 14" x 8'0"
 14" x 6'8" ▲



S4810_SL S84810_SL
 ▲ 12" x 6'8" ▲ 12" x 8'0"
 14" x 6'8" ▲ 14" x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass
 XC = Chord Glass

XJ = Chinchilla Glass
 XR = Rainglass

XN = Granite Glass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.


Privacy & Textured Glass with Divided Lites

Fiber-Classic® Mahogany


Note: For details on divided lite options, see pages 120–121.




FCM138_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM1285_
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FCM18_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM1284_
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



FCM82_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




FCM65_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6022_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6042_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8321_
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM12102_SL
 12" x 6'8" †
 14" x 6'8" †



FCM92_SL
 12" x 6'8"
 14" x 6'8"



FCM8101_SL
 12" x 8'0"
 14" x 8'0"



FCM65_SL
 12" x 6'8"
 14" x 6'8"



FCM3487_SL
 12" x 8'0"
 14" x 8'0"



FCM605_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Fiber-Classic® Oak



FCM606_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM607_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM608_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6124_SL
 12" x 6'8"
 14" x 6'8"



FCM6125_SL
 12" x 6'8"
 14" x 6'8"



FCM6126_SL
 12" x 6'8"
 14" x 6'8"



FC138_
 2'6" x 6'8"
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



1285_
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDL)*
- Simulated Divided Lites (SDLF2)*
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelves*

- 4-Block Dentil Shelf**
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.
- 4-Block Dentil Shelf**
Available for all Craftsman-style
Smooth-Star doors.

Privacy & Textured Glass with Divided Lites *Continued*



FC18_
 ■ 2'6" x 6'8"
 ■ 2'8" x 6'8" ‡
 ■ 2'10" x 6'8" ‡
 ■ 3'0" x 6'8" ‡



1284_
 ■ 2'6" x 6'8" Δ ‡
 ■ 2'8" x 6'8" Δ ‡
 ■ 2'10" x 6'8" Δ ‡
 ■ 3'0" x 6'8" Δ ‡



FC82_
 ■ 2'8" x 6'8"
 ■ 2'10" x 6'8"
 ■ 3'0" x 6'8"



FC92_
 ■ 2'8" x 6'8"
 ■ 2'10" x 6'8"
 ■ 3'0" x 6'8"



81945P_
 ■ 2'8" x 8'0"
 ■ 2'10" x 8'0"
 ■ 3'0" x 8'0"



81946P_
 ■ 2'8" x 8'0"
 ■ 2'10" x 8'0"
 ■ 3'0" x 8'0"



FC65_
 ■ 2'6" x 6'8"
 ■ 2'8" x 6'8" ‡
 ■ 2'10" x 6'8" ‡
 ■ 3'0" x 6'8" ‡



FC8321_
 ■ 2'8" x 8'0"
 ■ 2'10" x 8'0"
 ■ 3'0" x 8'0"



FC832_
 ■ 2'8" x 8'0"
 ■ 2'10" x 8'0"
 ■ 3'0" x 8'0"



FC807_
 ■ 2'8" x 6'8"
 ■ 2'10" x 6'8"
 ■ 3'0" x 6'8"



FC809203_
 ■ 2'8" x 6'8"
 ■ 2'10" x 6'8"
 ■ 3'0" x 6'8"



FC862203_
 ■ 2'8" x 8'0"
 ■ 2'10" x 8'0"
 ■ 3'0" x 8'0"



FC18_SL
 ■ 12" x 6'8"
 ■ 14" x 6'8"



12102_SL
 ■ 12" x 6'8" Δ ‡
 ■ 14" x 6'8" Δ ‡



FC92_SL
 ■ 12" x 6'8"
 ■ 14" x 6'8"



81946P_SL
 ■ 12" x 8'0"
 ■ 14" x 8'0"



FC63_SL
 ■ 12" x 6'8"
 ■ 14" x 6'8"



FC3487_SL
 ■ 12" x 8'0"
 ■ 14" x 8'0"



FC06188_SL
 ■ 10" x 6'8"
 ■ 12" x 6'8"
 ■ 14" x 6'8"



FC06184_SL
 ■ 12" x 6'8" Δ ‡
 ■ 14" x 6'8" Δ ‡



FC06189_SL
 ■ 10" x 6'8"
 ■ 12" x 6'8"
 ■ 14" x 6'8"



FC06185_SL
 ■ 12" x 6'8" Δ ‡
 ■ 14" x 6'8" Δ ‡



FC06190_SL
 ■ 10" x 6'8"
 ■ 12" x 6'8"
 ■ 14" x 6'8"



FC06186_SL
 ■ 12" x 6'8" Δ ‡
 ■ 14" x 6'8" Δ ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass

XN = Granite Glass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.

Smooth-Star®



S128_
 ■ ■
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡



S141_
 ■ ■ ■
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡
 3'6" x 6'8"



S108_
 ■ ■ ■
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡



S6063_
 ■ ■ ■
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡
 3'6" x 6'8"



S82_
 ■ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S92_
 ■ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S881_
 ■ ■ ■
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S822_
 ■ ■ ■
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S262_
 ■ ■ ■
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6022_
 ■ ■ ■
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S6042_
 ■ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S32_
 ■ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S8321_
 ■ ■ ■
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S832_
 ■ ■ ■
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S807_
 ■ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S93203_
 ■ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S831203_
 ■ ■ ■
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S308_SL
 ■ ■ ■
 12" x 6'8"
 14" x 6'8"



S1170_SL
 ■ ■ ■ ●
 10" x 6'8"
 12" x 6'8" ▲ ‡
 14" x 6'8" ▲ ‡



S82_SL
 ■ ■ ■
 12" x 6'8"
 14" x 6'8"



S881_SL
 ■ ■ ■
 12" x 8'0"
 14" x 8'0"



S263_SL
 ■ ■ ■
 12" x 6'8"
 14" x 6'8"



S3487_SL
 ■ ■ ■
 12" x 8'0"
 14" x 8'0"

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

■ No Stile Lines
 ■ Simulated Divided Lites (SDL)*

● Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

▲ 6'6" Height Available
 ‡ 7'0" Height Available

Privacy & Textured Glass *Continued*



S605_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8605_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S606_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8606_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S607_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8607_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S608_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8608_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S605_SL

12" x 6'8"
14" x 6'8"



S6124_SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



S606_SL

12" x 6'8"
14" x 6'8"



S6125_SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡



S607_SL

12" x 6'8"
14" x 6'8"



S6126_SL

10" x 6'8"
12" x 6'8" Δ ‡
14" x 6'8" Δ ‡

Privacy & Textured Glass

Fiber-Classic® Mahogany



FCM10_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM870_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM1283_

2'4" x 6'8" Δ
2'6" x 6'8" Δ ‡
2'8" x 6'8" Δ ‡
2'10" x 6'8" Δ ‡
3'0" x 6'8" Δ ‡

FCM81200_

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM32_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM62_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FCM6021_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass

XN = Granite Glass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.



FCM6041_
■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM104_
■ 6
 2'8" x 6'8" ‡
 2'10" x 7'0"
 3'0" x 6'8" ‡



FCM601_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM708_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM8708_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM61_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM861_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM12101_SL
■ 6
 10" x 6'8"
 12" x 6'8" † ‡
 14" x 6'8" † ‡



FCM81200_SL
■ 6
 12" x 8'0"
 14" x 8'0"



FCM870_SL
6
 12" x 8'0"
 14" x 8'0"



FCM32_SL
6
 12" x 6'8"
 14" x 6'8"



FCM881_SL
6
 12" x 8'0"
 14" x 8'0"



FCM62_SL
6
 12" x 6'8"
 14" x 6'8"



FCM862_SL
6
 12" x 8'0"
 14" x 8'0"

Fiber-Classic® Oak



1283_
■ 6
 2'4" x 6'8" †
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡



81200_
■ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC10_
6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



81200P_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC766_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81943P_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC62_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81929P_
6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81929P_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*


Key

- No Stile Lines
- 6 Simulated Divided Lites (SDL)*
- 6 Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelves*

-  4-Block Dentil Shelf
 Available for all Craftsman-style
 Fiber-Classic Mahogany Collection doors.

-  4-Block Dentil Shelf
 Available for all Craftsman-style
 Smooth-Star doors.

Privacy & Textured Glass *Continued*



FC104_
■ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81971P_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


FC48_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC80920_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86220_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC708_
6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC8708_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC803_
6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC61_
6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC861_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

12101_SL
■ 6
 12" x 6'8" ‡ ‡
 14" x 6'8" ‡ ‡

81200_SL
■ 6
 12" x 8'0"
 14" x 8'0"

FC47_SL
6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

81200P_SL
6
 12" x 8'0"
 14" x 8'0"

FC32_SL
6
 12" x 6'8"
 14" x 6'8"

81943P_SL
6
 12" x 8'0"
 14" x 8'0"

FC48_SL
6
 12" x 6'8"
 14" x 6'8"

81929P_SL
6
 12" x 8'0"
 14" x 8'0"

Smooth-Star®



S140_
■ 6
 2'4" x 6'8" ‡
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡ ‡
 2'10" x 6'8" ‡ ‡
 3'0" x 6'8" ‡ ‡
 3'6" x 6'8"

S8140_
■ 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

S118_
6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡ ‡
 2'10" x 6'8" ‡ ‡
 3'0" x 6'8" ‡ ‡

S818_
6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S90_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S880_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S80_
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S206_
6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S81929P_
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6021_
6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.


XE = Satin Etch Glass
XC = Chord Glass


XJ = Chinchilla Glass
XR = Rainglass


XN = Granite Glass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.




S6041_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S104_ 
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S30_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S830_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S289_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S601_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S8600_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S9320_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S83120_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S708_ 
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




S8708_ 
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




S256_ 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



S296_ 
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



S896_ 
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



S601_SL 
 10" x 6'8"
 12" x 6'8" †‡
 14" x 6'8" †‡



S81086_SL 
 12" x 8'0"
 14" x 8'0"



S100_SL 
 12" x 6'8"
 14" x 6'8"



S8601_SL 
 12" x 8'0"
 14" x 8'0"



S751_SL 
 12" x 6'8"
 14" x 6'8"




S880_SL 
 12" x 8'0"
 14" x 8'0"



S210_SL 
 12" x 6'8"
 14" x 6'8"



S85910_SL 
 12" x 8'0"
 14" x 8'0"

Key

 No Stile Lines

 Vented Sidelite (No Impact)
 (6'6" & 6'8" only in 12" & 14")
 (8'0" only in 14")

 WBDR Options

 WBDR / HVHZ Options

 6'6" Height Available

 7'0" Height Available

Optional Dentil Shelf*



4-Block Dentil Shelf
 Available for all Craftsman-style
 Smooth-Star doors.

Internal Blinds

Note: Product images show exterior side of door.

Fiber-Classic® Mahogany



FCM141 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286 ★ 2'4" x 6'8" † 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	FCM81225 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM5425 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM678 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8678 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6035 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6055 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	---	---	--	---	---	---



FCM116 ★ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 7'0" 3'0" x 6'8" ‡	FCM1286SL ★ 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	FCM81225SL ★ 12" x 8'0" 14" x 8'0"	FCM8115SL ★ 12" x 8'0" 14" x 8'0"	FCM5425SL ★ 12" x 6'8" 14" x 6'8"	FCM8110SL ★ 12" x 8'0" 14" x 8'0"	FCM678SL ★ 12" x 6'8" 14" x 6'8"	FCM8678SL ★ 12" x 8'0" 14" x 8'0"
---	---	--	---	---	---	--	---

Fiber-Classic® Oak



FC141 ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81225P ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	1286 ★ 2'4" x 6'8" † 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	81225 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	1964P ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81964P ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5425 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC678 ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8678 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	--	--	--	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.



FC116 ★ 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8971 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC925 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8972 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC141SL ★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	81225PSL ★ 12" x 8'0" 14" x 8'0"	1286SL ★ ● 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	81225SL ★ ● 12" x 8'0" 14" x 8'0"
---	--	---	--	---	--	--	---



FC5425SL ★ 12" x 6'8" 14" x 6'8"	81964PSL ★ 12" x 8'0" 14" x 8'0"	FC678SL ★ 12" x 6'8" 14" x 6'8"	FC8678SL ★ 12" x 8'0" 14" x 8'0"
--	--	---	--

Smooth-Star®



S130 ★ 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	S829 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6061 ★ ● 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡ 3'6" x 6'8"	S81225 ★ ● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S682 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8682 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5425 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S132 ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8132 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	--	--	--	---	---	---	---

Internal Blinds *Continues on next page.*





Key

- No Stile Lines
- ★ Low-E Glass (LE)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Internal Blinds *Continued*

Note: Product images show exterior side of door.

					
S6035 ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6055 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S131 ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S971 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8971 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S925 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S8971 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8972 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

			
S130SL ★ 12" x 6'8" 14" x 6'8"	S829SL ★ 12" x 8'0" 14" x 8'0"	S6128SL ★ 10" x 6'8" 12" x 6'8" †‡ 14" x 6'8" †‡	S85928SL ★ 12" x 8'0" 14" x 8'0"
		S5425SL ★ 12" x 6'8" 14" x 6'8"	S8682SL ★ 12" x 8'0" 14" x 8'0"
			S132SL ★ 12" x 6'8" 14" x 6'8"
			S8132SL ★ 12" x 8'0" 14" x 8'0"

Screen Vented Lites*

Smooth-Star®

			
S243 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6034 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S137 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

*Features a gliding operation and sash locking system.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Flush-Glazed Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120-121.

Fiber-Classic® Oak



FC1205
 ▲ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



FC1206
 ▲ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



FC1207
 ▲ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



2010
 ▲ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



FC1204
 ▲ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



2050
 ▲ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



8000-12
 ▲ ★ ◆
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



8000-18
 ▲ ★ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



2150
 ▲ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 3'0" x 6'8" ▲



FC1205SL
 ▲ ★ ◆
 12" x 6'8" ▲
 14" x 6'8" ▲



FC1206SL
 ▲ ★ ◆
 12" x 6'8" ▲
 14" x 6'8" ▲



FC1204SL
 ▲ ★ ◆
 12" x 6'8" ▲
 14" x 6'8" ▲



2050SL
 ▲ ★ ◆
 12" x 6'8" ▲
 14" x 6'8" ▲



FC02000-2C
 ▲ ★ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



FC082000-2C
 ▲ ★ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



FC02000-3C
 ▲ ★ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



FC082000-3C
 ▲ ★ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

FC02000-4C
 ▲ ★ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲

FC082000-4C
 ▲ ★ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



FC02000-6C
 ▲ ★ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'6" ▲
 3'0" x 6'8" ▲



FC082000-6C
 ▲ ★ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ▲ Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)**






- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available



Flush-Glazed Clear Glass with Divided Lites *Continued*

							
2009 🔥🌟🌟👉 2'0" x 6'8" ⚠️ 2'6" x 6'8" ⚠️ 2'8" x 6'8" ⚠️ 2'10" x 6'6" 3'0" x 6'8" ⚠️	8000-9 🔥🌟🌟👉 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1409 🔥🌟🌟 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2009SL 🔥🌟🌟 12" x 6'8" 14" x 6'8"	FC5700 🔥🌟🌟👉 2'6" x 6'8" ⚠️ 2'8" x 6'8" ⚠️ 2'10" x 6'6" 3'0" x 6'8" ⚠️	FC85700 🔥🌟🌟👉 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5710 🔥🌟🌟👉 2'6" x 6'8" ⚠️ 2'8" x 6'8" ⚠️ 2'10" x 6'6" 3'0" x 6'8" ⚠️	FC85710 🔥🌟🌟👉 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

				
FC5720 🔥🌟🌟👉 2'6" x 6'8" ⚠️ 2'8" x 6'8" ⚠️ 2'10" x 6'6" 3'0" x 6'8" ⚠️	FC85720 🔥🌟🌟👉 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5700SL 🔥🌟🌟👉 12" x 6'8" 14" x 6'8"	FC5710SL 🔥🌟🌟👉 12" x 6'8" 14" x 6'8"	FC5720SL 🔥🌟🌟👉 12" x 6'8" 14" x 6'8"

*Available 2nd quarter 2017. To learn more about availability, call 1-800-323-3533.
 **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.
 Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5710, Sidelite – FC5710SL

Smooth-Star®

S1205 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	S1206 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	S1207 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	S2010 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	S1204 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	S2050 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	S8000-12 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8000-18 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

S2103 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82103 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2104 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82104 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2105 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2250 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82250 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82106 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

S82107 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2150 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S1205SL 10" x 6'8" ⚠ 12" x 6'8" ⚠ 14" x 6'8" ⚠	S1206SL 10" x 6'8" ⚠ 12" x 6'8" ⚠ 14" x 6'8" ⚠	S1204SL 10" x 6'8" ⚠ 12" x 6'8" ⚠ 14" x 6'8" ⚠	S2010SL 10" x 6'8" ⚠ 12" x 6'8" ⚠ 14" x 6'8" ⚠	S84886SL* 12" x 8'0" 14" x 8'0"	S2103SL 12" x 6'8" 14" x 6'8"	S2104SL 12" x 6'8" 14" x 6'8"	S92SL 12" x 6'8" 14" x 6'8"

Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- Low-E Glass (LE)**
- Flush-Glazed Glass (FG)**
- Simulated Divided Lites (SDL)****
- Simulated Divided Lites (SDLF1)****
- Simulated Divided Lites (SDLF2)****
- Removable Wood Grilles (RG)**
- Vented Sidelite (No Impact)**
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6'6" Height Available**

Flush-Glazed Clear Glass with Divided Lites *Continued*



S2000-2C
 ▲ ★ ■ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000-2C
 ▲ ★ ■ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

S2000-3C
 ▲ ★ ■ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000-3C
 ▲ ★ ■ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

S2000-4C
 ▲ ★ ■ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000-4C
 ▲ ★ ■ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

S2000-6C
 ▲ ★ ■ ◆
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S82000-6C
 ▲ ★ ■ ◆
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲

S82112
 ▲ ★ ■ ◆
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82113
 ▲ ★ ■ ◆
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82114
 ▲ ★ ■ ◆
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S82116
 ▲ ★ ■ ◆
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



S4812
 ▲ ★ ■
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



S4813
 ▲ ★ ■
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S84812
 ▲ ★ ■
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



*Available 2nd quarter 2017. To learn more about availability, call 1-800-323-3533.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Top: Smooth-Star, Low-E Glass with SDLs, Door – S84816, Sidelites – S8000SL



S4814
 ▲ 🔥 🔦 🔦
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S84814
 ▲ 🔥 🔦 🔦
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △



S4816
 ▲ 🔥 🔦 🔦
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S84816
 ▲ 🔥 🔦 🔦
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △



S2000SL-2C
 ▲ 🔥 🔦 🔦 🔦 🔦
 10" x 6'8" △
 12" x 6'8" △
 14" x 6'8" △

S2000SL-4C
 ▲ 🔥 🔦 🔦 🔦 🔦
 10" x 6'8" △
 12" x 6'8" △
 14" x 6'8" △



S4812SL
 ▲ 🔥 🔦 🔦
 12" x 6'8" △
 14" x 6'8" △

S84812SL
 ▲ 🔥 🔦 🔦
 12" x 8'0" △
 14" x 8'0" △



S2009
 ▲ 🔥 🔦 🔦 🔦
 2'0" x 6'8" △
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S8000-9
 ▲ 🔥 🔦 🔦 🔦
 2'0" x 8'0" △
 2'6" x 8'0" △
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △



S1401
 ▲ 🔥 🔦 🔦
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S81401
 ▲ 🔥 🔦 🔦
 2'6" x 8'0" △
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △




S1409
 ▲ 🔥 🔦 🔦
 2'6" x 6'8" △
 2'8" x 6'8" △
 3'0" x 6'8" △



S2009SL
 ▲ 🔥 🔦 🔦 🔦
 10" x 6'8" △
 12" x 6'8" △
 14" x 6'8" △



S1401SL
 ▲ 🔥 🔦 🔦
 12" x 6'8" △
 14" x 6'8" △



S5700
 ▲ 🔥 🔦 🔦
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S85700
 ▲ 🔥 🔦 🔦
 2'6" x 8'0" △
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △



S5710
 ▲ 🔥 🔦 🔦
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S85710
 ▲ 🔥 🔦 🔦
 2'6" x 8'0" △
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △



S5720
 ▲ 🔥 🔦 🔦
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S85720
 ▲ 🔥 🔦 🔦
 2'6" x 8'0" △
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △



S5730
 ▲ 🔥 🔦 🔦
 2'6" x 6'8" △
 2'8" x 6'8" △
 2'10" x 6'8" △
 3'0" x 6'8" △

S85730
 ▲ 🔥 🔦 🔦
 2'6" x 8'0" △
 2'8" x 8'0" △
 2'10" x 8'0" △
 3'0" x 8'0" △



S5700SL
 ▲ 🔥 🔦 🔦 🔦
 10" x 6'8" △
 12" x 6'8" △
 14" x 6'8" △

S85700SL*
 ▲ 🔥 🔦 🔦 🔦
 12" x 8'0" △
 14" x 8'0" △

Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*


Key

- ▲ Flush-Glazed Glass (FG)
- 🔦 Low-E Glass (LE)
- 🔦 Simulated Divided Lites (SDL)**
- 🔦 Simulated Divided Lites (SDLF1)**

- 🔦 Simulated Divided Lites (SDLF2)**
- 🔦 Flat White Grilles Between Glass Only (GBGFW)
- 🔦 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ➡ Removable Wood Grilles (RG)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ▲ 6'6" Height Available

Optional Dentil Shelf**



4-Block Dentil Shelf
 Available for all Craftsman-style Smooth-Star doors.

Flush-Glazed Clear Glass with Divided Lites *Continued*



S5710SL | **S85710SL***
 ▲ 🔥 ☀️ 🏠 | ▲ 🔥 ☀️ 🏠
 10" x 6'8" | 12" x 8'0"
 12" x 6'8" | 14" x 8'0"
 14" x 6'8"

S5720SL | **S85720SL***
 ▲ 🔥 ☀️ 🏠 | ▲ 🔥 ☀️ 🏠
 10" x 6'8" | 12" x 8'0"
 12" x 6'8" | 14" x 8'0"
 14" x 6'8"



Flush-Glazed Clear Glass

Fiber-Classic® Oak



2000 | **8000**
 ▲ 🔥 ☀️ | ▲ 🔥 ☀️
 2'0" x 6'8" ▲ | 2'0" x 8'0"
 2'6" x 6'8" ▲ | 2'6" x 8'0"
 2'8" x 6'8" ▲ | 2'8" x 8'0"
 2'10" x 6'6" | 2'10" x 8'0"
 3'0" x 6'8" ▲ | 3'0" x 8'0"

2100 | **2000SL**
 ▲ 🔥 ☀️ | ▲ 🔥 ☀️
 2'6" x 6'8" | 12" x 6'8"
 2'8" x 6'8" | 14" x 6'8"
 3'0" x 6'8"

Smooth-Star®



S2000 | **S8000**
 ▲ 🔥 ☀️ | ▲ 🔥 ☀️
 2'0" x 6'8" ▲ | 2'0" x 8'0"
 2'6" x 6'8" ▲ | 2'6" x 8'0"
 2'8" x 6'8" ▲ | 2'8" x 8'0"
 2'10" x 6'8" ▲ | 2'10" x 8'0"
 3'0" x 6'8" ▲ | 3'0" x 8'0"

S2200 | **S82200**
 ▲ 🔥 ☀️ | ▲ 🔥 ☀️
 2'6" x 6'8" | 2'6" x 8'0"
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"

S2100
 ▲ 🔥 ☀️
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



S4810 | **S84810**
 ▲ 🔥 ☀️ | ▲ 🔥 ☀️
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"

S2000SL | **S8000SL***
 ▲ 🔥 ☀️ 🏠 | ▲ 🔥 ☀️ 🏠
 10" x 6'8" ▲ | 12" x 8'0"
 12" x 6'8" ▲ | 14" x 8'0"
 14" x 6'8"

S90SL
 ▲ 🔥 ☀️
 12" x 6'8"
 14" x 6'8"

S4810SL | **S84810SL**
 ▲ 🔥 ☀️ | ▲ 🔥 ☀️
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

*Available 2nd quarter 2017. To learn more about availability, call 1-800-323-3533.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Top: Smooth-Star, Satin Etch Glass with SDLs, Door – S5710XE, Sidelite – S5710XESL

Clear Glass with Divided Lites *Continued*



FCM6097 ☀️➡️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM811 ☀️➡️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8322 ☀️⬆️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8323 ☀️⬆️⬅️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8324 ☀️⬆️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM65 ☀️⬆️➡️⬅️⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6022 ☀️⬆️➡️⬅️⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	--	--	--	--



FCM6042 ☀️⬆️➡️⬅️⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8321 ☀️⬆️⬅️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM752 ☀️⬆️⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8752 ☀️⬆️⬆️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1201SL ☀️⬆️⬆️⬆️ 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM1202SL ☀️⬆️⬆️⬆️ 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM1200SL ☀️⬆️⬆️⬆️⬆️ 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM12102SL ☀️⬆️⬆️⬆️⬆️⬆️ 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	FCM81208PSL ☀️⬆️⬆️ 12" x 8'0" 14" x 8'0"	FCM81208SL ☀️⬆️⬆️⬆️⬆️⬆️ 12" x 8'0" 14" x 8'0"
--	--	---	--	--	--	--	---	--	---



FCM1089SL ☀️⬆️ 12" x 6'8" 14" x 6'8"	FCM8311SL ☀️⬆️ 12" x 8'0" 14" x 8'0"	FCM2101SL ☀️⬆️⬆️ 12" x 6'8" 14" x 6'8"	FCM8313SL ☀️⬆️⬆️ 12" x 8'0" 14" x 8'0"	FCM92SL ☀️⬆️⬆️⬆️ 12" x 6'8" 14" x 6'8"	FCM8310SL ☀️⬆️⬆️ 12" x 8'0" 14" x 8'0"	FCM8101SL ☀️⬆️⬆️⬆️⬆️ 12" x 8'0" 14" x 8'0"	FCM8675SL ☀️⬆️ 12" x 8'0" 14" x 8'0"	FCM65SL ☀️⬆️⬆️➡️⬆️ 12" x 6'8" 14" x 6'8"	FCM7125SL ☀️⬆️⬆️ 12" x 8'0" 14" x 8'0"	FCM3487SL ☀️⬆️⬆️⬆️ 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	--	--	--	--	--

*2'0" frames do not have simulated divided lites option.
 **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.



FCM3000-2C
 * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM83000-2C
 * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM3000-3C
 * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM83000-3C
 * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM3000-4C
 * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM3000F-4C
 * * * *
 2'0" x 6'8" ▽
 2'4" x 6'8" △ ‡
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FCM83000F-4C
 * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FCM3000-6C
 * * * *
 2'0" x 6'8" ▽
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FCM83000-6C
 * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




FCM605
 * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM608
 * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM6124SL
 * * * *
 10" x 6'8"
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



FCM6125SL
 * * * *
 10" x 6'8"
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



FCM6126SL
 * * * *
 10" x 6'8"
 12" x 6'8" △ ‡
 14" x 6'8" △ ‡



FCM81900SL
 * * * *
 12" x 8'0"
 14" x 8'0"



FCM81947SL
 * * * *
 12" x 8'0"
 14" x 8'0"



FCM81949SL
 * * * *
 12" x 8'0"
 14" x 8'0"



FCM198
 * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM1289
 * * * *
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡



FCM1402
 * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ▭ Simulated Divided Lites (SDL)*,**
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- ⊕ WBDR Options
- ⊕ WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- ▭ PVC Doorlite Frame**

Optional Dentil Shelf**


4-Block Dentil Shelf
 Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



Clear Glass with Divided Lites *Continued*

FCM1408 ☀️ ⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8145 ⬆️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1405 ☀️ ⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1406 ☀️ ⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM704 ☀️ ⬆️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8704 ⬆️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1289SL ☀️ ⬆️ ⬆️ 10" x 6'8" 12" x 6'8" ⚠️ 14" x 6'8" ⚠️	FCM1400SL ☀️ ⬆️ 12" x 6'8" 14" x 6'8"	FCM81944SL ☀️ ⬆️ 12" x 8'0" 14" x 8'0"	FCM1405SL ☀️ ⬆️ 12" x 8'0" 14" x 6'8"	FCM8145SL ☀️ ⬆️ 12" x 8'0" 14" x 8'0"

Fiber-Classic.® Oak

FC1209 ☀️ ⬆️ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC1201 ☀️ ⬆️ ⬆️ 2'4" x 6'8" ⚠️ 2'6" x 6'8" ⚠️ ‡ 2'8" x 6'8" ⚠️ ‡ 2'10" x 6'8" ⚠️ ‡ 3'0" x 6'8" ⚠️ ‡	FC1211 ☀️ ⬆️ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC1202 ☀️ ⬆️ ⬆️ 2'4" x 6'8" ⚠️ 2'6" x 6'8" ⚠️ ‡ 2'8" x 6'8" ⚠️ ‡ 2'10" x 6'8" ⚠️ ‡ 3'0" x 6'8" ⚠️ ‡	FC1212 ☀️ ⬆️ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC1203 ☀️ ⬆️ ⬆️ 2'4" x 6'8" ⚠️ 2'6" x 6'8" ⚠️ ‡ 2'8" x 6'8" ⚠️ ‡ 2'10" x 6'8" ⚠️ ‡ 3'0" x 6'8" ⚠️ ‡	FC138 ☀️ ⬆️ ⬆️ ⬆️ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Top: Shown Left – Smooth-Star, Clear Glass with GBGs, Doors – S808; Shown Right – Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – 81946P, Sidelites 81946PSL

Clear Glass with Divided Lites *Continued*



FC8322
 * ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8323
 * ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8324
 * ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC63
 * >
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC65
 * > > 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC8321
 * ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8318
 * ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8319
 * ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC8320
 * ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC832
 * > > 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC807
 * > >
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC809203
 * > > 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC862203
 * > > 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC752
 * > ♦ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC8752
 * > ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC23
 * > ♦
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1209SL
 * >
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC1201SL
 * > ♦ ●
 12" x 6'8" ‡ ‡
 14" x 6'8" ‡ ‡



FC1211SL
 * >
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC1202SL
 * > ♦ ●
 12" x 6'8" ‡ ‡
 14" x 6'8" ‡ ‡



FC1208SL
 * > 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC1200SL
 * > ♦ ● 6
 12" x 6'8" ‡ ‡
 14" x 6'8" ‡ ‡



FC18SL
 * > > 6
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



12102SL
 * > > ♦ ● 6
 12" x 6'8" ‡ ‡
 14" x 6'8" ‡ ‡

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.



81208PSL ☀️👉👈 12"x 8'0" 14"x 8'0"	81208SL ☀️👉👈👉👈 12"x 8'0" 14"x 8'0"	FC1089SL ☀️👉 12"x 6'8" 14"x 6'8"	FC8311SL ☀️👉 12"x 8'0" 14"x 8'0"	FC2101SL ☀️👉👈 12"x 6'8" 14"x 6'8"	FC8313SL ☀️👉 12"x 8'0" 14"x 8'0"	FC92SL ☀️👉👈 12"x 6'8" 14"x 6'8"	FC8310SL ☀️👉👈 12"x 8'0" 14"x 8'0"	81946PSL ☀️👉👈👉👈 12"x 8'0" 14"x 8'0"	FC8675SL ☀️👉 12"x 8'0" 14"x 8'0"	FC63SL ☀️👉👈👉👈 12"x 6'8" 14"x 6'8"	FC7125SL ☀️👉👈 12"x 8'0" 14"x 8'0"	FC3487SL ☀️👉👈 12"x 8'0" 14"x 8'0"
---	--	--	--	---	--	---	---	---	--	---	---	---



FC3000-2C ☀️👉👈 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	FC083000P-2C ☀️👉👈 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC03000F-2C ☀️👉👈 2'0"x 6'8" ▽ 2'4"x 6'8" △ 2'6"x 6'8" △‡ 2'8"x 6'8" △‡ 2'10"x 6'8" △‡ 3'0"x 6'8" △‡	FC083000F-2C ☀️👉👈 2'0"x 8'0" ▽ 2'4"x 8'0" ▽ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC3000-3C ☀️👉👈 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	FC083000P-3C ☀️👉👈 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC03000F-3C ☀️👉👈 2'0"x 6'8" ▽ 2'4"x 6'8" △ 2'6"x 6'8" △‡ 2'8"x 6'8" △‡ 2'10"x 6'8" △‡ 3'0"x 6'8" △‡	FC083000F-3C ☀️👉👈 2'0"x 8'0" ▽ 2'4"x 8'0" ▽ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC3000-4C ☀️👉👈 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	FC083000P-4C ☀️👉👈 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
---	--	---	--	---	--	---	--	---	--



FC03000F-4C ☀️👉👈 2'0"x 6'8" ▽ 2'4"x 6'8" △ 2'6"x 6'8" △‡ 2'8"x 6'8" △‡ 2'10"x 6'8" △‡ 3'0"x 6'8" △‡	FC083000F-4C ☀️👉👈 2'0"x 8'0" ▽ 2'4"x 8'0" ▽ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC3000-6C ☀️👉👈 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	FC083000P-6C ☀️👉👈 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC03000F-6C ☀️👉👈 2'0"x 6'8" ▽ 2'4"x 6'8" △ 2'6"x 6'8" △‡ 2'8"x 6'8" △‡ 2'10"x 6'8" △‡ 3'0"x 6'8" △‡	FC083000F-6C ☀️👉👈 2'0"x 8'0" ▽ 2'4"x 8'0" ▽ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	81947P ☀️👉 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	81948P ☀️👉 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	81949P ☀️👉 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
---	--	---	--	---	--	---	---	---

Clear Glass with Divided Lites *Continues on next page.*

Key

- ☐ No Stile Lines
- ☀️ Low-E Glass (LE)
- 👉 Simulated Divided Lites (SDL)*,**
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- 👈 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- 👉 Removable Wood Grilles (RG)
- 👈 Fixed Grilles (FXG)
- 👈 Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 👈 WBDR Options
- 👈 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- ▽ PVC Doorlite Frame**

Clear Glass with Divided Lites *Continued*



81950P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC06188SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06184SL

 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



FC06189SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06185SL

 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



FC06190SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC06186SL

 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



81900PSL

 12" x 8'0"
 14" x 8'0"




81947PSL

 12" x 8'0"
 14" x 8'0"



81949PSL

 12" x 8'0"
 14" x 8'0"



FC198

 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1289

 2'4" x 6'8" Δ
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡



FC1402

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1400

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



81944P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1408

 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC8144

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC1411

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC1404

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FC8141

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC704

 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



FC8704

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



FC198SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



FC1289SL

 12" x 6'8" Δ ‡
 14" x 6'8" Δ ‡



FC1400SL | **81944PSL**

 12" x 6'8"
 14" x 6'8"



FC1408SL | **FC8145SL**

 12" x 6'8"
 14" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.



Clear Glass with Divided Lites *Continued*

							
S881 * > > > > > 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S92 * > > > > > 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8310 * > > 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S882 * > > > > > 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S663 * > 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6097 * > 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S811 * > 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S262 * > > > > > 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
							
S6022 * > > > > > 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6042 * > > > > > 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8322 * > > 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8323 * > > > 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8324 * > > 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8321 * > > > > > 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8318 * > > 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8319 * > > > 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.
 Top: Smooth-Star, Clear Glass with GBGs, Door – S1089, Transom – 19200T



S8320 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S32 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S832 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S151 ★ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S807 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S93203 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S831203 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S115 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	---	--	--	--	--	---	---



S752 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8752 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S255 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S236 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8317 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S237 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)	S1209SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	S1201SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	S1211SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	S1202SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡
--	---	--	---	--	--	---	---	---	---



S1208SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	S1200SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	S308SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	S1170SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	S808SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	S81186SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	S1089SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	S8311SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	S2101SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	S8313SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	S8310SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	S82SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"
---	---	--	---	--	--	---	---	---	---	---	---

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)*
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

S608 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8608 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S605SL ★ 12" x 6'8" 14" x 6'8"	S8605SL ★ 12" x 8'0" 14" x 8'0"	S6124SL ★ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	S85924SL ★ 12" x 8'0" 14" x 8'0"	S606SL ★ 12" x 6'8" 14" x 6'8"	S8606SL ★ 12" x 8'0" 14" x 8'0"	S6125SL ★ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	S85925SL ★ 12" x 8'0" 14" x 8'0"	S607SL ★ 12" x 6'8" 14" x 6'8"	S8607SL ★ 12" x 8'0" 14" x 8'0"	S6126SL ★ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	S85926SL ★ 12" x 8'0" 14" x 8'0"

S8207SL ★ 12" x 8'0" 14" x 8'0"	S8202SL ★ 12" x 8'0" 14" x 8'0"	S8204SL ★ 12" x 8'0" 14" x 8'0"	S198 ★ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S6062 ★ 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † 3'6" x 6'8"	S1402 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1400 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S898 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1408 ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S8145 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

S1405 ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S1406 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1407 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8144 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1411 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1404 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8141 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S704 ★ 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	S8704 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- 🔲 Simulated Divided Lites (SDL)*, **
- ◆ Flat White Grilles Between Glass Only (GBGFV)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- ⚠ 7'0" Height Available
- 🌀 PVC Doorlite Frame**

Optional Dentil Shelf**



Clear Glass with Divided Lites *Continued*

S198SL ★ 12" x 6'8" 14" x 6'8"	S6062SL ★ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	S1400SL ★ 12" x 6'8" 14" x 6'8"	S898SL ★ 12" x 8'0" 14" x 8'0"	S1405SL ★ 12" x 6'8" 14" x 6'8"	S8145SL ★ 12" x 8'0" 14" x 8'0"
--	---	---	--	---	---



19020T
★
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19220T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems
Grille Sticks Applied



19200T
★
3'0" Door Only
Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Clear Glass

Fiber-Classic® Mahogany



FCM10 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM870 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1283 ★ 2'0" x 6'8" ▽ 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	FCM81200 ★ 2'0" x 8'0" ▽ 2'4" x 8'0" ▽ 2'6" x 8'0" † 2'8" x 8'0" † 2'10" x 8'0" † 3'0" x 8'0" †	FCM32 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM62 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM862 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6021 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6041 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM670 ★ 2'4" x 6'8" 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †
---	--	--	---	---	---	--	---	---	--



FCM80 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM160 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM601 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM132 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM708 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8708 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM61 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM861 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM12101SL ★ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	FCM81200SL ★ 12" x 8'0" 14" x 8'0"
---	--	--	--	--	---	---	--	--	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.

Fiber-Classic® Oak

FCM870SL
 * 6
 12" x 8'0"
 14" x 8'0"

FCM32SL
 * 6
 12" x 6'8"
 14" x 6'8"

FCM881SL
 * 6
 12" x 8'0"
 14" x 8'0"

FCM701SL
 *
 12" x 6'8"
 14" x 6'8"

FCM62SL
 * 6
 12" x 6'8"
 14" x 6'8"

FCM862SL
 * 6
 12" x 8'0"
 14" x 8'0"

FC10
 * 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81200P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

1283
 * 6
 2'0" x 6'8" ▽
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡

81200
 * 6
 2'0" x 8'0" ▽
 2'4" x 8'0" ▽
 2'6" x 8'0" ▽
 2'8" x 8'0" ▽
 2'10" x 8'0" ▽
 3'0" x 8'0" ▽

FC32
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC766
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81943P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC62
 * 6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81929P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC670
 * 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

81971P
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC48
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC710
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC160
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC789
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC132
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC80920
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86220
 * 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC708
 *
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

FC8708
 *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC803
 *
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass *Continues on next page.*

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- ▽ PVC Doorlite Frame*

Optional Dentil Shelf*



Clear Glass *Continued*



FC61 ★ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC861 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC47SL ★ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81200PSL ★ 6 12" x 8'0" 14" x 8'0"	12101SL ★ 6 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	81200SL ★ 6 12" x 8'0" 14" x 8'0"	FC32SL ★ 6 12" x 6'8" 14" x 6'8"	81943PSL ★ 6 12" x 8'0" 14" x 8'0"	FC701SL ★ 12" x 6'8" 14" x 6'8"	FC48SL ★ 6 12" x 6'8" 14" x 6'8"	81929PSL ★ 6 12" x 8'0" 14" x 8'0"
---	---	--	--	---	---	--	--	---	--	--

Smooth-Star®



S118 ★ 6 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	S818 ★ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S140 ★ 6 2'0" x 6'8" ▽ 2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S8140 ★ 6 2'0" x 8'0" ▽ 2'4" x 8'0" ▽ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S80 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S90 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S880 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S206 ★ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81929P ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6021 ★ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
---	---	--	---	---	---	--	---	---	--



S6041 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S104 ★ 6 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S30 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S830 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S150 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S289 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S102 ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S770 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	--	--	--	--	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.



S6080 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S992 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S105 ■ * 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S601 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8601 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S10 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9320 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83120 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	---	---	---	--



S708 * 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8708 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S256 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S296 * 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S896 * 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S100SL * 6 12" x 6'8" 14" x 6'8"	S8601SL * 6 12" x 8'0" 14" x 8'0"	S601SL ■ * 6 10" x 6'8" 12" x 6'8" ‡ † 14" x 6'8" ‡ †	S81086SL ■ * 6 12" x 8'0" 14" x 8'0"	S751SL * 6 12" x 6'8" 14" x 6'8"	S880SL * 6 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	---	--	--	--	--



S761SL * 12" x 6'8" 14" x 6'8"	S210SL * 6 12" x 6'8" 14" x 6'8"	S85910SL * 6 12" x 8'0" 14" x 8'0"	S150SL * 12" x 6'8" 14" x 6'8"
--	--	--	--



DLHRT
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- 🐢 Turtle Glass
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- ⚠️ 6'6" Height Available
‡ 7'0" Height Available
- 🚪 PVC Doorlite Frame*

Optional Dentil Shelf*



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

Smooth-Star®



S140STC

■ ★
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8140STC

■ ★
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S141STC

■ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S6063STC

■ ★ ◆
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

Solid Panel

Fiber-Classic® Mahogany



FCM31

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM220

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM205

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM755

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM600

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM134

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM60

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM860

6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FCM1000

6
 2'0" x 6'8"
 2'4" x 6'8" ▲
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡

FCM81000

6
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Fiber-Classic® Oak



FC31

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC809

6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC862

6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

*Available with elevated 10" bottom rail.


Note: See page 273 for important product details that may help with your purchase decision.




FC808
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC755
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC134
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC60*
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡


FC860
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


1000
 2'0" x 6'8"
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡

81000
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


Smooth-Star®



S93
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S220*
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S8200
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S200
 2'8" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S897
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S205
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S8201
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S31
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S831
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S960
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




S755
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S4800
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S84800
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S600
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


S8600
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S11
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S210*
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

S810
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S100
 2'0" x 6'8"
 2'4" x 6'8" △
 2'6" x 6'8" △
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8"

S81000
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

Key

 No Stile Lines

 Low-E Glass (LE)

 Flat White Grilles Between Glass Only (GBG-F)

 WBDR / HVHZ Options

 6'6" Height Available

 7'0" Height Available

Profiles™ Steel



202

- Versatile, affordable options.



Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD
Bottom: Profiles, Texas Star Glass, Door – 1035HD, Sidelites – 1032SLHD

Traditions Steel



• Back to basics.




It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.


Top: Traditions, Clear Glass with SDLs, Door – TS3000-6C, Sidelites – 100SL
Bottom: Traditions, Clear Glass with SDLs, Doors – TS263

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 227–231.



Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



- = Available
- = Not Applicable
- P = Paint

Profiles™	Traditions
-----------	------------

Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

Glass Options

Decorative	14	14
Privacy & Textured	5	5
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

Additional Options

Finish	P	P
--------	---	---

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 246–248.

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru product approval for the configuration before buying.

**Decorative glass designs are shown in Profiles only.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**



Black Nickel Brushed Nickel

Blackstone Page 207
Glass Privacy Rating: **7**



Black Nickel Brass

Crystalline Page 207
Glass Privacy Rating: **7**



Art Glass / Black Nickel Brushed Nickel

Sedona Page 208
Glass Privacy Rating: **7**



Wrought Iron

Salinas Page 209
Glass Privacy Rating: **10**




Black Nickel Brushed Nickel

Maple Park Page 209
Glass Privacy Rating: **6**



Black Nickel

Avonlea Page 210
Glass Privacy Rating: **4**




Black Nickel Brushed Nickel

Saratoga Page 211
Glass Privacy Rating: **7**



Brushed Nickel

Texas Star Page 211
Glass Privacy Rating: **5**



Black Nickel Brass

Wellesley Page 212
Glass Privacy Rating: **6**



Wrought Iron

Riserva Page 212
Glass Privacy Rating: **10**




Black Nickel Brass

Concorde Page 213
Glass Privacy Rating: **8**



Black Nickel Brushed Nickel

Kensington Page 214
Glass Privacy Rating: **8**



Black Nickel

Axis Page 214
Glass Privacy Rating: **7**



Frosted Images
Page 215
Glass Privacy Rating: **8**



Internal Blinds
Page 217, 222



Screen Vented
Page 217, 222

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Privacy & Textured Glass


Pages 216, 221



Satin Etch Glass (XE)
Glass Privacy Rating: **10**



Chord Glass (XC)
Glass Privacy Rating: **10**



Chinchilla Glass (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite Glass (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale



Clear

Opaque

Also Available:

Divided Lites Pages 216, 217, 221, 223

Clear Glass Pages 217, 223



Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Blackstone®



310
 ◆ 6
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" † ‡



1037HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



309HD
 ◆ 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1001HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1117HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



311HD
 ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1025HD
 ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



310SL
 ◆ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1037SLHD
 ◆ 6
 12" x 6'8"
 14" x 6'8"



311SLHD
 ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



BSHRT
 ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



BSRT
 ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only


Crystalline™




916
 ◆ 6
 2'6" x 6'8" † ‡
 2'8" x 6'8" † ‡
 2'10" x 6'8" † ‡
 3'0" x 6'8" † ‡
 3'6" x 6'8" † ‡




1042HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




926HD
 ◆ 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



991HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1119HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



950HD
 ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



930HD
 ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



953HD
 ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Crystalline Glass Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Crystalline™ Glass *Continued*



1055HD
 ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



936HD
 ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



916SL
 ◆ ◆ ◆ 6
 10" x 6'8" ‡
 12" x 6'8" ‡
 14" x 6'8" ‡



956SLHD
 ◆ ◆ ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



975SLHD
 ◆ ◆ ◆
 12" x 6'8" ‡
 14" x 6'8" ‡



930SLHD
 ◆ ◆ ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



950SLHD
 ◆ ◆ ◆
 12" x 6'8" ‡
 14" x 6'8" ‡



936SLHD
 ◆ ◆ ◆
 12" x 6'8" ‡
 14" x 6'8" ‡



19820T
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19080T
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19810T
 ◆ ◆ ◆
 12" & 14" Sidelite Only



BLHRT
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems



19800T
 ◆ ◆ ◆
 3'0" Door Only

Sedona

Note: Shown in art glass with black nickel caming.




139-A
 ▶
139
 ◆ ◆ ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡




965HD-A
 ▶
965HD
 ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



211HD-A
 ▶
211HD
 ◆ ◆ ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



996HD-A
 ▶
996HD
 ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1114HD-A
 ▶
1114HD
 ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



294HD-A
 ▶
294HD
 ◆ ◆ ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



139SL-A
 ▶
139SL
 ◆ ◆ ◆
 10" x 6'8" ‡
 12" x 6'8" ‡
 14" x 6'8" ‡



965SLHD-A
 ▶
965SLHD
 ◆ ◆ ◆
 12" x 6'8" ‡
 14" x 6'8" ‡



294SLHD-A
 ▶
294SLHD
 ◆ ◆ ◆
 12" x 6'8" ‡
 14" x 6'8" ‡



19520T-A ▶
19520T ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



19055T-A ▶
19055T ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Salinas®

Note: Product images show exterior side of door.



369
X 6
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡

968HD
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

374HD
X 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

1002HD
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1115HD
X 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

372HD
X
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

371HD
X
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



369SL
X 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡

971SLHD
X 6
 12" x 6'8"
 14" x 6'8"

371SLHD
X 6
 12" x 6'8" ‡
 14" x 6'8" ‡

SART
X
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Maple Park®



1006
◆ :: 6
 2'8" x 6'8" ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡

1009HD
◆ :: 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1007HD
◆ :: 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

1011HD
◆ :: 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1116HD
◆ :: 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1008HD
◆ ::
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Key

- ▶ Art Glass / Black Nickel Caming (1D)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Maple Park Glass *Continued*



736HD
 ◆ ■
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡




1006SL
 ◆ ■ ■ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1009SLHD
 ◆ ■ ■ 6
 12" x 6'8"
 14" x 6'8"



1007SLHD
 ◆ ■ ■ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



FWRT
 ◆ ■ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Avonlea®


Note: Product images show exterior side of door.




1027
 ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡




1038HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1031HD
 ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1034HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1107HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1044HD
 ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1047HD
 ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1027SL
 ◆ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1038SLHD
 ◆ 6
 12" x 6'8"
 14" x 6'8"



1031SLHD
 ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



AVRT
 ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Saratoga™




610
 ◆ ■ ■ 6
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8" ‡



1039HD
 ◆ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



613HD
 ◆ ■ ■ 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



988HD
 ◆ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1112HD
 ◆ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



615HD
 ◆ ■ ■
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



707HD
 ◆ ■ ■
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



610SL
 ◆ ■ ■ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1039SLHD
 ◆ ■ ■ 6
 12" x 6'8"
 14" x 6'8"



615SLHD
 ◆ ■ ■ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



19740T
 ◆ ■ ■
 3'0" Door Only



19750T
 ◆ ■ ■
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Texas Star



1029
 ■ ■ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8" ‡



1040HD
 ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1032HD
 ■ ■ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1035HD
 ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1111HD
 ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1045HD
 ■ ■
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1048HD
 ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1029SL
 ■ ■ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1040SLHD
 ■ ■ 6
 12" x 6'8"
 14" x 6'8"



1032SLHD
 ■ ■ 6
 12" x 6'8" ‡
 14" x 6'8" ‡

Key

- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available


Wellesley™




620
 ◆ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" ‡ †
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †
 3'6" x 6'8" †



1041HD
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †




623HD
 ◆ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" ‡ †
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



989HD
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



1120HD
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



625HD
 ◆ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" ‡ †
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



1022HD
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



721HD
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



620SL
 ◆ ◆ ◆ ◆ ◆ ◆
 10" x 6'8" ‡ †
 12" x 6'8" ‡ †
 14" x 6'8" ‡ †



1041SLHD
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8" ‡ †
 14" x 6'8" ‡ †



625SLHD
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8" ‡ †
 14" x 6'8" ‡ †



19720T
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" Door Only



19730T
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only



WLHRT
 ◆ ◆ ◆ ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Riserva™

Note: Product images show exterior side of door.




571
 X 6
 2'6" x 6'8" ‡ †
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †
 3'6" x 6'8" †



544HD
 X 6
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



582HD
 X 6
 2'6" x 6'8" ‡ †
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



576HD
 X 6
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



578HD
 X 6
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



588HD
 X
 2'6" x 6'8" ‡ †
 2'8" x 6'8" ‡ †
 2'10" x 6'8" ‡ †
 3'0" x 6'8" ‡ †



TS572SL
 X 6
 10" x 6'8" ‡ †
 12" x 6'8" ‡ †
 14" x 6'8" ‡ †



546SLHD
 X 6
 12" x 6'8" ‡ †
 14" x 6'8" ‡ †



584SLHD
 X 6
 12" x 6'8" ‡ †
 14" x 6'8" ‡ †



RSRT
 X
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Concorde™



1028
 ◆ ■ ■ ■ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



967HD
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




426HD
 ◆ ■ ■ ■ 6
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



999HD
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1118HD
 ◆ ■ ■ ■ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



450HD
 ◆ ■ ■ ■
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



430HD
 ◆ ■ ■ ■
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



453HD
 ◆ ■ ■ ■
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



400HD
 ◆ ■ ■ ■
 2'6" x 6'8" †
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †
 3'6" x 6'8" †



1024HD
 ◆ ■ ■ ■
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



735HD
 ◆ ■ ■ ■
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



454HD
 ◆ ■ ■ ■
 2'8" x 6'8" †
 2'10" x 6'8" †
 3'0" x 6'8" †



416SL
 ◆ ■ ■ ■ 6
 10" x 6'8"
 12" x 6'8" †
 14" x 6'8" †



967SLHD
 ◆ ■ ■ ■ 6
 12" x 6'8"
 14" x 6'8"



977SLHD
 ◆ ■ ■ ■
 12" x 6'8"
 14" x 6'8"



430SLHD
 ◆ ■ ■ ■ 6
 12" x 6'8" †
 14" x 6'8" †



450SLHD
 ◆ ■ ■ ■
 12" x 6'8" †
 14" x 6'8" †



CNHRT
 ◆ ■ ■ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only



CNRT
 ◆ ■ ■ ■
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Key

- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- † 7'0" Height Available


Kensington™




626
 ◆ ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡
 3'6" x 6'8" ‡



03142HD
 ◆ ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



627HD
 ◆ ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



631HD
 ◆ ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1113HD
 ◆ ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



628HD
 ◆ ◆ ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



630HD
 ◆ ◆ ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



626SL
 ◆ ◆ ◆ 6
 10" x 6'8" ‡
 12" x 6'8" ‡
 14" x 6'8" ‡



966SLHD
 ◆ ◆ ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



628SLHD
 ◆ ◆ ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



KNRT
 ◆ ◆ ◆
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only

Axis™


Note: Product images show exterior side of door.




1651HD
 ◆ ◆ 6
 2'4" x 6'8" ▲ ‡
 2'6" x 6'8" ▲ ‡
 2'8" x 6'8" ▲ ‡
 2'10" x 6'8" ▲ ‡
 3'0" x 6'8" ▲ ‡
 3'6" x 6'8" ‡




1644HD
 ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1660HD
 ◆ ◆ 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1657HD
 ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1659HD
 ◆ ◆ 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1662HD
 ◆
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1643HD
 ◆
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1651SL
 ◆ ◆ 6
 10" x 6'8" ‡
 12" x 6'8" ‡
 14" x 6'8" ‡



1644SLHD
 ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡

1657SLHD
 ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡

1643SLHD
 ◆ 6
 12" x 6'8" ‡
 14" x 6'8" ‡

AXRT
 ◆
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only

Frosted Images®



138
 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡

963HD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

206EHD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

985HD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

1110HD
 6
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

250HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

289EHD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

253HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



103HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡

1021HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

260HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

138SL
 6
 10" x 6'8" ‡
 12" x 6'8" ‡
 14" x 6'8" ‡

289ESLHD
 6
 12" x 6'8" ‡
 14" x 6'8" ‡

250SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.



128
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



108
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



961HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



262HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1123HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



982HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



263HD
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



6720HD_SL
 12" x 6'8"
 14" x 6'8"



263SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡

Privacy & Textured Glass



118
 2'4" x 6'8" Δ ‡
 2'6" x 6'8" Δ ‡
 2'8" x 6'8" Δ ‡
 2'10" x 6'8" Δ ‡
 3'0" x 6'8" Δ ‡
 3'6" x 6'8" ‡



959HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




206HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



980HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101_HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



289HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



708HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



256HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



296HD
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



100_SL
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



959HD_SL
 12" x 6'8"
 14" x 6'8"



210SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡



296SLHD
 12" x 6'8" ‡
 14" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 206.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass

XN = Granite Glass

*Features a gliding operation and sash locking system.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Internal Blinds

Note: Product images show exterior side of door.



130 ★ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8" ‡	5425 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	132HD ★ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	984HD ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1121HD ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	131 ★ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	130SL ★ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	5425SL ★ 12" x 6'8" 14" x 6'8"	132SLHD ★ 12" x 6'8" ‡ 14" x 6'8" ‡
--	--	--	---	--	--	---	--	---

Screen Vented Lites*



243HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	1004HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1102HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	137 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	---	---	--

Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.



1201 ★◆ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8" ‡	1202 ★◆ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8" ‡	1203 ★◆ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8" ‡	128 ★◆▶▶▶ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8" ‡	1200 ★◆ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8" ‡	108 ★◆▶▶▶ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ ‡ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8" ‡	2109HD ★◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2110HD ★◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---	---

Clear Glass with Divided Lites *Continues on next page.*

Key

- ★ Low-E Glass (LE)
- ▶ Removable Wood Grilles (RG)
- ▲ 6'6" Height Available
- ◆ Simulated Divided Lites (SDL)**
- ◆ Fixed Grilles (FXG)
- ‡ 7'0" Height Available
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ◀ WBDR / HVHZ Options


Clear Glass with Divided Lites *Continued*




2111HD
 * ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



961HD
 * ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




6023HD
 * >
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




1122HD
 * >
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



262HD
 * ♦ ♦ ♦ ♦ 6
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



982HD
 * ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1123HD
 * ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



151HD
 * ♦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



263HD
 * ♦ ♦ ♦ ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



154HD
 * ♦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



115HD
 * ♦
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



752HD
 * ♦ ♦ ♦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



255HD
 * ♦ ♦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



236HD
 ♦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



237HD
 * ♦
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡
 (Scalloped Lite Frame)



1201SL
 * ♦
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1202SL
 * ♦
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1200SL
 * ♦ ♦ 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



632SL
 * ♦ ♦ ♦ >
 6
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1089SLHD
 * ♦
 12" x 6'8"
 14" x 6'8"



4572SLHD
 * ♦ ♦ 6
 12" x 6'8"
 14" x 6'8"



6720SLHD
 * ♦ ♦ ♦ 6
 12" x 6'8"
 14" x 6'8"



263SLHD
 * ♦ ♦ ♦ 6
 12" x 6'8" ‡
 14" x 6'8" ‡



151SLHD
 * ♦ ♦
 12" x 6'8" ‡
 14" x 6'8" ‡



3000-2C
 * ♦ ♦ ♦
 2'0" x 6'8" ▽
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8" ‡



3000-3C
 * ♦ ♦ ♦
 2'0" x 6'8" ▽
 2'4" x 6'8" △
 2'6" x 6'8" △ ‡
 2'8" x 6'8" △ ‡
 2'10" x 6'8" △ ‡
 3'0" x 6'8" △ ‡
 3'6" x 6'8" ‡

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.



3000-4C
 * 🏠 🏠 🏠
 2'0" x 6'8" 🏠
 2'4" x 6'8" 🏠
 2'6" x 6'8" 🏠 ‡
 2'8" x 6'8" 🏠 ‡
 2'10" x 6'8" 🏠 ‡
 3'0" x 6'8" 🏠 ‡
 3'6" x 6'8" ‡



3000-6C
 * 🏠 🏠 🏠
 2'0" x 6'8" 🏠
 2'4" x 6'8" 🏠
 2'6" x 6'8" 🏠 ‡
 2'8" x 6'8" 🏠 ‡
 2'10" x 6'8" 🏠 ‡
 3'0" x 6'8" 🏠 ‡
 3'6" x 6'8" ‡



6184SL
 * 🏠
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6185SL
 * 🏠
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



6186SL
 * 🏠
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



198
 * 🏠 🏠 🏠
 2'4" x 6'8" 🏠
 2'6" x 6'8" 🏠 ‡
 2'8" x 6'8" 🏠 ‡
 2'10" x 6'8" 🏠 ‡
 3'0" x 6'8" 🏠 ‡
 3'6" x 6'8" ‡



1403HD
 * 🏠
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1408HD
 * 🏠
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



1405HD
 * 🏠
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1406HD
 * 🏠
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1411HD
 * 🏠
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



704HD
 * 🏠
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



198SL
 * 🏠
 10" x 6'8"
 12" x 6'8" ‡
 14" x 6'8" ‡



1400SLHD
 * 🏠
 12" x 6'8"
 14" x 6'8"



1405SLHD
 * 🏠
 12" x 6'8" ‡
 14" x 6'8" ‡



19020T
 *
 3'0" door + (2) 12" sidelites
 Continuous Sill Systems Only
 3'0" door + (2) 14" sidelites
 Continuous / Boxed Sill Systems
 Grille Sticks Applied



19220T
 *
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 Continuous Sill Systems Only
 Grille Sticks Applied



19200T
 *
 3'0" Door Only
 Grille Sticks Applied

Clear Glass



118
 * 🏠 🏠 🏠
 2'0" x 6'8" 🏠
 2'4" x 6'8" 🏠
 2'6" x 6'8" 🏠 ‡
 2'8" x 6'8" 🏠 ‡
 2'10" x 6'8" 🏠 ‡
 3'0" x 6'8" 🏠 ‡
 3'6" x 6'8" ‡



959HD
 * 🏠
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



206HD
 * 🏠
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



980HD
 * 🏠
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101HD
 * 🏠
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 * 🏠
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



150HD
 *
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡



289HD
 *
 2'6" x 6'8" ‡
 2'8" x 6'8" ‡
 2'10" x 6'8" ‡
 3'0" x 6'8" ‡

Clear Glass Continues on next page.

Key

🏠 Low-E Glass (LE)

🏠 Turtle Glass

🏠 Simulated Divided Lites (SDL)*, **

🏠 Flat White Grilles Between Glass (GBGFW)

🏠 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

🏠 Removable Wood Grilles (RG)

🏠 Fixed Grilles (FXG)

🏠 WBDR / HVHZ Options

🏠 6'6" Height Available

🏠 7'0" Height Available

🏠 PVC Doorlite Frame**

Clear Glass *Continued*



153HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



105

*
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



102

*
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡



1020HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



708HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



256HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



296HD

*
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



100SL

* 6
10" x 6'8" ‡
12" x 6'8" ‡
14" x 6'8" ‡



959SLHD

* 6
12" x 6'8" ‡
14" x 6'8" ‡



970SLHD

*
12" x 6'8" ‡
14" x 6'8" ‡



210SLHD

* 6
12" x 6'8" ‡
14" x 6'8" ‡



150SLHD

*
12" x 6'8" ‡
14" x 6'8" ‡




296SLHD

*
12" x 6'8" ‡
14" x 6'8" ‡



19020T

*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19200T

*
3'0" Door Only



19220T

*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19210T

*
12" & 14" Sidelite Only

Solid Panel




969HD

6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



978HD

6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



1005HD

6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



205HD

6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



203HD

6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



210HD

6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



100

6
2'0" x 6'8" ‡
2'4" x 6'8" ‡
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡
3'6" x 6'8" ‡

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.

Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.

									
TS128_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	TS108_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	TS262_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS263_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	6184_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	6185_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	6186_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	632_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	TS263_SL 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass

								
TS118_ 6 2'4" x 6'8" Δ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	818_ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS206_ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8206_ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS104_ 6 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	TS289_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS708_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8708_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS256_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 206.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass

XN = Granite Glass

Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)*
-  WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass *Continued*



TS296 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	896 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	100_SL 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	818_SL 12" x 8'0" 14" x 8'0"	TS210_SL 12" x 6'8" 14" x 6'8"	TS296_SL 12" x 6'8" 14" x 6'8"
---	--	---	---	---	---

Internal Blinds

Note: Product images show exterior side of door.



TS130 ★ 2'4" x 6'8" Δ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	829 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS132 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8132 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS131 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	130SL ★ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	829SL ★ 12" x 8'0" 14" x 8'0"	TS132SL ★ 12" x 6'8" 14" x 6'8"
---	--	--	--	--	---	---	---

Screen Vented Lites*



TS243 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS137 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"
--	--

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 206.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass

XN = Granite Glass

*Features a gliding operation and sash locking system.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120-121.

									
TS1201 ★ ◆ 2'4" x 6'8" † 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	TS1202 ★ ◆ 2'4" x 6'8" † 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	TS1203 ★ ◆ 2'4" x 6'8" † 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	TS128 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'4" x 6'8" † 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	TS1200 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'4" x 6'8" † 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	TS108 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'4" x 6'8" † 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	828 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	808 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		
									
8322 ★ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	8323 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	8324 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS262 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8321 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS151 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS263 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS154 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"		
									
TS115 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" † 3'0" x 6'8"	TS752 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8752 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS255 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS236 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8317 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS237 ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" <small>(Scalloped Lite Frame)</small>	1201SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	1202SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	1200SL ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡

Clear Glass with Divided Lites *Continues on next page.*

Key

- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)**
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- 6 WBDR / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available

Solid Panel



TS290
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




TS214
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS210
 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

810
 6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS100
 6
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8" Δ
 3'0" x 6'8"

800
 6
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Note: See page 273 for important product details that may help with your purchase decision.
 Bottom: Traditions, Sedona Art Glass, Door – TS211-A, Sidelites – 139SL-A

Key
 6 WBD / HVHZ Options
 Δ 6'6" Height Available

Fire Doors

Classic-Craft®, Fiber-Classic®, Smooth-Star® & Steel

The phrase
“safety first” is more
than just a saying. It’s
our standard.

From smooth to wood-grained, we have products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.*

227

• Safety first.

Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru® Adjusta-Fit 2 frames also feature these key benefits:


- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority. Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance data.

90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge 90-Minute Fire-rated doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater. Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.

6 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in an Adjusta-Fit. 2 frame.*



SE100
6
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡
 3'6" x 6'8" ‡



SE210HD
6
 2'6" x 6'8"
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE514
6
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE978HD
6
 2'8" x 6'8" ‡
 2'10" x 6'8"
 3'0" x 6'8" ‡



SE969HD
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



SE1005HD
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

20-Minute Fire-Rated Wood Edge

Therma-Tru offers an industry-leading selection of fiberglass 20-Minute Fire-rated doors. Most of our solid-panel fiberglass wood-edge doors can be ordered as 20-Minute Fire-rated product, featuring a proprietary cement-based core. Solid-panel steel wood-edge doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

6 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in a Therma-Tru-specified wood frame.*

Classic-Craft. Mahogany Collection.™



CCMF890
 3'0" x 8'0"



CCMF060
 3'0" x 6'8"



CCMF701
 3'0" x 6'8"

*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions. See page 273 for important product details that may help with your purchase decision.

Rustic Collection™



CCRF205
3'0" x 6'8"

CCRF8205
3'0" x 8'0"

CCRF205A
3'0" x 6'8"

CCRF8205A
3'0" x 8'0"

CCRF8225
3'0" x 8'0"

CCRF8225R
3'0" x 8'0"

CCRF8005
3'0" x 8'0"

CCRF8005A
3'0" x 8'0"

CCRF040
3'0" x 6'8"

CCRF8040
3'0" x 8'0"



CCRF040F
3'0" x 6'8"

CCRF8040F
3'0" x 8'0"

CCRF8222
3'0" x 8'0"

CCRF200
3'0" x 6'8"

CCRF8200
3'0" x 8'0"

CCRF200A
3'0" x 6'8"

CCRF8200A
3'0" x 8'0"

CCRF8220
3'0" x 8'0"

CCRF8220R
3'0" x 8'0"

Oak Collection™



CCF91
3'0" x 6'8"

CCF831
3'0" x 8'0"

CCF810
3'0" x 8'0"

CCF060
2'8" x 6'8"
3'0" x 6'8"

Canvas Collection.



CCVF400
3'0" x 6'8"

CCVF205
3'0" x 6'8"

CCVF8205
3'0" x 8'0"

CCVF205A
3'0" x 6'8"

CCVF8205A
3'0" x 8'0"

Classic-Craft *Continues on next page.*

Key

- No Stile Lines
- 6 WBDR / HVHZ Options
- ‡ 7'0" Height Available

Classic-Craft. *Continued*



CCVF455 3'0" x 6'8"	CCVF455A 3'0" x 6'8"	CCVF220 CCVF8220 3'0" x 6'8" 3'0" x 8'0"	CCVF200 3'0" x 6'8"	CCVF060 CCVF8060 3'0" x 6'8" 3'0" x 8'0"	CCVF831 3'0" x 8'0"	CCVF050 3'0" x 6'8"
-------------------------------	--------------------------------	---	-------------------------------	---	-------------------------------	-------------------------------

Fiber-Classic.

Mahogany Collection™



FMF31 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF220 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF205 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF600 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF134 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF60 FMF860 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" ‡ 3'0" x 8'0"	FMF100 FMF8100 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" ‡ 2'8" x 8'0" 3'0" x 6'8" ‡ 3'0" x 8'0"
--	---	---	---	---	---	---	---

Oak Collection™




FCF31 2'8" x 6'8" 3'0" x 6'8"	FCF809 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCF862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF808 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCF755 2'8" x 6'8" 3'0" x 6'8"	FCF134 2'8" x 6'8" 3'0" x 6'8"	FCF160* FCF8160 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10" x 6'8" ‡ 3'0" x 8'0" 3'0" x 6'8" ‡	FCF100 FCF8100 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" ‡ 2'8" x 8'0" 3'0" x 6'8" ‡ 3'0" x 8'0"
--	---	---	---	---	---	---	---

*Available with elevated 10" bottom rail.

Note: See page 273 for important product details that may help with your purchase decision.



SSF93 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF220* 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	SSF8220 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF200 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8200 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8205 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF831 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF960 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	---	--	---	---	--	--	--




SSF600 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8600 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF11 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF160* 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	SSF8160 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF100 6 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	SSF8100 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	--	--	--	--

Profiles™



969HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	978HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1005HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--

Traditions




205HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	203HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	210HD 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	100 6 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	TS290 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS214 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS210 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS100 6 2'0" x 6'8" 2'4" x 6'8" ‡ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ‡ 3'0" x 6'8"
---	---	--	--	---	---	--	--

Key

- No Stile Lines
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚡ 6'6" Height Available
- ‡ 7'0" Height Available

PULSE



232

- Modern design. Upbeat living.





Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.
Top: Pulse Línea, Satin Etch Glass with Flat Lite Frame, Door – S81RXE

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at www.thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



Fiberglass



Steel




WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*




1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



2 Choose a MATERIAL.

Each style is available in any of these material choices.




3 Select a GLASS.

Find an available glass design to complete the statement you want to make.


Privacy & Textured Glass

Available for all Pulse door styles.




Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas
- 5 Maple Park®
- 6 Avonlea®
- 7 Saratoga™
- 8 Texas Star
- 9 Riserva™
- 10 Axis™
- 11 Internal Blinds

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame*

Scrolled Profile Lite Frame

Frame Options

- Flat Lite Frame
- Scrolled Lite Frame

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Right Page: Pulse Línea, Sedona Glass with Scrolled Lite Frame, Doors – S1SN

Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

- Available in full-lite sidelites only.
- Available in Línea and Echo only.





Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See page 273 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX

Bottom: Pulse Línea, Axis Glass with Flat Lite Frame, Door – FCM1LAX


Ari

Note: Product images show exterior side of door.



Línea

Note: Product images show exterior side of door.



Línea Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = Satin Etch Glass XJ = Chinchilla Glass XN = Granite Glass
 XC = Chord Glass XR = Rainglass

Key

- ★ Low-E Glass (LE)
- ▶ Art Glass / Black Nickel Caming (1D)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- └ Flat Lite Frame*
- ◀ Scrolled Lite Frame
- Ⓜ WBDR / HVHZ Options



S1LSA X R 6 | S81LSA X R 6



S1SA X R 6 | S81SA X R 6



S1RSA X R 6 | S81RSA X R 6



S1LFW ◆ R 6



S1FW ◆ R 6



S1RFW ◆ R 6




S1LAV ◆ R 6




S1AV ◆ R 6




S1RAV ◆ R 6



S1LSG ◆ R 6 | S81LSG ◆ R 6



S1SG ◆ R 6 | S81SG ◆ R 6



S1RSG ◆ R 6 | S81RSG ◆ R 6






S1LTX R 6



S1TX R 6





S1RTX R 6

				<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Natural Oak stain.)		Smooth Fiberglass	Steel	

Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.


XE = Satin Etch Glass XJ = Chinchilla Glass XN = Granite Glass
 XC = Chord Glass XR = Rainglass

Key

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)
-  Flat Lite Frame*
-  Scrolled Lite Frame
-  WBDR / HVHZ Options

Echo

Note: Product images show exterior side of door.



S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX



S86LAX



S86AX



S86RAX



S9LAX




S9AX



S9RAX




S8LAX



S8AX



S8RAX



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Natural Oak stain.)



Smooth
Fiberglass



Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL



Echo Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass

XN = Granite Glass

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Flat Lite Frame*
- ◻ Scrolled Lite Frame
- Ⓜ WBDP / HVHZ Options

Echo *Continued*

Note: Product images show exterior side of door.



S5_ S5CL *

S85_ S85CL *



S5R_ S5RCL *

S85R_ S85RCL *



S86L_ S86LCL *



S86_ S86CL *



S86R_ S86RCL *



S9L_ S9LCL *



S9_ S9CL *



S9R_ S9RCL *



S8L_ S8LCL *



S8_ S8CL *



S8R_ S8RCL *



S811L_ S811LCL *



S811_ S811CL *



S811R_ S811RCL *



S810L_ S810LCL *



S810_ S810CL *



S810R_ S810RCL *


				<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.</p>
<p>Wood-Grained Fiberglass: Mahogany or Oak (Shown in Natural Oak stain.)</p>		<p>Smooth Fiberglass</p> <p>Steel</p>		

Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.

Sidelites

Note: Product images show exterior side of door.



Sidelites *Continue on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = Satin Etch Glass
XC = Chord Glass

XJ = Chinchilla Glass
XR = Rainglass


XN = Granite Glass

Key

- Low-E Glass (LE)
- Art Glass / Black Nickel Caming (1A)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Flat Lite Frame*
- Scrolled Lite Frame
- Vented Sidelite (No Impact)
(6'8" & 8'0" in 14")
(6'8" full-lite only in 12")
- WBDR / HVHZ Options

Sidelites *Continued*

Note: Product images show exterior side of door.



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.

Key

- Low-E Glass (LE)
- Flat Lite Frame*
- Scrolled Lite Frame
- Vented Sidelite (No Impact)
(6'8" & 8'0" in 14")
(6'8" full-lite only in 12")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

- XE = Satin Etch Glass
- XC = Chord Glass
- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass

Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 273 for important product details that may help with your purchase decision.

Top Left: Pulse Línea, Satin Etch Glass with Flat Lite Frame, Door – S1RXE, Sidelite – S601XESL
Top Right: Pulse Ari, Satin Etch Glass with Flat Lite Frame, Door – S83XE
Right Page: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S811CL, Sidelites – S81086SL



Hinged Patio Doors



246

- Simply beautiful, any way you see it.




Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors - S140, Transoms - 19200T
Bottom: Smooth-Star, Clear Glass with GBGs, Doors - S81828

Door Selections



Classic-Craft[®]
Mahogany
Collection™

Classic-Craft[®]
Oak Collection™



Classic-Craft[®]
Rustic Collection™

Classic-Craft[®]
Canvas
Collection



Fiber-Classic[®]
Mahogany
Collection™

Fiber-Classic[®]
Oak Collection™




Smooth-Star[®]

Profiles™ & Traditions

(Wood-grained images shown in Natural Oak stain.)

Glass Selections



Internal Blinds

Clear

Divided Lites

For details on divided lite options, see page 120–121.




Low-E Glass



Energy-efficient Low-E glass can help keep a home warm in the winter and cool in the summer. Available for internal blinds, divided lites and clear glass.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.



■ = Available • = Not Applicable

Door Selections	Classic-Craft [®]	Fiber-Classic [®]	Smooth-Star [®]	Profiles™	Traditions
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Glass Selections					
Internal Blinds	•	■	■	■	■
Flush-Glazed with Divided Lites	•	■	■	•	•
Flush-Glazed Clear	•	■	■	•	•
Low-E with Divided Lites	Standard	Option	Option	Option	Option
Low-E	Standard	Option	Option	Option	Option
Clear with Divided Lites	•	■	■	■	■
Clear	•	■	■	■	■
Also Available	13 Decorative / 4 Privacy & Textured	14 Decorative / 5 Privacy & Textured	14 Decorative / 5 Privacy & Textured	14 Decorative / 5 Privacy & Textured	14 Decorative / 5 Privacy & Textured
Available Sizes					
Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"–3'0"	2'0"–3'6"	2'0"–3'6"	2'0"–3'0"
Double Widths	6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	•	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options					
Vented Sidelites (Single / Double Widths)	•	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	•	•
Screens & Screen Accessories Available Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	•	■	■	■	■
Tru-Defense Eligible	■	■	■	•	•

Hinged Patio Door Systems




- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Astragal
- 8 Frame Components
- 9 Multi-Point Locking System (Included)
- 10 Removable Screens

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T



19050T

Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)




Internal Blinds




Available Door Styles

Fiber-Classic® Mahogany (Page 174) / Fiber-Classic® Oak (Page 174) / Smooth-Star® (Page 175) / Profiles® (Page 217) / Traditions (Page 222)
See page numbers above for door styles and sizes.



Available Configurations



Flush-Glazed Clear Glass with Divided Lites

Colonial Style




Available Door Styles

Fiber-Classic® Oak (Page 177) / Smooth-Star® (Page 179)
 See page numbers above for door styles and sizes.



Available Configurations



Craftsman Style




Available Door Styles

Fiber-Classic® Oak (Page 177) / Smooth-Star® (Page 180)
 See page numbers above for door styles and sizes.



Available Configurations




Note: See page 273 for important product details that may help with your purchase decision.

Prairie Style




Available Door Styles

Fiber-Classic® Oak (Page 178) / Smooth-Star® (Page 181)
 See page numbers above for door styles and sizes.



Available Configurations



Flush-Glazed Clear Glass




Available Door Styles

Fiber-Classic® Oak (Page 182) / Smooth-Star® (Page 182)
 See page numbers above for door styles and sizes.



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Door Styles

Classic-Craft® Oak (Page 90) / Classic-Craft® Canvas (Page 107) /
 Fiber-Classic® Mahogany (Page 183) / Fiber-Classic® Oak (Page 186) /
 Smooth-Star® (Page 191) / Profiles™ (Page 217) / Traditions (Page 223)
 See page numbers above for door styles and sizes.



Available Configurations



Craftsman Style




Available Door Styles

Fiber-Classic® Mahogany (Page 185) / Fiber-Classic® Oak (Page 189) /
 Smooth-Star® (Page 194) / Profiles™ (Page 218) / Traditions (Page 224)
 See page numbers above for door styles and sizes.



Available Configurations




Note: See page 273 for important product details that may help with your purchase decision.

Prairie Style




Available Door Styles

Fiber-Classic® Mahogany (Page 185) / Fiber-Classic® Oak (Page 190) / Smooth-Star® (Page 195) / Profiles™ (Page 219) / Traditions (Page 224)
 See page numbers above for door styles and sizes.



Available Configurations



Low-E / Clear Glass




Available Door Styles

Classic-Craft® Mahogany (Page 62) / Classic-Craft® Rustic (Page 78) / Classic-Craft® Oak (Page 90) / Classic-Craft® Canvas (Page 107) / Fiber-Classic® Mahogany (Page 196) / Fiber-Classic® Oak (Page 197) / Smooth-Star® (Page 198) / Profiles™ (Page 219) / Traditions (Page 225)
 See page numbers above for door styles and sizes.



Available Configurations





Door System Components



- Engineered to work together.



More than a beautiful door. A Therma-Tru® door system with genuine Therma-Tru components is engineered with craftsman precision for durability and reliability through the years. With weather resistance and energy efficiency so the door performs as exceptionally as it looks.

Visit our online replacement parts configurator and helpful videos to maintain the integrity of a complete door system with genuine Therma-Tru components – www.thermatru.com/parts.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill 

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush zinc dichromate screws.



Basic Composite Adjustable Sill

- Wood-grained composite cap and nosing.
- Adjustable zinc dichromate screws with removable screw caps.



Basic Fixed Sill


- Slanted cap and nosing mates with the single-bulb bottom sweep.



Moderate Climate Sill
(For Warmer Climates)

- All-aluminum construction.
- Slanted cap.

Inswing Sill Extenders



Outswing Options



Composite Outswing Sill 

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.




Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Outswing Sill Extender



Public Access Sill



Public Access Sill with Thermal Break**
(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

 Tru-Defense Eligible

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze



Brass



Satin Nickel

Cap Colors



Lightwood (Premium)
Composite Adjustable /
Composite Outswing



Darkwood (Premium)
Composite Adjustable /
Composite Outswing



Lightwood (Economy)
Basic Composite Adjustable



Darkwood (Economy)
Basic Composite Adjustable /
Basic Fixed



Hardwood
Hardwood Adjustable

- = Available
- = Not Applicable

	Inswing Options					Outswing Options					Public Access (Inswing / Outswing)	
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Moderate Climate	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**	
Sill Finishes												
Mill	■	■	■	■	■	■	■	■	■	■	■	
Bronze	■	■	■	■	•	■	■	■	•	■	■	
Brass	■	•	•	•	•	■	•	•	•	•	•	
Satin Nickel	■	•	•	•	•	■	•	•	•	•	•	
Cap Colors												
Lightwood	■	•	■	•	•	■	•	•	•	•	•	
Darkwood	■	•	■	■	•	■	•	•	•	•	•	
Hardwood	•	■	•	•	•	•	•	•	•	•	•	
Sill Configurations												
Single	■	■	■	■	■	■	■	■	■	■	■	
French	■	■	•	■	■	■	■	■	■	■	■	
Double Patio	■	■	•	•	•	■	•	•	•	•	•	
Triple Patio	■	■	•	•	•	■	•	•	•	•	•	
Lineal	■	■	•	•	•	•	•	•	•	•	•	
Sidelite Configurations												
Boxed Sidelites	■	•	•	•	•	•	•	•	•	•	•	
Single with Sidelites	■	■	•	•	•	■	•	•	•	•	•	
French with Sidelites	■	•	•	•	•	•	•	•	•	•	•	
Single Vented Sidelites	■	•	•	•	•	•	•	•	•	•	•	
French Vented Sidelites	■	•	•	•	•	•	•	•	•	•	•	
Depths												
4-9/16"	■	•	■	■	•	•	•	■	■	■	■	
5-3/4"	■	■	■	■	■	■	■	•	•	•	•	
6-9/16"	•	•	•	•	•	•	•	•	•	•	■	
7-3/4"	■	■	■	■	•	•	■	•	•	•	•	
Substrates												
Composite Extruded	■	•	•	•	•	■	•	•	•	•	•	
Composite Injection Molded	■	•	■	•	•	•	•	•	•	•	•	
Treated Pine	•	■	•	■	•	•	■	■	■	•	•	
Composite Blocked	•	•	•	•	■	•	•	•	•	•	•	
Other Options												
Integrated Thermal Break	■	■	■	■	•	■	■	•	•	■	■	
Screen Rail Available	■	■	•	•	•	■	•	•	•	•	•	
Sill Extenders Available	■	■	■	•	•	■	•	•	•	•	•	
Sill Covers Available	■	■	■	■	■	■	•	•	•	•	•	
Tru-Defense Eligible***	■	•	•	•	•	■	•	•	•	•	•	
With Anchor Holes	•	•	•	•	•	•	■	■	•	■	■	
Without Anchor Holes	■	■	■	■	■	■	■	•	■	•	•	

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options




Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed
Moderate Climate

Colors:
Bronze



Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

Outswing Options



Outswing Bottom Sweep

Sills:
Composite Outswing
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 256 for availability.

Shown over composite adjustable sill.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic-Craft. 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Fiber-Classic. / Smooth-Star. 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Basic Fixed Pads



Colors:
Bronze

Sills:
Basic Fixed
Moderate Climate

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible, foam-filled material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Rain Deflector

Bottom Sweep

Bottom of door; exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door; exterior view.

Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

NEW Grip-Style MPLS

New grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Not recommended for steel doors. Strike plate package available. Active option only.)

Standard Door MPLS



Tongue
(For single door systems.)
Heights: 6'8"
 7'0"
 8'0"
Configurations:
 Inswing
 Outswing

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.


Key

Tru-Defense Eligible

Side view of door.



Interior view of door.



Side view of door.

Engages at three critical points.

Exterior view of door.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Standard Door MPLS +



Tongue

(For single door systems.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	




Shootbolt

(For double door systems.)

Heights:	Configurations:
6'6"	Inswing
6'8"	Outswing
7'0"	
8'0"	

Vented Sidelite MPLS




Tongue

(Included in vented sidelite units.)

Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS

Designed to complement Thermo-Tru door styles from traditional to contemporary.



Finish Options for Handlesets & Hinges



*Not available for Forte and Prospect handlesets.

Hinges & Strike Plate

Hinge Finish Options	Hinges							Adjustable Security Strike Plate (For Latch & Deadbolt)
	Adjustable	Classic-Craft Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	
Bright Brass	■	■	■	●	●	●	●	●
Antique Brass	■	■	■	●	●	●	●	■
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	●	■	●	■	■
Polished Chrome	■	■	■	●	■	●	■	■
Oil-Rubbed Bronze	■	■	■	■	■	●	■	■
Stainless Steel	●	■	■	●	■	■	■	■
Zinc Dichromate	●	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or paintable aluminum.



Stainable Astragal

- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Grain Options:**
Oak
Mahogany
Fir
- Weatherstrip:**
Bronze

Shown in Oak grain with Mahogany stain.



Aluminum Astragal

- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Finish Colors:**
Bronze
White
- Weatherstrip:**
Bronze

Coastal option also available.

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip helps form a tight seal between the astragal and active door when closed.


Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Textures Available

Stainable (Shown in Natural Oak stain.)

Aluminum



SAME-DAY STAIN

Finish with the same stain as the doors. Kit available in seven finish colors on pages 264–265.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

Key

Tru-Defense Eligible

SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*



Watch easy-to-follow instructions at www.samedaystain.com.




*Actual coverage may vary based on product selected, application method and desired appearance.


5 YEAR LIMITED WARRANTY

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to www.samedaystain.com or ask your seller for more details.

Classic-Craft® American Style Collection™




Classic-Craft® Mahogany Collection™




Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.


Classic-Craft® Rustic Collection™




Classic-Craft® Oak Collection™



Fiber-Classic® Mahogany Collection™



Fiber-Classic® Oak Collection™



Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.




Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.




Special Quote SDL Pattern Example



Special
Quote
GBG
Color
Options

Divided Lites

Match various window patterns and home styles with additional grid patterns and color options.



Texas Star with Standard Brushed Nickel Caming



Texas Star with Special Quote Black Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.



Top: Classic-Craft Mahogany Collection Door – CCM890, Sidelites – CCM8000SL
Bottom Left: Fiber-Classic Mahogany, Saratoga Glass, Door – FCM905
Bottom Right: Smooth-Star, Clear Glass with GBGs, Door – S2106



Top: Classic-Craft Rustic Collection Door – CCR8222; Low-E Glass, Sidelites – CCR8000SL
Bottom Left: Pulse Ari, Satin Etch Glass with Flat Lite Frame, Door – S83XE
Bottom Right: Classic-Craft Rustic Collection Door – CCR100, Strap Hinges

3'6" Width Door Style Options

Classic-Craft®

	Door Styles								
Glass Designs									
Homeward™	◆		◆				◆	■	
Augustine®	◆	◆	◆	◆	◆	◆	◆		
Arborwatch®	◆		◆				◆	■	
Borrassa®	◆	◆	◆	◆	◆	◆	◆		
Lucerna®	◆		◆				◆		
Rainglass	◆		◆				◆	■	
Low-E	◆		◆				◆	■	▲

Key

- Classic-Craft® American Style Collection™
- ◆ Classic-Craft® Rustic Collection™
- ▲ Classic-Craft® Oak Collection™
- * Smooth-Star®
- Profiles™ & Traditions

















Solid-Panel Door Styles

◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	▲	▲	▲







Smooth-Star®, Profiles™, Traditions & Pulse®

	Door Styles												All Pulse Styles			
Glass Designs																
Blackstone®	* ▸	*					* ▸	*								
Crystalline™	* ▸	*					* ▸	*								
Sedona	* ▸						* ▸	*								
Salinas®	* ▸	*					* ▸	*								
Maple Park®	* ▸						* ▸									
Avonlea®	* ▸						* ▸									
Saratoga™	* ▸						* ▸	*								
Texas Star	* ▸						* ▸									
Wellesley™	* ▸	*														
Riserva™	* ▸	*		* ▸	*	* ▸	*									
Concorde™	* ▸	*	* ▸													
Kensington™	* ▸															
Axis™	* ▸	*		* ▸	*	* ▸	*	* ▸	*	* ▸	*	* ▸	*			
Frosted Images®	* ▸	*	* ▸													
Privacy & Textured Glass	* ▸	*		* ▸	*	* ▸	*	* ▸	*	* ▸	*	* ▸	*			
Internal Blinds	* ▸	*					* ▸	*								
Divided Lites	* ▸	*														
Clear	* ▸	*	* ▸	* ▸	*	* ▸	*	* ▸	*	* ▸	*	* ▸	*			
Solid Panel														* ▸	*	

7'0" Height Door Style Options








Door Styles																	
Blackstone.	▼▲*	▲*	*			▶											▼▲*
Crystalline™	▼▲*	▲*	*		▶	▶	▶				▶	▲*					▼▲*
Sedona	▼▲*	▲*	*			▶											▼▲*
Salinas.	▼▲*	▲*	*		▶	▶											▼▲*
Maple Park.	▼▲*	▲*	*			▶				▲*							▼▲*
Avonlea.	▼▲*	▲*	*			▶											▼▲*
Saratoga™	▼▲*	▲*	*			▶				▲*							▼▲*
Texas Star	▼▲*	▲*	*			▶											▼▲*
Wellesley™	▼▲*	▲*	*			▶				▲*							▼▲*
Riserva™	▼▲*	▲*	*			▶											▼▲*
Concorde™	▼▲*	▲*	*		▶	▶	▶	*▶		▲*	▶						▼▲*
Kensington™	▼▲*	▲*	*			▶											▼▲*
Axis™	▼▲*	▲*	*			▶						▲*					▼▲*
Frosted Images.	▼▲*	▲*	*		▶	▶	▶	*▶			▶						▼▲*
Privacy & Textured Glass	▼▲*	▲*	*	▼▲*		▶				▲*	▶	▲*					▼▲*
Internal Blinds	▼▲*	▲*	*	▼▲*													▼▲*
Screen Vented		*▶	*	*▶													
Divided Lites	▼▲*	▲*	*		▶	▶	▶		*▶	▲*	▶		▶	▶	▶		▼▲*
Clear	▼▲*	▲*	*	▼▲*	▶	▶	▶	*▶	*▶	▲*	▶	▲*					▼▲*
Solid Panel																	

6'6" Height Door Style Options

Door Styles						
Blackstone.	▼▲*					▼▲*
Crystalline™	▼▲*					▼▲*
Sedona	▼▲*					▼▲*
Salinas.	▼▲*					▼▲*
Maple Park.	▼▲*					▼▲*
Avonlea.	▼▲*					▼▲*
Saratoga™	▼▲*					▼▲*
Texas Star	▼▲*					▼▲*
Wellesley™	▼▲*					▼▲*
Riserva™	▼▲*					▼▲*
Concorde™	▼▲*		*▶			▼▲*
Kensington™	▼▲*					▼▲*
Axis™	▼▲*					▼▲*
Frosted Images.	▼▲*		*▶			▼▲*
Privacy & Textured Glass	▼▲*	▶				▼▲*
Internal Blinds	▼▲*	▶				▼▲*
Screen Vented		▶				
Divided Lites	▼▲*			▶		▼▲*
Clear	▼▲*	▶	*▶	▶		▼▲*
Solid Panel						▼▲*

Key

- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- * Smooth-Star®
- ▶ Profiles™ & Traditions
- Steel Edge

							
	▶						
	▶	▶	▶				
	▶						
	▶						
	▶						
	▶						
	▶						
	▶						
	▶						
	▶	▶					
	▶						
	▶	▶		▶			
	▶						
	▶			▶			
	▶						
	▶	▶					
	▶	▶	▶				
				■*	■	■▲*	■▼▲*



Bottom: Smooth-Star Door – SSF220

Entry & Patio Door Systems

Feature	Classic-Craft.	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4-1/8" Full-Length Engineered Lumber Stile	1-1/4" Engineered Lumber	1-1/4" Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4-1/8" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"
Width Options	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Rot-Resistant	Rot-Resistant	Rot-Resistant	Primed Pine	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Residential Limited Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit www.thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

*Standard product recommendations shown; additional options may be available.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft, Fiber-Classic, Smooth-Star. and Pulse. Door Systems; Steel – Pulse, Profiles, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft, Fiber-Classic, Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru. Construction Glass Breakage Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.



Therma-Tru. Owner's Manual & Warranties

www.thermatru.com/warranty

Classic-Craft.

**American Style
Collection.**

19200T.....	51
19220T.....	51
AB30T.....	49
ABRT.....	49
CCA1423SL.....	49
CCA210.....	51
CCA210SL.....	51
CCA210XC.....	50
CCA210XCSSL.....	50
CCA210XJ.....	50
CCA210XJSL.....	50
CCA210XN.....	50
CCA210XNSL.....	50
CCA210XR.....	50
CCA210XRSL.....	50
CCA211.....	48
CCA211SL.....	48
CCA212.....	48
CCA212SL.....	48
CCA220.....	51
CCA220SL.....	51
CCA220XC.....	50
CCA220XCSSL.....	50
CCA220XJ.....	50
CCA220XJSL.....	50
CCA220XN.....	50
CCA220XNSL.....	50
CCA220XR.....	50
CCA220XRSL.....	50
CCA221.....	48
CCA222.....	48
CCA230.....	51
CCA230XC.....	50
CCA230XJ.....	50
CCA230XN.....	50
CCA230XR.....	50
CCA231.....	48
CCA232.....	48
CCA240.....	51
CCA240XC.....	50
CCA240XJ.....	50
CCA240XN.....	50
CCA240XR.....	50
CCA260.....	51
CCA260XC.....	50
CCA260XJ.....	50
CCA260XN.....	50
CCA260XR.....	50
CCA260XL.....	50
CCA3400SL.....	51
CCA3400XCSSL.....	50
CCA3400XJSL.....	50
CCA3400XNSL.....	50
CCA3400XRSL.....	50
CCA3401SL.....	48
CCA3402SL.....	48
CCA3450SL.....	51
CCA3450XCSSL.....	50
CCA3450XJSL.....	50
CCA3450XNSL.....	50
CCA3450XRSL.....	50
CCA3500SL.....	51
CCA3500XCSSL.....	50
CCA3500XJSL.....	50
CCA3500XNSL.....	50
CCA3500XRSL.....	50
CCA3501SL.....	48
CCA3502SL.....	48
CCA3560SL.....	51
CCA3560XCSSL.....	50
CCA3560XJSL.....	50
CCA3560XNSL.....	50

**Mahogany
Collection.**

19020T.....	62
19200T.....	62
19220T.....	62
AB30T.....	59
ABRT.....	59
ARHRT.....	57
AS30T.....	58
ASET.....	58
ASHRT.....	58
ASRT.....	58
BEBHRT.....	59

BEET-B.....	59
BERT-B.....	59
CC060T.....	57
CC600T.....	57
CC620T.....	57
CCM100.....	62
CCM10022.....	61
CCM100XC.....	61
CCM100XJ.....	61
CCM100XN.....	61
CCM100XR.....	61
CCM103.....	60
CCM105.....	58
CCM109.....	57
CCM110B.....	58
CCM1419.....	59
CCM1423.....	59
CCM1423SL.....	59
CCM1424.....	59
CCM1465.....	59
CCM1475.....	59
CCM1485.....	57
CCM1495.....	57
CCM1528.....	59
CCM1842.....	60
CCM1843SL.....	60
CCM1844.....	60
CCM1851.....	60
CCM1851SL.....	60
CCM200.....	62
CCM200XC.....	61
CCM200XJ.....	61
CCM200XN.....	61
CCM200XR.....	61
CCM203.....	60
CCM204.....	61
CCM205.....	58
CCM209.....	57
CCM210B.....	58
CCM300.....	62
CCM30027.....	57
CCM300XC.....	61
CCM300XJ.....	61
CCM300XN.....	61
CCM300XR.....	61
CCM302.....	61
CCM303.....	60
CCM305.....	58
CCM309.....	57
CCM310B.....	58
CCM3410BSL.....	59
CCM3300SL.....	62
CCM3302SL.....	61
CCM3303SL.....	60
CCM3305SL.....	58
CCM3309SL.....	57
CCM3310BSL.....	59
CCM3400SL.....	62
CCM3400XCSSL.....	61
CCM3400XHSL.....	59
CCM3400XJSL.....	61
CCM3400XNSL.....	57
CCM3400XNSL.....	61
CCM3400XRSL.....	61
CCM3403SL.....	60
CCM3405SL.....	58
CCM3409SL.....	57
CCM3412SL.....	61
CCM3500SL.....	62
CCM3502SL.....	61
CCM3503SL.....	60
CCM3505SL.....	58
CCM3509SL.....	57

CCM3510BSL.....	59
CCM400.....	62
CCM403.....	60
CCM405.....	58
CCM409.....	57
CCM500.....	62
CCM503.....	60
CCM505.....	58
CCM509.....	57
CCM60.....	62
CCM600.....	62
CCM603.....	60
CCM605.....	58
CCM609.....	57
CCM610B.....	58
CCM612.....	61
CCM700.....	62
CCM701.....	62
CCM702.....	61
CCM703.....	60
CCM705.....	58
CCM709.....	57
CCM710B.....	58
CCM800.....	62
CCM8000SL.....	62
CCM8000XCSSL.....	61
CCM8000XHSL.....	59
CCM8000XJSL.....	61
CCM8000XNSL.....	57
CCM8000XRSL.....	61
CCM8001SL.....	60
CCM8002SL.....	58
CCM8003SL.....	57
CCM8004BSL.....	59
CCM801.....	62
CCM803.....	60
CCM805.....	58
CCM805027.....	57
CCM809.....	57
CCM8102SL.....	61
CCM810B.....	58
CCM81418.....	59
CCM81423SL.....	59
CCM81519.....	59
CCM81843.....	60
CCM81851SL.....	60
CCM822.....	61
CCM890.....	62
CCM891.....	62
CCM891XC.....	61
CCM891XJ.....	61
CCM891XN.....	61
CCM891XR.....	61
CCM892.....	60
CCM893.....	58
CCM894.....	57
CCM895B.....	58
CCM898.....	61
CCM89812SL.....	56
CCM89818.....	56
CCM89922.....	56
CCM89925SL.....	56
CCM9811.....	56
CCM9812.....	56
CCM9812SL.....	56
CCM9816.....	56
CCM9923.....	56
CCM9925.....	56
CCM9925SL.....	56
CCM9926.....	56
DLHRT.....	62
HW30T.....	56

Rustic Collection.

19020T.....	78
19200T.....	78
19220T.....	78
AB30T.....	72
ABRT.....	72
ARHRT.....	69
AS30T.....	71
ASET.....	71
ASHRT.....	71
ASRT.....	71
BEBHRT.....	72
BEET-B.....	72
BERT-B.....	72
CBHRT.....	75
CC060T.....	69
CC090T.....	75
CC400T.....	74
CC420T.....	74
CC600T.....	69
CC620T.....	69
CC900T.....	75
CC920T.....	75
CC040T.....	74
CCRO40.....	79
CCRO4020.....	78
CCRO4020XC.....	77
CCRO4020XJ.....	77
CCRO4020XN.....	77
CCRO4020XR.....	77
CCRO4022.....	76
CCRO4023.....	75
CCRO4024B.....	72
CCRO4025.....	71
CCRO4026.....	75
CCRO4027.....	70
CCRO4028.....	74
CCRO4029.....	69
CCRO4037.....	70
CCRO4037A.....	70
CCRO40R.....	79
CCR100.....	79
CCR10022.....	76
CCR100A.....	79
CCR100R.....	79
CCR1414.....	72
CCR1415.....	72
CCR1417.....	72
CCR1423.....	72
CCR1423SL.....	72
CCR1511.....	73
CCR1511A.....	73
CCR1512.....	73
CCR1512A.....	73
CCR1514.....	73
CCR1514A.....	73
CCR1515.....	73
CCR1516.....	73
CCR1518.....	73
CCR1528.....	73
CCR1838.....	76
CCR1839.....	76
CCR1841.....	76
CCR1851.....	76
CCR1851SL.....	76
CCR200.....	79
CCR20020.....	78
CCR20020XC.....	77
CCR20020XJ.....	77
CCR20020XN.....	77
CCR20020XR.....	77
CCR20022.....	76
CCR20023.....	75
CCR20024B.....	72
CCR20025.....	71
CCR20026.....	75
CCR20027.....	70
CCR20028.....	74
CCR20029.....	69
CCR20037.....	70
CCR20037A.....	70
CCR200A.....	79
CCR205.....	79
CCR20520.....	78
CCR20520XC.....	77
CCR20520XJ.....	77
CCR20520XN.....	77
CCR20520XR.....	77
CCR20522.....	76
CCR20523.....	75
CCR20524B.....	72
CCR20525.....	71
CCR20526.....	75
CCR20527.....	70
CCR20528.....	74
CCR20529.....	69
CCR20537.....	70
CCR20537A.....	70
CCR205A.....	79
CCR30020.....	78
CCR30020XC.....	77
CCR30020XJ.....	77
CCR30020XN.....	77
CCR30020XR.....	77
CCR30023.....	75
CCR30024B.....	72
CCR30025.....	71
CCR30026.....	75
CCR30027.....	70
CCR30029.....	69
CCR30028.....	74
CCR3400SL.....	78
CCR3400XCSSL.....	78
CCR3400XJSL.....	73
CCR3400XNSL.....	78
CCR3400XRSL.....	78
CCR3405SL.....	71
CCR3406SL.....	75
CCR3407SL.....	75
CCR3408SL.....	74
CCR3409SL.....	69
CCR3410BSL.....	72
CCR3412SL.....	77
CCR8000XCSSL.....	78
CCR8000XJSL.....	73
CCR8000XNSL.....	70
CCR8001SL.....	71
CCR8005.....	79
CCR8005A.....	79
CCR8006SL.....	75
CCR8007SL.....	75

CCR8008SL.....	74	CCR820020XN.....	77	CCR8225R.....	79	CC111B.....	85	CC830XJ.....	89
CCR8009SL.....	69	CCR820020XR.....	77	CCR89819.....	68	CC112B.....	85	CC830XN.....	89
CCR800XCSL.....	78	CCR820022.....	76	CCR89821.....	68	CC113B.....	85	CC830XR.....	89
CCR800XJSL.....	78	CCR820023.....	75	CCR89822.....	68	CC114B.....	85	CC831.....	91
CCR800XNSL.....	78	CCR820024B.....	71	CCR89918.....	69	CC1418.....	86	CC832.....	90
CCR800XRSL.....	78	CCR820025.....	72	CCR89919.....	69	CC1423.....	86	CC832XC.....	89
CCR8010BSL.....	72	CCR820026.....	75	CCR89921.....	69	CC1423SL.....	86	CC832XJ.....	89
CCR802530XC.....	78	CCR820027.....	70	CCR89925SL.....	69	CC1424.....	86	CC832XN.....	89
CCR802530XJ.....	78	CCR820028.....	74	CCR9812.....	68	CC16.....	87	CC832XR.....	89
CCR802530XN.....	78	CCR820029.....	69	CCR9812SL.....	68	CC17.....	87	CC833.....	88
CCR802530XR.....	78	CCR820030.....	78	CCR9819.....	68	CC19.....	84	CC836.....	87
CCR8040.....	79	CCR820030A.....	78	CCR9821.....	68	CC2020SL.....	90	CC837.....	87
CCR804020.....	78	CCR820030AXC.....	78	CCR9822.....	68	CC2020XCSSL.....	89	CC839.....	84
CCR804020XC.....	77	CCR820030AXJ.....	78	CCR9812SL.....	68	CC2020XJSL.....	89	CC860.....	91
CCR804020XJ.....	77	CCR820030AXN.....	78	CCR9918.....	69	CC2020XNSL.....	89	CC890.....	90
CCR804020XN.....	77	CCR820030AXR.....	78	CCR9919.....	69	CC2020XRSL.....	89	CC890XC.....	89
CCR804020XR.....	77	CCR820030XC.....	78	CCR9921.....	69	CC2025SL.....	90	CC890XJ.....	89
CCR804022.....	76	CCR820030XJ.....	78	CCR9925.....	69	CC2025XCSSL.....	89	CC890XN.....	89
CCR804023.....	75	CCR820030XN.....	78	CCR9925SL.....	69	CC2025XJSL.....	89	CC890XR.....	89
CCR804025.....	71	CCR820030XR.....	78	DLHRT.....	78	CC2025XNSL.....	89	CC892.....	90
CCR804026.....	75	CCR820032.....	77	HW30T.....	69	CC2025XRSL.....	89	CC892XC.....	89
CCR804027.....	70	CCR820032A.....	77	HWRT.....	69	CC2040SL.....	87	CC892XJ.....	89
CCR804028.....	74	CCR820035.....	71	LC30T.....	77	CC2044SL.....	88	CC892XN.....	89
CCR804029.....	69	CCR820035A.....	71	LCET.....	77	CC2060SL.....	84	CC892XR.....	89
CCR804030.....	78	CCR820037.....	70	LCHRT.....	77	CC2080BSL.....	85	CC896.....	87
CCR804030A.....	78	CCR820037A.....	70	LCRT.....	77	CC2120SL.....	90	CC897.....	87
CCR804030AXC.....	78	CCR8200A.....	79	LF30T.....	75	CC2122SL.....	88	CC898.....	88
CCR804030AXJ.....	78	CCR8205.....	79	LFET.....	75	CC2140SL.....	87	CC89812SL.....	84
CCR804030AXN.....	78	CCR820520.....	78	LFHRT.....	75	CC2144SL.....	88	CC89815.....	84
CCR804030AXR.....	78	CCR820520XC.....	77	LFRT.....	75	CC2160SL.....	85	CC89818.....	84
CCR804030XC.....	77	CCR820520XJ.....	77	PRHRT.....	74	CC2270SL.....	90	CC899.....	84
CCR804030XJ.....	77	CCR820520XN.....	77	VG30T.....	68	CC2272SL.....	88	CC89922.....	84
CCR804030XN.....	77	CCR820520XR.....	77	VGRT.....	68	CC2276SL.....	88	CC89924.....	84
CCR804030XR.....	77	CCR820522.....	76	ZHHRT.....	76	CC2277SL.....	87	CC89925SL.....	84
CCR804032.....	77	CCR820523.....	75	ZHRT.....	76	CC2279SL.....	85	CC90.....	90
CCR804035.....	71	CCR820524B.....	72	Oak Collection.		CC3412SL.....	88	CC900B.....	85
CCR804035A.....	71	CCR820525.....	71	19020T.....	90	CC3502SL.....	88	CC900T.....	88
CCR804037.....	70	CCR820526.....	75	19020T.....	90	CC40.....	91	CC901B.....	85
CCR804037A.....	70	CCR820527.....	70	19200T.....	90	CC400T.....	87	CC90XC.....	89
CCR8040R.....	79	CCR820528.....	74	19200T.....	90	CC420T.....	87	CC90XJ.....	89
CCR80424B.....	72	CCR820529.....	69	19200T.....	90	CC44.....	87	CC90XN.....	89
CCR8100.....	79	CCR820530.....	78	19220T.....	90	CC45.....	84	CC90XR.....	89
CCR8100A.....	79	CCR820530A.....	78	19220T.....	90	CC47.....	87	CC91.....	91
CCR8100R.....	79	CCR820530AXC.....	78	AB30T.....	86	CC48.....	90	CC92.....	90
CCR8102SL.....	77	CCR820530AXJ.....	78	ABRT.....	86	CC49.....	90	CC920T.....	88
CCR81414.....	72	CCR820530AXN.....	78	ARHRT.....	85	CC60.....	91	CC922.....	88
CCR81415.....	72	CCR820530AXR.....	78	BEBHRT.....	85	CC600T.....	85	CC925.....	84
CCR81417.....	72	CCR8205320.....	76	BEET-B.....	85	CC61.....	90	CC92XC.....	89
CCR81423SL.....	72	CCR820532A.....	77	BERT-B.....	85	CC612.....	88	CC92XJ.....	89
CCR81511.....	73	CCR820535.....	71	CBHRT.....	88	CC620T.....	85	CC92XN.....	89
CCR81511A.....	73	CCR820535A.....	71	CC040T.....	87	CC70.....	90	CC92XR.....	89
CCR81512.....	73	CCR820537.....	70	CC060T.....	85	CC76.....	87	CC96.....	87
CCR81512A.....	73	CCR820537A.....	70	CC090T.....	88	CC77.....	87	CC97.....	87
CCR81514.....	73	CCR8205A.....	79	CC10.....	90	CC78.....	88	CC9811.....	84
CCR81514A.....	73	CCR8220.....	79	CC100.....	90	CC79.....	84	CC9812.....	84
CCR81515.....	73	CCR8220R.....	79	CC10022.....	88	CC8000XCSSL.....	89	CC9812SL.....	84
CCR81515A.....	73	CCR8222.....	79	CC100XC.....	89	CC8000XJSL.....	89	CC9818.....	84
CCR81516.....	73	CCR822214.....	72	CC100XJ.....	89	CC8000XNSL.....	89	CC99.....	84
CCR81518.....	73	CCR822215.....	73	CC100XN.....	89	CC8000XRSL.....	89	CC9922.....	84
CCR81838.....	76	CCR822218.....	69	CC100XR.....	89	CC8006SL.....	88	CC9925SL.....	84
CCR81839.....	76	CCR822219.....	68	CC1010SL.....	90	CC8007SL.....	87	CC9926.....	84
CCR81841.....	76	CCR822220.....	78	CC1016SL.....	88	CC8009SL.....	84	DLHRT.....	90
CCR81845.....	76	CCR822220XR.....	77	CC1017SL.....	87	CC8000SL.....	90	HW30T.....	84
CCR81845A.....	76	CCR822222.....	76	CC1019SL.....	85	CC8010BSL.....	85	HWRT.....	84
CCR81846.....	76	CCR822223.....	75	CC102.....	90	CC810.....	91	LC30T.....	88
CCR81846A.....	76	CCR822224B.....	72	CC102XC.....	89	CC8102SL.....	88	LCET.....	88
CCR81847.....	76	CCR822225.....	71	CC102XJ.....	89	CC811.....	90	LCHRT.....	88
CCR81847A.....	76	CCR822226.....	75	CC102XN.....	89	CC81418.....	86	LCRT.....	88
CCR81851SL.....	76	CCR822227.....	70	CC102XR.....	89	CC81420.....	86	PRHRT.....	87
CCR8200.....	79	CCR822228.....	74	CC106.....	87	CC81423SL.....	86	VG30T.....	84
CCR820020.....	78	CCR822229.....	69	CC107.....	87	CC82.....	88	VGRT.....	84
CCR820020XC.....	77	CCR822238.....	76	CC109.....	84	CC830.....	90	CC1020BSL.....	85
CCR820020XJ.....	77	CCR8225.....	79	CC11.....	91	CC830XC.....	89		
				CC110B.....	85				

Canvas Collection.	
19020T.....	108
19200T.....	108
19210T.....	108
19220T.....	108
AB30T.....	101
ABRT.....	101
ARHRT.....	98
AS30T.....	100
ASET.....	100
ASHRT.....	100
ASRT.....	100
BEBHRT.....	100
BEET-B.....	100
BERT-B.....	100
CBHRT.....	104
CC040T.....	102
CC060T.....	98
CC090T.....	104
CC400T.....	102
CC420T.....	102
CC600T.....	98
CC620T.....	98
CC900T.....	104
CC920T.....	104
CCV050.....	108
CCV05012.....	107
CCV05012XC.....	105
CCV05012XJ.....	105
CCV05012XN.....	105
CCV05012XR.....	105
CCV05020.....	107
CCV05020XC.....	106
CCV05020XJ.....	106
CCV05020XN.....	106
CCV05020XR.....	106
CCV05022.....	105
CCV05023.....	103
CCV05024B.....	100
CCV05025.....	99
CCV05026.....	103
CCV05027.....	99
CCV05028.....	102
CCV05029.....	98
CCV060.....	108
CCV06020.....	108
CCV06022.....	105
CCV06023.....	103
CCV06024B.....	100
CCV06025.....	100
CCV06026.....	104
CCV06028.....	102
CCV06029.....	98
CCV0609.....	107
CCV10015.....	107
CCV10015XC.....	105
CCV10015XJ.....	105
CCV10015XN.....	105
CCV10015XR.....	105
CCV10020.....	107
CCV10020XC.....	106
CCV10020XJ.....	106
CCV10020XN.....	106
CCV10020XR.....	106
CCV10022.....	105
CCV10023.....	103
CCV10024B.....	100
CCV10025.....	99
CCV10026.....	103
CCV10027.....	99
CCV10028.....	102
CCV10029.....	98
CCV100SL.....	108

CCV100XCSL.....	106	CCV20526.....	103	CCV803012XC.....	105	CCV806022.....	105	CCV820530XR.....	106	CCV930XC.....	106
CCV100XHSL.....	102	CCV20527.....	99	CCV803012XJ.....	105	CCV806023.....	103	CCV820532.....	105	CCV930XJ.....	106
CCV100XJSL.....	106	CCV20528.....	102	CCV803012XN.....	105	CCV806024B.....	100	CCV820532A.....	105	CCV930XN.....	106
CCV100XNSL.....	99	CCV20529.....	98	CCV803012XR.....	105	CCV806025.....	100	CCV820535A.....	100	CCV930XR.....	106
CCV100XNSL.....	106	CCV20537.....	99	CCV803020.....	108	CCV806026.....	104	CCV820537.....	99	CCV931.....	98
CCV100XRSL.....	106	CCV20537A.....	99	CCV803020XC.....	106	CCV806027.....	99	CCV820537A.....	99	CCV932.....	97
CCV103SL.....	103	CCV205A.....	108	CCV803020XJ.....	106	CCV806028.....	102	CCV8205A.....	108	CCV940.....	107
CCV104BSL.....	100	CCV220.....	108	CCV803020XN.....	106	CCV806029.....	98	CCV8220.....	108	CCV940XC.....	106
CCV105SL.....	100	CCV22020.....	107	CCV803020XR.....	106	CCV8100SL.....	108	CCV822012.....	107	CCV940XJ.....	106
CCV106SL.....	104	CCV22020XC.....	106	CCV803022.....	105	CCV8100XCSL.....	106	CCV822012XC.....	105	CCV940XN.....	106
CCV108SL.....	102	CCV22020XJ.....	106	CCV803023.....	103	CCV8100XHSL.....	102	CCV822012XJ.....	105	CCV940XR.....	106
CCV109SL.....	98	CCV22020XN.....	106	CCV803024B.....	100	CCV8100XJSL.....	106	CCV822012XN.....	105	CCV950SL.....	107
CCV1414.....	101	CCV22020XR.....	106	CCV803025.....	100	CCV8100XNSL.....	99	CCV822012XR.....	105	CCV950XCSL.....	106
CCV1415.....	101	CCV22022.....	105	CCV803026.....	104	CCV8100XNSL.....	106	CCV822020.....	107	CCV950XJSL.....	106
CCV1416.....	101	CCV22023.....	103	CCV803027.....	99	CCV8100XRSL.....	106	CCV822020XC.....	106	CCV950XNSL.....	106
CCV14188.....	101	CCV22024B.....	100	CCV803028.....	102	CCV8102SL.....	105	CCV822020XJ.....	106	CCV950XRSL.....	106
CCV1423.....	101	CCV22025.....	99	CCV803029.....	98	CCV8103SL.....	103	CCV822020XN.....	106	CCV960.....	107
CCV1423SL.....	101	CCV22026.....	103	CCV805015.....	107	CCV8104BSL.....	100	CCV822020XR.....	106	CCV960XC.....	106
CCV1424.....	101	CCV22027.....	99	CCV805015XC.....	105	CCV8105SL.....	100	CCV822022.....	105	CCV960XJ.....	106
CCV1512.....	101	CCV22028.....	102	CCV805015XJ.....	105	CCV8106SL.....	104	CCV822023.....	103	CCV960XN.....	106
CCV1512A.....	102	CCV22029.....	98	CCV805015XN.....	105	CCV8108SL.....	102	CCV822024B.....	100	CCV960XR.....	106
CCV1513.....	102	CCV3412SL.....	105	CCV805015XR.....	105	CCV8109SL.....	98	CCV822025.....	99	CCV9811.....	97
CCV1513A.....	102	CCV400.....	108	CCV805020.....	107	CCV8111SL.....	98	CCV822026.....	103	CCV9812.....	97
CCV1515.....	101	CCV4100.....	101	CCV805020XC.....	106	CCV8112SL.....	97	CCV822027.....	99	CCV9818.....	97
CCV1516.....	101	CCV4100SL.....	101	CCV805020XJ.....	106	CCV81414.....	101	CCV822028.....	102	CCV9820.....	97
CCV1517.....	101	CCV4200.....	101	CCV805020XN.....	106	CCV81415.....	101	CCV822029.....	98	CCV9821.....	97
CCV1519.....	101	CCV4300.....	101	CCV805020XR.....	106	CCV81417.....	101	CCV820535.....	99	CCV9822.....	97
CCV1528.....	101	CCV455.....	108	CCV805022.....	105	CCV81418.....	101	CCV831.....	108	CCV9918.....	97
CCV1838.....	104	CCV45520.....	107	CCV805023.....	103	CCV81420.....	101	CCV860.....	108	CCV9919.....	97
CCV1839.....	104	CCV45520XC.....	106	CCV805024B.....	100	CCV81423SL.....	101	CCV8950SL.....	107	CCV9920.....	97
CCV1840.....	104	CCV45520XJ.....	106	CCV805025.....	99	CCV81512.....	101	CCV8950XCSL.....	106	CCV9922.....	97
CCV1843.....	104	CCV45520XN.....	106	CCV805026.....	103	CCV81512A.....	102	CCV8950XJSL.....	106	CCV9925.....	97
CCV1851.....	104	CCV45520XR.....	106	CCV805027.....	99	CCV81515.....	101	CCV8950XNSL.....	106	CCV9926.....	97
CCV1851SL.....	104	CCV45522.....	105	CCV805028.....	102	CCV81516.....	101	CCV8950XRSL.....	106	DLHRT.....	108
CCV200.....	108	CCV45523.....	103	CCV805029.....	98	CCV81518.....	102	CCV89815.....	97	HW30T.....	98
CCV205.....	108	CCV45524B.....	100	CCV806012.....	107	CCV81519.....	101	CCV89818.....	97	HWRT.....	98
CCV20520.....	107	CCV45525.....	99	CCV806012XC.....	105	CCV81520.....	102	CCV89819.....	97	LC30T.....	105
CCV20520XC.....	106	CCV45526.....	103	CCV806012XJ.....	105	CCV81838.....	104	CCV89821.....	97	LCET.....	105
CCV20520XJ.....	106	CCV45527.....	99	CCV806012XN.....	105	CCV81839.....	104	CCV89822.....	97	LCHRT.....	105
CCV20520XN.....	106	CCV45528.....	102	CCV806012XR.....	105	CCV81840.....	104	CCV89918.....	97	LCRT.....	105
CCV20520XR.....	106	CCV45529.....	98	CCV806020.....	108	CCV81841.....	104	CCV89919.....	97	LF30T.....	103
CCV20522.....	105	CCV45537.....	99	CCV806020XC.....	106	CCV81843.....	104	CCV89921.....	97	LFET.....	103
CCV20523.....	103	CCV45537A.....	99	CCV806020XJ.....	106	CCV81846.....	104	CCV89922.....	97	LFHRT.....	103
CCV20524B.....	100	CCV455A.....	108	CCV806020XN.....	106	CCV81846A.....	104	CCV89924.....	98	LFRT.....	103
CCV20525.....	99	CCV803012.....	107	CCV806020XR.....	106	CCV81851SL.....	104	CCV9010SL.....	108	PRHRT.....	102



Bottom: Classic-Craft Canvas Collection, Ashurst Glass, Door – CCV20525, Sidelite – CCV105SL

Fiber-Classic® & Smooth-Star®

Fiber-Classic® Mahogany Collection.

FCM10.....	196	FCM1283XR.....	170	FCM18XN.....	167	FCM6022XC.....	167	FCM6107.....	137	FCM755.....	200
FCM100.....	131	FCM1284.....	183	FCM18XR.....	167	FCM6022XE.....	167	FCM6108.....	137	FCM758.....	140
FCM1000.....	200	FCM1284XC.....	167	FCM198.....	185	FCM6022XJ.....	167	FCM6124SL.....	185	FCM760.....	125
FCM1006.....	137	FCM1284XE.....	167	FCM205.....	200	FCM6022XN.....	167	FCM6124XCSL.....	167	FCM761.....	140
FCM100-A.....	131	FCM1284XJ.....	167	FCM2101SL.....	184	FCM6022XR.....	167	FCM6124XESL.....	167	FCM761SL.....	140
FCM101.....	131	FCM1284XN.....	167	FCM2106.....	183	FCM6023.....	161	FCM6124XJSL.....	167	FCM763.....	161
FCM101-A.....	131	FCM1284XR.....	167	FCM2107.....	183	FCM6025.....	131	FCM6124XNSL.....	167	FCM764.....	140
FCM101SL.....	131	FCM1285.....	183	FCM2108.....	183	FCM6025-A.....	131	FCM6124XRSL.....	167	FCM764SL.....	140
FCM101SL-A.....	131	FCM1285XC.....	167	FCM220.....	200	FCM6026.....	152	FCM6125SL.....	185	FCM765.....	125
FCM1027.....	140	FCM1285XE.....	167	FCM241.....	131	FCM6027.....	128	FCM6125XCSL.....	167	FCM765SL.....	125
FCM1029.....	144	FCM1285XJ.....	167	FCM241-A.....	131	FCM6029.....	142	FCM6125XESL.....	167	FCM784.....	161
FCM104.....	146	FCM1285XN.....	167	FCM3000-2C.....	185	FCM6030.....	146	FCM6125XJSL.....	167	FCM785.....	140
FCM104XC.....	171	FCM1285XR.....	167	FCM3000-3C.....	185	FCM6031.....	134	FCM6125XNSL.....	167	FCM787.....	161
FCM104XE.....	171	FCM1286.....	174	FCM3000-4C.....	185	FCM6032.....	125	FCM6125XRSL.....	167	FCM788.....	140
FCM104XJ.....	171	FCM1286SL.....	174	FCM3000-6C.....	185	FCM6035.....	174	FCM6126SL.....	185	FCM789.....	155
FCM104XN.....	171	FCM1289.....	185	FCM3000F-2C.....	185	FCM6036.....	155	FCM6126XCSL.....	167	FCM80.....	196
FCM104XR.....	171	FCM1289SL.....	186	FCM3000F-3C.....	185	FCM604.....	131	FCM6126XESL.....	167	FCM800.....	140
FCM105.....	146	FCM131.....	131	FCM3000F-4C.....	185	FCM6041.....	196	FCM6126XJSL.....	167	FCM802.....	129
FCM105SL.....	147	FCM13101SL.....	161	FCM3000F-6C.....	185	FCM6041XC.....	171	FCM6126XNSL.....	167	FCM807SL.....	140
FCM106.....	147	FCM131-A.....	131	FCM31.....	200	FCM6041XE.....	171	FCM6126XRSL.....	167	FCM808SL.....	125
FCM108.....	125	FCM131SL.....	131	FCM310.....	125	FCM6041XJ.....	171	FCM61XC.....	171	FCM809SL.....	152
FCM1089SL.....	184	FCM132.....	196	FCM32.....	196	FCM6041XN.....	171	FCM61XE.....	171	FCM81000.....	200
FCM109.....	125	FCM132.....	196	FCM32SL.....	197	FCM6041XR.....	171	FCM61XJ.....	171	FCM8101SL.....	184
FCM109SL.....	125	FCM134.....	200	FCM32XC.....	170	FCM6042.....	184	FCM61XN.....	171	FCM8101XCSL.....	167
FCM10XC.....	170	FCM138.....	183	FCM32XCSL.....	171	FCM6042XC.....	167	FCM61XR.....	171	FCM8101XESL.....	167
FCM10XE.....	170	FCM138XC.....	167	FCM32XE.....	170	FCM6042XE.....	167	FCM62.....	196	FCM8101XJSL.....	167
FCM10XJ.....	170	FCM138XE.....	167	FCM32XESL.....	171	FCM6042XJ.....	167	FCM626.....	155	FCM8101XNSL.....	167
FCM10XN.....	170	FCM138XJ.....	167	FCM32XJ.....	170	FCM6042XN.....	167	FCM62SL.....	197	FCM8101XRSL.....	167
FCM10XR.....	170	FCM138XN.....	167	FCM32XJSL.....	171	FCM6042XR.....	167	FCM62XC.....	170	FCM8103SL.....	145
FCM11.....	161	FCM138XR.....	167	FCM32XN.....	170	FCM6043.....	161	FCM62XCSL.....	171	FCM8104SL.....	140
FCM110.....	125	FCM1400SL.....	186	FCM32XNSL.....	171	FCM6045.....	131	FCM62XE.....	170	FCM8105SL.....	129
FCM111.....	161	FCM1402.....	185	FCM32XR.....	170	FCM6045-A.....	131	FCM62XESL.....	171	FCM8107SL.....	155
FCM1110.....	125	FCM1405.....	186	FCM32XRSL.....	171	FCM6046.....	152	FCM62XJ.....	170	FCM8109SL.....	161
FCM1113.....	134	FCM1405SL.....	186	FCM3487SL.....	184	FCM6047.....	128	FCM62XJSL.....	171	FCM811.....	184
FCM1114.....	134	FCM1406.....	186	FCM3487XCSL.....	167	FCM6049.....	142	FCM62XN.....	170	FCM8110SL.....	174
FCM1114SL.....	134	FCM1408.....	186	FCM3487XESL.....	167	FCM604-A.....	131	FCM62XNSL.....	171	FCM81113.....	161
FCM1115.....	134	FCM141.....	174	FCM3487XJSL.....	167	FCM605.....	185	FCM62XR.....	170	FCM8113SL.....	161
FCM115SL.....	134	FCM142.....	144	FCM3487XNSL.....	167	FCM6050.....	146	FCM62XRSL.....	171	FCM8114.....	128
FCM116.....	174	FCM143.....	144	FCM3487XRSL.....	167	FCM6051.....	134	FCM63.....	183	FCM8114SL.....	129
FCM118.....	134	FCM143SL.....	145	FCM369.....	134	FCM6052.....	125	FCM65.....	184	FCM8115.....	174
FCM1200.....	183	FCM144.....	144	FCM38.....	128	FCM6055.....	174	FCM65SL.....	184	FCM8115SL.....	174
FCM1200SL.....	184	FCM1442SL.....	155	FCM38SL.....	129	FCM6056.....	155	FCM65XC.....	167	FCM81200.....	196
FCM1201.....	183	FCM144SL.....	145	FCM45.....	128	FCM605XC.....	167	FCM65XCSL.....	167	FCM81200SL.....	196
FCM1201SL.....	184	FCM146.....	144	FCM45SL.....	129	FCM605XE.....	167	FCM65XE.....	167	FCM81200XC.....	170
FCM1202.....	183	FCM147.....	146	FCM506.....	149	FCM605XJ.....	167	FCM65XESL.....	167	FCM81200XCSL.....	171
FCM1202SL.....	184	FCM147SL.....	147	FCM508.....	149	FCM605XN.....	167	FCM65XJ.....	167	FCM81200XE.....	170
FCM1203.....	183	FCM148.....	155	FCM5425.....	174	FCM605XR.....	167	FCM65XJSL.....	167	FCM81200XESL.....	171
FCM1208.....	183	FCM149.....	155	FCM5425SL.....	174	FCM606.....	185	FCM65XN.....	167	FCM81200XJ.....	170
FCM1209.....	183	FCM149SL.....	155	FCM543.....	149	FCM606XC.....	167	FCM65XNSL.....	167	FCM81200XJSL.....	171
FCM12101SL.....	196	FCM15.....	155	FCM543SL.....	149	FCM606XE.....	167	FCM65XR.....	167	FCM81200XNSL.....	171
FCM12101XCSL.....	171	FCM151.....	155	FCM571.....	149	FCM606XJ.....	167	FCM65XRSL.....	167	FCM81200XR.....	170
FCM12101XESL.....	171	FCM156.....	155	FCM572SL.....	149	FCM606XN.....	167	FCM66.....	161	FCM81200XRSL.....	171
FCM12101XJSL.....	171	FCM16.....	128	FCM574.....	149	FCM606XR.....	167	FCM668.....	128	FCM81208P.....	183
FCM12101XNSL.....	171	FCM160.....	196	FCM575.....	149	FCM607.....	185	FCM669.....	161	FCM81208PSL.....	184
FCM12101XRSL.....	171	FCM163.....	147	FCM577.....	149	FCM6074.....	144	FCM670.....	196	FCM81208SL.....	184
FCM12102SL.....	184	FCM164.....	125	FCM581.....	149	FCM6075.....	144	FCM678.....	174	FCM81225.....	174
FCM12102XCSL.....	167	FCM1645.....	158	FCM583SL.....	149	FCM607XC.....	167	FCM678SL.....	174	FCM81225SL.....	174
FCM12102XESL.....	167	FCM1646SL.....	158	FCM60.....	200	FCM607XE.....	167	FCM701SL.....	197	FCM812SL.....	137
FCM12102XJSL.....	167	FCM1647.....	158	FCM600.....	200	FCM607XJ.....	167	FCM704.....	186	FCM813.....	161
FCM12102XRSL.....	167	FCM165.....	144	FCM601.....	196	FCM607XN.....	167	FCM707.....	142	FCM81300SL.....	161
FCM1211.....	183	FCM1650.....	158	FCM601XC.....	171	FCM607XR.....	167	FCM608.....	185	FCM813SL.....	155
FCM1212.....	183	FCM1651.....	158	FCM601XE.....	171	FCM608.....	185	FCM608XC.....	167	FCM814.....	128
FCM124.....	129	FCM1651SL.....	158	FCM601XJ.....	171	FCM608XC.....	167	FCM608XE.....	167	FCM8145.....	186
FCM125.....	147	FCM1652.....	158	FCM601XR.....	171	FCM608XJ.....	167	FCM708XC.....	171	FCM8145SL.....	186
FCM126.....	131	FCM1654.....	158	FCM602.....	142	FCM608XN.....	167	FCM708XJ.....	171	FCM8149.....	155
FCM126-A.....	131	FCM1656.....	158	FCM6021.....	196	FCM608XR.....	167	FCM708XN.....	171	FCM814SL.....	134
FCM1283.....	196	FCM1656SL.....	158	FCM6021XC.....	170	FCM609.....	137	FCM708XR.....	171	FCM815SL.....	142
FCM1283XC.....	170	FCM1658.....	158	FCM6021XE.....	170	FCM6093.....	142	FCM712SSL.....	184	FCM816.....	125
FCM1283XE.....	170	FCM18.....	183	FCM6021XJ.....	170	FCM6094.....	146	FCM721.....	147	FCM81645.....	158
FCM1283XJ.....	170	FCM18101SL.....	129	FCM6021XN.....	170	FCM6095.....	152	FCM735.....	152	FCM81646SL.....	158
FCM1283XN.....	170	FCM1818.....	167	FCM6021XR.....	170	FCM6097.....	184	FCM736.....	137	FCM81651.....	158
		FCM18XE.....	167	FCM6022.....	184	FCM61.....	196	FCM752.....	184	FCM81651SL.....	158
		FCM18XJ.....	167								

FCM81652.....	158	FCM862XESL.....	171	FCM891.....	152	1283XC.....	171	81200XJSL.....	172	81943PXRSLSL.....	172
FCM81654.....	158	FCM862XJ.....	170	FCM891SL.....	152	1283XE.....	171	81200XN.....	171	81944P.....	190
FCM81654SL.....	158	FCM862XJSL.....	171	FCM892SL.....	152	1283KJ.....	171	81200XNSL.....	172	81944PSL.....	190
FCM816SL.....	131	FCM862XN.....	170	FCM893SL.....	142	1283XN.....	171	81200XR.....	171	81945P.....	187
FCM816SL-A.....	131	FCM862XNSL.....	171	FCM895.....	161	1283XR.....	171	81200XRSL.....	172	81945PXC.....	168
FCM817.....	134	FCM862XR.....	170	FCM896.....	140	1284XC.....	168	81208.....	187	81945PXE.....	168
FCM817SL.....	145	FCM862XRSL.....	171	FCM896SL.....	140	1284XE.....	168	81208PSL.....	189	81945PXJ.....	168
FCM81800SL.....	129	FCM863.....	125	FCM898.....	128	1284KJ.....	168	81208SL.....	189	81945PXN.....	168
FCM81828.....	183	FCM863SL.....	125	FCM898SL.....	129	1284XN.....	168	81225P.....	174	81945PXR.....	168
FCM81829.....	183	FCM864.....	131	FCM899.....	144	1284XR.....	168	81225PSL.....	175	81946P.....	187
FCM818SL.....	147	FCM864-A.....	131	FCM899SL.....	145	1285XC.....	167	81225SL.....	175	81946PSL.....	189
FCM81900SL.....	185	FCM864SL-A.....	131	FCM900.....	137	1285XE.....	167	81300SL.....	162	81946PXCSL.....	168
FCM81918SL.....	125	FCM865.....	134	FCM901.....	137	1285KJ.....	167	81800P.....	129	81946PXESL.....	168
FCM81919SL.....	134	FCM865SL.....	134	FCM901SL.....	137	1285XN.....	167	81800PSL.....	129	81946PXJSL.....	168
FCM81921SL.....	147	FCM866SL.....	147	FCM902.....	137	1285XR.....	167	81800SL.....	130	81946PXNSL.....	168
FCM81928SL.....	152	FCM8675SL.....	184	FCM902SL.....	137	1286SL.....	175	81900PSL.....	190	81946PXRSLSL.....	168
FCM81944SL.....	186	FCM8678.....	174	FCM904.....	137	13101SL.....	162	81918P.....	125	81947P.....	189
FCM81947SL.....	185	FCM8678SL.....	174	FCM905.....	142	18101SL.....	130	81918PSL.....	126	81947PSL.....	190
FCM81949SL.....	185	FCM867SL.....	155	FCM906.....	142	1964P.....	174	81918SL.....	126	81948P.....	189
FCM81968SL.....	131	FCM870.....	196	FCM906SL.....	142	2000SL.....	182	81919P.....	134	81949P.....	189
FCM81968SL-A.....	131	FCM8704.....	186	FCM907.....	142	2000XC.....	166	81919PSL.....	135	81949PSL.....	190
FCM81986SL.....	142	FCM8707.....	142	FCM907SL.....	142	2000XCSL.....	166	81919SL.....	135	81950P.....	190
FCM82.....	183	FCM8708.....	196	FCM909.....	142	2000XE.....	166	81921P.....	147	81952P.....	125
FCM820.....	152	FCM8708XC.....	171	FCM910.....	152	2000XESL.....	166	81921PSL.....	148	81952PSL.....	126
FCM821.....	146	FCM8708XE.....	171	FCM911.....	152	2000XJ.....	166	81921SL.....	148	81953P.....	129
FCM822.....	131	FCM8708XJ.....	171	FCM911SL.....	152	2000XJSL.....	166	81928P.....	152	81953PSL.....	130
FCM822-A.....	131	FCM8708XN.....	171	FCM912.....	152	2000XN.....	166	81928PSL.....	153	81954P.....	132
FCM828.....	183	FCM8708XR.....	171	FCM912SL.....	152	2000XNSL.....	166	81928SL.....	153	81954P-A.....	132
FCM82XC.....	167	FCM870SL.....	197	FCM914.....	152	2000XR.....	166	81929P.....	197	81954PSL.....	132
FCM82XE.....	167	FCM870XC.....	170	FCM915.....	152	2000XRSL.....	166	81929PSL.....	198	81954PSL-A.....	132
FCM82XJ.....	167	FCM870XCSSL.....	171	FCM916.....	152	2000XS.....	178	81929PXC.....	171	81955P.....	134
FCM82XN.....	167	FCM870XE.....	170	FCM916SL.....	152	2010XC.....	163	81929PXCSSL.....	172	81955PSL.....	135
FCM82XR.....	167	FCM870XESL.....	171	FCM92SL.....	184	2010XE.....	163	81929PXE.....	171	81956P.....	143
FCM83000-2C.....	185	FCM870XJ.....	170	FCM92XCSSL.....	167	2010XJ.....	163	81929PXCSSL.....	172	81956PSL.....	143
FCM83000-3C.....	185	FCM870XJSL.....	171	FCM92XESL.....	167	2010XN.....	163	81929PXJ.....	171	81957P.....	137
FCM83000-4C.....	185	FCM870XN.....	170	FCM92XJSL.....	167	2010XR.....	163	81929PXJSL.....	172	81957PSL.....	138
FCM83000-6C.....	185	FCM870XNSL.....	171	FCM92XNSL.....	167	2050SL.....	177	81929PXN.....	171	81958P.....	145
FCM83000F-2C.....	185	FCM870XR.....	170	FCM92XRSL.....	167	2050XC.....	163	81929PXNSL.....	172	81958PSL.....	145
FCM83000F-3C.....	185	FCM870XRSL.....	171	FCM966.....	140	2050XCSL.....	163	81929PXR.....	171	81959P.....	147
FCM83000F-4C.....	185	FCM871.....	125	FCM968.....	140	2050XE.....	163	81929PXRSLSL.....	172	81959PSL.....	148
FCM83000F-6C.....	185	FCM871SL.....	125			2050XESL.....	163	81931P.....	161	81960P.....	152
FCM8310SL.....	184	FCM872.....	131			2050XJ.....	163	81932P.....	140	81960PSL.....	153
FCM8311SL.....	184	FCM8721.....	147			2050XJSL.....	163	81932PSL.....	141	81961P.....	155
FCM8313SL.....	184	FCM872-A.....	131			2050XN.....	163	81933P.....	125	81961PSL.....	156
FCM8321.....	184	FCM872SL.....	131			2050XNSL.....	163	81933PSL.....	126	81963P.....	161
FCM8321XC.....	167	FCM872SL-A.....	131			2050XR.....	163	81935P.....	129	81963PSL.....	162
FCM8321XE.....	167	FCM873.....	134			2050XRSL.....	163	81935PSL.....	130	81964P.....	174
FCM8321XJ.....	167	FCM8735.....	152			8000-12.....	177	81936P.....	132	81964PSL.....	175
FCM8321XN.....	167	FCM8736.....	137			8000-18.....	177	81936P-A.....	132	81967P.....	140
FCM8321XR.....	167	FCM873SL.....	134			8000-9.....	178	81936PSL.....	132	81967PSL.....	141
FCM8322.....	184	FCM874.....	146			8000XC.....	166	81936PSL-A.....	132	81968P.....	132
FCM8323.....	184	FCM874SL.....	147			8000XE.....	166	81937P.....	134	81968P-A.....	132
FCM8324.....	184	FCM8752.....	184			8000XJ.....	166	81937PSL.....	135	81968PSL.....	132
FCM834SL.....	131	FCM881SL.....	197			8000XN.....	166	81938P.....	143	81968PSL-A.....	132
FCM8545SL.....	149	FCM881XCSSL.....	171			8000XR.....	166	81938PSL.....	143	81968SL.....	132
FCM8571.....	149	FCM881XESL.....	171			81200P.....	197	81939PSL.....	138	81968SL-A.....	132
FCM8572SL.....	149	FCM881XJSL.....	171			81200PSL.....	198	81940P.....	145	81970P.....	161
FCM8573SL.....	149	FCM881XNSL.....	171			81200PXC.....	171	81940PSL.....	145	81971P.....	197
FCM8574.....	149	FCM881XRSL.....	171			81200PXCSSL.....	172	81941P.....	147	81971PXC.....	172
FCM8581.....	149	FCM882SL.....	125			81200PXE.....	171	81941PSL.....	148	81971PXE.....	172
FCM8583SL.....	149	FCM883SL.....	131			81200PXESL.....	172	81942P.....	152	81971PXJ.....	172
FCM860.....	200	FCM883SL-A.....	131			81200PXJ.....	171	81942PSL.....	153	81971PXN.....	172
FCM861.....	196	FCM884SL.....	134			81200PXJSL.....	172	81943P.....	197	81971PXR.....	172
FCM861XC.....	171	FCM885SL.....	147			81200PXN.....	171	81943PSL.....	198	81973P.....	161
FCM861XE.....	171	FCM886SL.....	137			81200PXNSL.....	172	81943PXC.....	171	81974P.....	140
FCM861XJ.....	171	FCM886.....	146			81200PXR.....	171	81943PXCSSL.....	172	81975P.....	126
FCM861XN.....	171	FCM886SL.....	137			81200PXRSLSL.....	172	81943PXE.....	171	81977P.....	129
FCM861XR.....	171	FCM887SL.....	137			81200SL.....	198	81943PXESL.....	172	81978P.....	132
FCM862.....	196	FCM888.....	142			81200XC.....	171	81943PXJ.....	171	81978P-A.....	132
FCM862SL.....	197	FCM888SL.....	142			81200XCSL.....	172	81943PXJSL.....	172	81980P.....	134
FCM862XC.....	170	FCM889SL.....	142			81200XE.....	171	81943PXN.....	171	81981P.....	143
FCM862XCSSL.....	171	FCM890.....	152			81200XESL.....	172	81943PXNSL.....	172	81982P.....	137
FCM862XE.....	170	FCM890SL.....	152			81200XJ.....	171	81943PXR.....	171	81983P.....	145

**Fiber-Classic.
Oak Collection.**

1000.....	201
1283.....	197
1284.....	187
1285.....	187
1286.....	174
1289.....	190
2000.....	182
2009.....	178
2010.....	177
2050.....	177
2100.....	182
2150.....	177
8000.....	182
81000.....	201
81200.....	197
81208.....	187
81225.....	174
81828.....	187
12101SL.....	198
12101XCSSL.....	172
12101XESL.....	172
12101XJSL.....	172
12101XNSL.....	172
12101XRSL.....	172
12102SL.....	188
12102XCSSL.....	168
12102XESL.....	168
12102XJSL.....	168
12102XNSL.....	168
12102XRSL.....	168

81984P.....	147	FC125.....	147	FC18XJ.....	168	FC5425.....	174	FC65XC.....	168	FC802.....	129
81985P.....	152	FC126.....	132	FC18XJSL.....	168	FC5425SL.....	175	FC65XE.....	168	FC803.....	197
81986PSL.....	143	FC126-A.....	132	FC18XN.....	168	FC543.....	150	FC65XJ.....	168	FC803XC.....	172
81986SL.....	143	FC127.....	147	FC18XNSL.....	168	FC545SL.....	150	FC65XN.....	168	FC803XE.....	172
81939P.....	137	FC128.....	132	FC18XR.....	168	FC549.....	150	FC65XR.....	168	FC803XJ.....	172
FC10.....	197	FC1289SL.....	190	FC18XRSL.....	168	FC5700.....	178	FC66.....	161	FC803XN.....	172
FC100.....	132	FC128-A.....	132	FC198.....	190	FC5700SL.....	178	FC668.....	129	FC803XR.....	172
FC1006.....	137	FC129.....	126	FC198SL.....	190	FC5700XC.....	164	FC669.....	161	FC806.....	162
FC100-A.....	132	FC130.....	134	FC20042.....	155	FC5700XC SL.....	164	FC670.....	197	FC807.....	188
FC100SL.....	132	FC131.....	132	FC21.....	129	FC5700XE.....	164	FC678.....	174	FC807SL.....	141
FC100SL-A.....	132	FC131-A.....	132	FC2101.....	187	FC5700XESL.....	164	FC678SL.....	175	FC807XC.....	168
FC101.....	132	FC131SL.....	132	FC2101SL.....	189	FC5700XJ.....	164	FC701SL.....	198	FC807XE.....	168
FC101-A.....	132	FC131SL-A.....	132	FC2102.....	187	FC5700XJSL.....	164	FC704.....	190	FC807XJ.....	168
FC101SL.....	132	FC132.....	197	FC2106.....	187	FC5700XN.....	164	FC707.....	143	FC807XN.....	168
FC101SL-A.....	132	FC134.....	201	FC2107.....	187	FC5700XNSL.....	164	FC707SL.....	130	FC807XR.....	168
FC1027.....	140	FC138.....	186	FC2108.....	187	FC5700XR.....	164	FC708.....	197	FC808.....	201
FC1029.....	145	FC138XC.....	167	FC23.....	188	FC5700XRSL.....	164	FC708XC.....	172	FC808SL.....	126
FC104.....	147	FC138XE.....	167	FC241.....	132	FC571.....	150	FC708XE.....	172	FC809.....	200
FC104SL.....	148	FC138XJ.....	167	FC241-A.....	132	FC5710.....	178	FC708XJ.....	172	FC80920.....	197
FC104XC.....	172	FC138XN.....	167	FC3000-2C.....	189	FC5710SL.....	178	FC708XN.....	172	FC809203.....	188
FC104XE.....	172	FC138XR.....	167	FC3000-3C.....	189	FC5710XC.....	164	FC708XR.....	172	FC809203XC.....	168
FC104XJ.....	172	FC1404.....	190	FC3000-4C.....	189	FC5710XC SL.....	164	FC709.....	156	FC809203XE.....	168
FC104XN.....	172	FC1400.....	190	FC3000-6C.....	189	FC5710XE.....	164	FC710.....	197	FC809203XJ.....	168
FC104XR.....	172	FC1400SL.....	190	FC31.....	200	FC5710XESL.....	164	FC7125SL.....	189	FC809203XN.....	168
FC105.....	147	FC1402.....	190	FC310.....	125	FC5710XJ.....	164	FC713.....	147	FC809203XR.....	168
FC105SL.....	148	FC1408.....	190	FC32.....	197	FC5710XJSL.....	164	FC714.....	126	FC80920XC.....	172
FC108.....	125	FC1408SL.....	190	FC32SL.....	198	FC5710XN.....	164	FC721.....	148	FC80920XE.....	172
FC1089.....	187	FC1409.....	178	FC32XC.....	171	FC5710XNSL.....	164	FC735.....	153	FC80920XJ.....	172
FC1089SL.....	189	FC141.....	174	FC32XC SL.....	172	FC5710XR.....	164	FC736.....	138	FC80920XN.....	172
FC108SL.....	126	FC1411.....	190	FC32XE.....	171	FC5710XRSL.....	164	FC752.....	188	FC80920XR.....	172
FC109.....	125	FC141SL.....	175	FC32XESL.....	172	FC5720.....	178	FC755.....	201	FC80941.....	129
FC109SL.....	126	FC142.....	145	FC32XJ.....	171	FC5720SL.....	178	FC758.....	140	FC80942.....	156
FC10XC.....	171	FC142SL.....	145	FC32XJSL.....	172	FC5720XC.....	164	FC758SL.....	141	FC80943.....	126
FC10XE.....	171	FC143.....	145	FC32XN.....	171	FC5720XC SL.....	164	FC761.....	140	FC80945.....	162
FC10XJ.....	171	FC143SL.....	145	FC32XNSL.....	172	FC5720XE.....	164	FC761SL.....	141	FC80947.....	153
FC10XN.....	171	FC144.....	145	FC32XR.....	171	FC5720XESL.....	164	FC763.....	161	FC80949.....	148
FC10XR.....	171	FC1442SL.....	156	FC32XRSL.....	172	FC5720XJ.....	164	FC764.....	140	FC80952.....	132
FC11.....	161	FC144SL.....	145	FC3487SL.....	189	FC5720XJSL.....	164	FC764SL.....	141	FC80952-A.....	132
FC113.....	134	FC145.....	145	FC3487XC SL.....	168	FC5720XN.....	164	FC765.....	125	FC80953.....	134
FC113SL.....	135	FC146.....	145	FC3487XESL.....	168	FC5720XNSL.....	164	FC765SL.....	126	FC80954.....	143
FC114.....	134	FC147.....	147	FC3487XJSL.....	168	FC5720XR.....	164	FC766.....	197	FC80955.....	138
FC114SL.....	135	FC147SL.....	148	FC3487XNSL.....	168	FC5720XRSL.....	164	FC766XC.....	171	FC80956.....	141
FC115.....	134	FC148.....	155	FC3487XRSL.....	168	FC572SL.....	150	FC766XE.....	171	FC80957.....	145
FC115SL.....	135	FC148SL.....	156	FC369.....	134	FC573SL.....	150	FC766XJ.....	171	FC809SL.....	153
FC116.....	175	FC149.....	155	FC38.....	129	FC574.....	150	FC766XN.....	171	FC8113SL.....	162
FC118.....	134	FC149SL.....	156	FC38SL.....	130	FC581.....	150	FC766XR.....	171	FC812SL.....	138
FC1200.....	187	FC150.....	156	FC43.....	129	FC583SL.....	150	FC768.....	161	FC813.....	161
FC1200SL.....	188	FC151.....	156	FC43SL.....	130	FC585.....	150	FC769.....	140	FC813SL.....	156
FC1201.....	186	FC152.....	155	FC44.....	161	FC60.....	201	FC770.....	125	FC814.....	129
FC1201SL.....	188	FC156.....	155	FC44SL.....	162	FC6093.....	142	FC772.....	129	FC8141.....	190
FC1202.....	186	FC16.....	129	FC45.....	129	FC6094.....	147	FC773.....	132	FC8144.....	190
FC1202SL.....	188	FC160.....	197	FC46SL.....	129	FC6095.....	152	FC773-A.....	132	FC8145.....	190
FC1203.....	186	FC163.....	147	FC47SL.....	198	FC61.....	198	FC775.....	134	FC8145SL.....	190
FC1204.....	177	FC164.....	126	FC47XC SL.....	172	FC61XC.....	172	FC776.....	143	FC8149.....	155
FC1204SL.....	177	FC1645.....	159	FC47XESL.....	172	FC61XE.....	172	FC777.....	137	FC814SL.....	135
FC1205.....	177	FC1646.....	158	FC47XJSL.....	172	FC61XJ.....	172	FC778.....	145	FC815SL.....	143
FC1205SL.....	177	FC1646SL.....	159	FC47XNSL.....	172	FC61XN.....	172	FC779.....	147	FC816.....	125
FC1206.....	177	FC1647.....	158	FC47XRSL.....	172	FC61XR.....	172	FC780.....	152	FC81645.....	159
FC1206SL.....	177	FC165.....	145	FC48.....	197	FC62.....	197	FC782.....	140	FC81646.....	158
FC1207.....	177	FC1651.....	158	FC48SL.....	198	FC626.....	155	FC784.....	161	FC81649.....	159
FC1207XC.....	163	FC1651SL.....	159	FC48XC.....	172	FC62XC.....	171	FC785.....	140	FC81651.....	158
FC1207XE.....	163	FC1652.....	158	FC48XC SL.....	172	FC62XE.....	171	FC787.....	161	FC81651SL.....	159
FC1207XJ.....	163	FC1652SL.....	159	FC48XE.....	172	FC62XJ.....	171	FC788.....	140	FC81652.....	158
FC1207XN.....	163	FC1654.....	158	FC48XESL.....	172	FC62XN.....	171	FC789.....	197	FC81652SL.....	159
FC1207XR.....	163	FC1655.....	159	FC48XJ.....	172	FC62XR.....	171	FC791.....	162	FC81653.....	159
FC1208.....	187	FC1656SL.....	159	FC48XJSL.....	172	FC63.....	188	FC792.....	140	FC81654.....	158
FC1208SL.....	188	FC1661.....	159	FC48XN.....	172	FC63SL.....	189	FC794.....	126	FC81654SL.....	159
FC1209.....	186	FC18.....	187	FC48XNSL.....	172	FC63XC SL.....	168	FC795.....	145	FC81646SL.....	159
FC1209SL.....	188	FC18SL.....	188	FC48XR.....	172	FC63XESL.....	168	FC796.....	147	FC816SL.....	132
FC1211.....	186	FC18XC.....	168	FC48XRSL.....	172	FC63XJSL.....	168	FC797.....	153	FC816SL-A.....	132
FC1211SL.....	188	FC18XC SL.....	168	FC506.....	150	FC63XNSL.....	168	FC798.....	156	FC817.....	134
FC1212.....	186	FC18XE.....	168	FC507.....	150	FC63XRSL.....	168	FC800.....	141	FC817SL.....	145
FC124.....	129	FC18XESL.....	168	FC529.....	150	FC65.....	188	FC801.....	126	FC818SL.....	148

FC82.....	187	FC86220XC.....	172	FC92XJSL.....	168	FC082000XC-2C.....	163	S1027.....	141	S138SL.....	163
FC820.....	152	FC86220XE.....	172	FC92XN.....	168	FC082000XC-3C.....	163	S1029.....	145	S139.....	132
FC821.....	147	FC86220XJ.....	172	FC92XNSL.....	168	FC082000XC-4C.....	164	S103.....	162	S139-A.....	132
FC822.....	132	FC86220XN.....	172	FC92XR.....	168	FC082000XC-6C.....	164	S104.....	198	S139SL.....	133
FC822-A.....	132	FC86220XR.....	172	FC92XRSL.....	168	FC082000XE-2C.....	163	S104XC.....	173	S139SL-A.....	133
FC828.....	187	FC86241.....	129	FC02000-2C.....	177	FC082000XE-3C.....	163	S104XE.....	173	S140.....	198
FC82XC.....	168	FC86242.....	156	FC02000-3C.....	177	FC082000XE-4C.....	164	S104XJ.....	173	S1400.....	195
FC82XE.....	168	FC86243.....	126	FC02000-4C.....	177	FC082000XE-6C.....	164	S104XN.....	173	S1400SL.....	196
FC82XJ.....	168	FC86245.....	162	FC02000-6C.....	177	FC082000XJ-2C.....	163	S104XR.....	173	S1401.....	181
FC82XN.....	168	FC86247.....	153	FC02000XC-2C.....	163	FC082000XJ-3C.....	163	S105.....	199	S1401SL.....	181
FC82XR.....	168	FC86249.....	148	FC02000XC-3C.....	163	FC082000XJ-4C.....	164	S108.....	191	S1402.....	195
FC8310.....	187	FC86252.....	132	FC02000XC-4C.....	164	FC082000XJ-6C.....	164	S1089.....	191	S1404.....	195
FC8310SL.....	189	FC86252-A.....	132	FC02000XC-6C.....	164	FC082000XN-2C.....	163	S1089SL.....	193	S1405.....	195
FC8311.....	187	FC86253.....	135	FC02000XE-2C.....	163	FC082000XN-3C.....	163	S108XC.....	169	S1405SL.....	196
FC8311SL.....	189	FC86254.....	143	FC02000XE-3C.....	163	FC082000XN-4C.....	164	S108XE.....	169	S1406.....	195
FC8313.....	187	FC86255.....	138	FC02000XE-4C.....	164	FC082000XN-6C.....	164	S108XJ.....	169	S1407.....	195
FC8313SL.....	189	FC86256.....	141	FC02000XE-6C.....	164	FC082000XR-2C.....	163	S108XN.....	169	S1408.....	195
FC8316.....	187	FC86257.....	145	FC02000XJ-2C.....	163	FC082000XR-3C.....	163	S108XR.....	169	S1409.....	181
FC8318.....	188	FC8675SL.....	189	FC02000XJ-3C.....	163	FC082000XR-4C.....	164	S11.....	201	S140STC.....	200
FC8319.....	188	FC8678.....	174	FC02000XJ-4C.....	164	FC082000XR-6C.....	164	S115.....	193	S140XC.....	172
FC832.....	188	FC8678SL.....	175	FC02000XJ-6C.....	164	FC083000F-2C.....	189	S1170SL.....	193	S140XE.....	172
FC8320.....	188	FC8704.....	190	FC02000XN-2C.....	163	FC083000F-3C.....	189	S1170XCSSL.....	169	S140XJ.....	172
FC8321.....	188	FC8707.....	143	FC02000XN-3C.....	163	FC083000F-4C.....	189	S1170XESL.....	169	S140XN.....	172
FC8321XC.....	168	FC8708.....	197	FC02000XN-4C.....	164	FC083000F-6C.....	189	S1170XJSL.....	169	S140XR.....	172
FC8321XE.....	168	FC8708XC.....	172	FC02000XN-6C.....	164	FC083000P-2C.....	189	S1170XNSL.....	169	S141.....	191
FC8321XJ.....	168	FC8708XE.....	172	FC02000XR-2C.....	163	FC083000P-3C.....	189	S1170XRSL.....	169	S1411.....	195
FC8321XN.....	168	FC8708XJ.....	172	FC02000XR-3C.....	163	FC083000P-4C.....	189	S118.....	198	S141STC.....	200
FC8321XR.....	168	FC8708XN.....	172	FC02000XR-4C.....	164	FC083000P-6C.....	189	S118XC.....	172	S141XC.....	169
FC8322.....	188	FC8708XR.....	172	FC02000XR-6C.....	164	Smooth-Star.		S118XE.....	172	S141XE.....	169
FC8323.....	188	FC8721.....	148	FC03000F-2C.....	189	19020T.....	196	S118XJ.....	172	S141XJ.....	169
FC8324.....	188	FC8735.....	153	FC03000F-3C.....	189	19020T.....	199	S118XN.....	172	S141XN.....	169
FC832XC.....	168	FC8736.....	138	FC03000F-4C.....	189	19055T.....	133	S118XR.....	172	S141XR.....	169
FC832XE.....	168	FC8752.....	188	FC03000F-6C.....	189	19055T-A.....	133	S12.....	133	S1442SL.....	157
FC832XJ.....	168	FC8867SL.....	156	FC06184SL.....	190	19080T.....	131	S1200.....	191	S150.....	198
FC832XN.....	168	FC89701.....	155	FC06184XCSSL.....	168	19200T.....	196	S1200SL.....	193	S150SL.....	199
FC832XR.....	168	FC8971.....	175	FC06184XESL.....	168	19200T.....	199	S1201.....	191	S151.....	193
FC8529.....	150	FC8972.....	175	FC06184XJSL.....	168	19200T.....	199	S1201SL.....	193	S151SL.....	194
FC8545SL.....	150	FC900.....	137	FC06184XNSL.....	168	19210T.....	199	S1202.....	191	S154.....	143
FC85700.....	178	FC900SL.....	138	FC06184XRSL.....	168	19220T.....	196	S1202SL.....	193	S154SL.....	144
FC85700XC.....	164	FC901.....	137	FC06185SL.....	190	19220T.....	199	S1203.....	191	S155.....	148
FC85700XE.....	164	FC901SL.....	138	FC06185XCSSL.....	168	19520T.....	133	S1204.....	179	S155SL.....	149
FC85700XJ.....	164	FC902.....	137	FC06185XESL.....	168	19520T-A.....	133	S1204SL.....	179	S156.....	156
FC85700XN.....	164	FC902SL.....	138	FC06185XJSL.....	168	19720T.....	149	S1205.....	179	S160.....	156
FC85700XR.....	164	FC903.....	137	FC06185XNSL.....	168	19730T.....	149	S1205SL.....	179	S160SL.....	157
FC8571.....	150	FC904.....	138	FC06185XRSL.....	168	19740T.....	144	S1206.....	179	S161.....	156
FC85710.....	178	FC905.....	142	FC06186SL.....	190	19750T.....	144	S1206SL.....	179	S161SL.....	157
FC85710XC.....	164	FC905SL.....	143	FC06186XCSSL.....	168	19800T.....	131	S1207.....	179	S162.....	156
FC85710XE.....	164	FC906.....	143	FC06186XESL.....	168	19810T.....	131	S1207XC.....	164	S163.....	157
FC85710XJ.....	164	FC906SL.....	143	FC06186XJSL.....	168	19820T.....	131	S1207XE.....	164	S1645.....	160
FC85710XN.....	164	FC907.....	143	FC06186XNSL.....	168	85901SL.....	146	S1207XJ.....	164	S1646.....	159
FC85710XR.....	164	FC907SL.....	143	FC06186XRSL.....	168	85919SL.....	146	S1207XN.....	164	S1646SL.....	160
FC85720.....	178	FC908.....	143	FC06188SL.....	190	AVRT.....	142	S1207XR.....	164	S1647.....	159
FC85720XC.....	164	FC909.....	143	FC06188XCSSL.....	168	AXRT.....	160	S1208.....	191	S1650.....	159
FC85720XE.....	164	FC910.....	152	FC06188XESL.....	168	BLHRT.....	131	S1208SL.....	193	S1651.....	159
FC85720XJ.....	164	FC910SL.....	153	FC06188XJSL.....	168	BSHRT.....	127	S1209.....	191	S1651SL.....	160
FC85720XN.....	164	FC911.....	152	FC06188XRSL.....	168	BSRT.....	127	S1209SL.....	193	S1652.....	159
FC85720XR.....	164	FC911SL.....	153	FC06189SL.....	190	CNHRT.....	154	S1211.....	191	S1652SL.....	160
FC8572SL.....	150	FC912.....	152	FC06189XCSSL.....	168	CNRT.....	154	S1211SL.....	193	S1653.....	159
FC8573SL.....	150	FC912SL.....	153	FC06189XESL.....	168	DLHRT.....	199	S1212.....	191	S1654.....	159
FC8574.....	150	FC913.....	153	FC06189XJSL.....	168	FWRT.....	139	S128.....	191	S1655.....	159
FC8579.....	150	FC914.....	153	FC06189XNSL.....	168	KNRT.....	157	S128XC.....	169	S1656.....	159
FC8581.....	150	FC915.....	153	FC06189XRSL.....	168	RSRT.....	151	S128XE.....	169	S1656SL.....	160
FC8583SL.....	150	FC916.....	153	FC06190SL.....	190	S10.....	199	S128XJ.....	169	S1658.....	159
FC860.....	201	FC916SL.....	153	FC06190XCSSL.....	168	S100.....	201	S128XN.....	169	S1661.....	160
FC861.....	198	FC917.....	153	FC06190XESL.....	168	S1000.....	154	S128XR.....	169	S17.....	154
FC861XC.....	172	FC92.....	187	FC06190XJSL.....	168	S1001.....	157	S12-A.....	133	S198.....	195
FC861XE.....	172	FC925.....	175	FC06190XNSL.....	168	S1006.....	138	S130.....	175	S198SL.....	196
FC861XJ.....	172	FC92SL.....	189	FC06190XRSL.....	168	S100SL.....	199	S130SL.....	176	S20.....	144
FC861XN.....	172	FC92XC.....	168	FC082000-2C.....	177	S100XCSSL.....	173	S131.....	176	S200.....	201
FC861XR.....	172	FC92XCSSL.....	168	FC082000-3C.....	177	S100XESL.....	173	S132.....	175	S2000.....	182
FC862.....	200	FC92XE.....	168	FC082000-4C.....	177	S100XJSL.....	173	S132SL.....	176	S2000-2C.....	180
FC86220.....	197	FC92XESL.....	168	FC082000-6C.....	177	S100XNSL.....	173	S137.....	176	S2000-3C.....	180
FC862203.....	188	FC92XJ.....	168			S100XRSL.....	173	S138.....	162	S2000-4C.....	180

S2000-6C.....	180	S2106.....	191	S3000F-4C.....	194	S4813XE.....	165	S6000.....	126	S604SL-A.....	133
S2000SL.....	182	S2107.....	191	S3000F-6C.....	194	S4813XJ.....	165	S6000SL.....	127	S605.....	194
S2000SL-2C.....	181	S2108.....	191	S308SL.....	193	S4813XN.....	165	S6002.....	126	S6050.....	148
S2000SL-4C.....	181	S210SL.....	199	S308XCSL.....	169	S4813XR.....	165	S6002SL.....	127	S6051.....	136
S2000XC.....	166	S210XCSSL.....	173	S308XESL.....	169	S4814.....	181	S6006.....	136	S6052.....	127
S2000XC-2C.....	164	S210XESL.....	173	S308XJSL.....	169	S4814XC.....	165	S6006SL.....	136	S6054.....	176
S2000XC-3C.....	164	S210XJSL.....	173	S308XNSL.....	169	S4814XE.....	165	S6008.....	136	S6055.....	176
S2000XC-4C.....	164	S210XNSL.....	173	S308XRSL.....	169	S4814XJ.....	165	S6008SL.....	136	S6056.....	156
S2000XC-6C.....	165	S210XRSL.....	173	S30XC.....	173	S4814XN.....	165	S6009.....	136	S605SL.....	195
S2000XCSSL.....	166	S211.....	133	S30XE.....	173	S4814XR.....	165	S6009SL.....	136	S605XC.....	170
S2000XCSSL-2C.....	165	S211-A.....	133	S30XJ.....	173	S4816.....	181	S601.....	199	S605XCSSL.....	170
S2000XCSSL-4C.....	165	S213.....	143	S30XN.....	173	S4816XC.....	165	S6010.....	136	S605XE.....	170
S2000XE.....	166	S214.....	148	S30XR.....	173	S4816XE.....	165	S6011.....	136	S605XESL.....	170
S2000XE-2C.....	164	S2150.....	179	S31.....	201	S4816XJ.....	165	S6013.....	127	S605XJ.....	170
S2000XE-3C.....	164	S220.....	201	S310.....	126	S4816XN.....	165	S6014.....	136	S605XJSL.....	170
S2000XE-4C.....	164	S2200.....	182	S32.....	193	S4816XR.....	165	S601SL.....	199	S605XN.....	170
S2000XE-6C.....	165	S2250.....	179	S32XC.....	169	S506.....	151	S601XC.....	173	S605XNSL.....	170
S2000XESL.....	166	S236.....	193	S32XE.....	169	S507.....	151	S601XCSSL.....	173	S605XR.....	170
S2000XESL-2C.....	165	S237.....	193	S32XJ.....	169	S508.....	151	S601XE.....	173	S605XRSL.....	170
S2000XESL-4C.....	165	S241.....	132	S32XN.....	169	S529.....	151	S601XESL.....	173	S606.....	194
S2000XJ.....	166	S241-A.....	132	S32XR.....	169	S5425.....	175	S601XJ.....	173	S6061.....	175
S2000XJ-2C.....	164	S243.....	176	S34.....	162	S5425SL.....	176	S601XJSL.....	173	S6062.....	195
S2000XJ-3C.....	164	S250.....	162	S3487SL.....	194	S543.....	150	S601XN.....	173	S6062SL.....	196
S2000XJ-4C.....	164	S250SL.....	163	S3487XCSL.....	169	S545SL.....	151	S601XNSL.....	173	S6063.....	191
S2000XJ-6C.....	165	S255.....	193	S3487XESL.....	169	S549.....	151	S601XR.....	173	S6063XC.....	169
S2000XJSL.....	166	S256.....	199	S3487XJSL.....	169	S5700.....	181	S601XRSL.....	173	S6063XE.....	169
S2000XJSL-2C.....	165	S256XC.....	173	S3487XNSL.....	169	S5700SL.....	181	S602.....	144	S6063XJ.....	169
S2000XJSL-4C.....	165	S256XE.....	173	S3487XRSL.....	169	S5700XC.....	165	S6021.....	198	S6063XN.....	169
S2000XN.....	166	S256XJ.....	173	S35.....	133	S5700XCSSL.....	166	S6021XC.....	172	S6063XR.....	169
S2000XN-2C.....	164	S256XN.....	173	S35-A.....	133	S5700XE.....	165	S6021XE.....	172	S606SL.....	195
S2000XN-3C.....	164	S256XR.....	173	S369.....	136	S5700XESL.....	166	S6021XJ.....	172	S606XC.....	170
S2000XN-4C.....	164	S260.....	163	S37.....	154	S5700XJ.....	165	S6021XN.....	172	S606XCSSL.....	170
S2000XN-6C.....	165	S262.....	192	S38.....	130	S5700XJSL.....	166	S6021XR.....	172	S606XE.....	170
S2000XNSL.....	166	S262XC.....	169	S400.....	154	S5700XN.....	165	S6022.....	192	S606XESL.....	170
S2000XNSL-2C.....	165	S262XE.....	169	S4070SL.....	154	S5700XNSL.....	166	S6022XC.....	169	S606XJ.....	170
S2000XNSL-4C.....	165	S262XJ.....	169	S41.....	144	S5700XR.....	165	S6022XE.....	169	S606XJSL.....	170
S2000XR.....	166	S262XN.....	169	S416SL.....	154	S5700XRSL.....	166	S6022XJ.....	169	S606XN.....	170
S2000XR-2C.....	164	S262XR.....	169	S42.....	148	S571.....	150	S6022XN.....	169	S606XNSL.....	170
S2000XR-3C.....	164	S263SL.....	194	S426.....	153	S5710.....	181	S6022XR.....	169	S606XR.....	170
S2000XR-4C.....	164	S263XCSL.....	169	S43.....	156	S5710SL.....	182	S6023.....	162	S606XRSL.....	170
S2000XR-6C.....	165	S263XESL.....	169	S430.....	154	S5710XC.....	165	S6025.....	133	S607.....	194
S2000XRSL.....	166	S263XJSL.....	169	S430SL.....	154	S5710XCSSL.....	166	S6025-A.....	133	S6070.....	145
S2000XRSL-2C.....	165	S263XNSL.....	169	S450.....	154	S5710XE.....	165	S6026.....	153	S6070SL.....	146
S2000XRSL-4C.....	165	S263XRSL.....	169	S450SL.....	154	S5710XESL.....	166	S60274.....	130	S6071.....	145
S20042.....	156	S289.....	198	S454.....	154	S5710XJ.....	165	S6029.....	143	S6071SL.....	146
S2009.....	181	S289E.....	162	S4570SL.....	127	S5710XJSL.....	166	S602SL.....	144	S6072.....	146
S2009SL.....	181	S289ESL.....	163	S4800.....	201	S5710XN.....	165	S6030.....	148	S6073.....	146
S2010.....	179	S289XC.....	173	S4810.....	182	S5710XNSL.....	166	S6031.....	136	S6073SL.....	146
S2010XCSSL.....	164	S289XE.....	173	S4810SL.....	182	S5710XR.....	165	S6032.....	126	S6074.....	146
S2010XESL.....	164	S289XJ.....	173	S4810XC.....	166	S5710XRSL.....	166	S6034.....	176	S6075.....	146
S2010XJSL.....	164	S289XN.....	173	S4810XCSSL.....	166	S5720.....	181	S6035.....	176	S6076.....	146
S2010XNSL.....	164	S289XR.....	173	S4810XE.....	166	S5720SL.....	182	S6036.....	156	S6077.....	146
S2010XRSL.....	164	S291.....	144	S4810XESL.....	166	S5720XC.....	165	S604.....	133	S6078.....	146
S205.....	201	S291SL.....	144	S4810XJ.....	166	S5720XE.....	165	S6041.....	198	S6079.....	146
S2050.....	179	S292.....	148	S4810XJSL.....	166	S5720XJ.....	165	S6041XC.....	173	S607SL.....	195
S206.....	198	S292SL.....	149	S4810XN.....	166	S5720XN.....	165	S6041XE.....	173	S607XC.....	170
S206E.....	162	S294.....	133	S4810XNSL.....	166	S5720XR.....	165	S6041XJ.....	173	S607XCSSL.....	170
S206XC.....	172	S294-A.....	133	S4810XR.....	166	S572SL.....	151	S6041XN.....	173	S607XE.....	170
S206XE.....	172	S294SL.....	133	S4810XRSL.....	166	S5720XCSSL.....	166	S6041XR.....	173	S607XESL.....	170
S206XJ.....	172	S294SL-A.....	133	S4812.....	180	S5720XESL.....	166	S6042.....	192	S607XJ.....	170
S206XN.....	172	S296.....	199	S4812SL.....	181	S5720XJSL.....	166	S6042XC.....	169	S607XJSL.....	170
S206XR.....	172	S296XC.....	173	S4812XC.....	165	S5720XNSL.....	166	S6042XE.....	169	S607XN.....	170
S2070SL.....	163	S296XE.....	173	S4812XCSSL.....	165	S5720XRSL.....	166	S6042XJ.....	169	S607XNSL.....	170
S210.....	201	S296XJ.....	173	S4812XE.....	165	S5730.....	181	S6042XN.....	169	S607XR.....	170
S2100.....	182	S296XN.....	173	S4812XESL.....	165	S573SL.....	151	S6042XR.....	169	S607XRSL.....	170
S2101.....	191	S296XR.....	173	S4812XJ.....	165	S574.....	150	S6043.....	162	S608.....	195
S2101SL.....	193	S30.....	198	S4812XJSL.....	165	S575.....	151	S6045.....	133	S6080.....	199
S2102.....	191	S3000-2C.....	194	S4812XN.....	165	S579.....	151	S6045-A.....	133	S6081.....	162
S2103.....	179	S3000-3C.....	194	S4812XNSL.....	165	S581.....	151	S6046.....	154	S6082.....	148
S2103SL.....	179	S3000-4C.....	194	S4812XR.....	165	S583SL.....	151	S6047.....	130	S6084.....	154
S2104.....	179	S3000-6C.....	194	S4812XRSL.....	165	S585.....	151	S6049.....	143	S6085.....	127
S2104SL.....	179	S3000F-2C.....	194	S4813.....	180	S5870SL.....	149	S604-A.....	133	S608XC.....	170
S2105.....	179	S3000F-3C.....	194	S4813XC.....	165	S600.....	201	S604SL.....	133	S608XE.....	170

S608XJ.....	170	S7125SL.....	194	S8140XE.....	172	S82000XR-2C.....	164	S82SL.....	193	S832XE.....	169
S608XN.....	170	S721.....	149	S8140XJ.....	172	S82000XR-3C.....	164	S82XC.....	169	S832XJ.....	169
S608XR.....	170	S735.....	154	S8140XN.....	172	S82000XR-4C.....	164	S82XCSSL.....	169	S832XN.....	169
S609.....	138	S736.....	139	S8140XR.....	172	S82000XR-6C.....	165	S82XE.....	169	S832XR.....	169
S6090.....	153	S751SL.....	199	S8141.....	195	S8202.....	194	S82XESL.....	169	S833.....	133
S6091.....	148	S751XCSSL.....	173	S8144.....	195	S8202SL.....	195	S82XJ.....	169	S833-A.....	133
S6091SL.....	149	S751XESL.....	173	S8145.....	195	S8203.....	194	S82XJSL.....	169	S834.....	162
S6092.....	143	S751XJSL.....	173	S8145SL.....	196	S8204.....	194	S82XN.....	169	S837.....	154
S6092SL.....	144	S751XNSL.....	173	S8149.....	156	S8204SL.....	195	S82XNSL.....	169	S84.....	162
S6093.....	143	S751XRSL.....	173	S8145L.....	130	S8205.....	194	S82XR.....	169	S84586SL.....	131
S6094.....	148	S752.....	193	S815.....	130	S8207SL.....	195	S82XRSL.....	169	S84800.....	201
S6095.....	153	S755.....	201	S816.....	126	S820.....	148	S830.....	198	S84810.....	182
S6097.....	192	S757SL.....	154	S81645.....	160	S821.....	153	S83000-2C.....	194	S84810SL.....	182
S6100.....	138	S758SL.....	131	S81646.....	159	S821.....	201	S83000-3C.....	194	S84810XC.....	166
S6100SL.....	139	S761SL.....	199	S81646SL.....	160	S82103.....	179	S83000-4C.....	194	S84810XCSSL.....	166
S6101.....	138	S767SL.....	154	S81649.....	160	S82104.....	179	S83000-6C.....	194	S84810XE.....	166
S6101SL.....	139	S768SL.....	131	S81650.....	159	S82105.....	179	S83000F-2C.....	194	S84810XESL.....	166
S6102.....	138	S770.....	198	S81651.....	159	S82105XC.....	164	S83000F-3C.....	194	S84810XJ.....	166
S6102SL.....	139	S771.....	127	S81651SL.....	160	S82105XE.....	164	S83000F-4C.....	194	S84810XJSL.....	166
S6103.....	138	S773.....	154	S81652.....	159	S82105XJ.....	164	S83000F-6C.....	194	S84810XN.....	166
S6104.....	138	S774.....	148	S81652SL.....	160	S82105XN.....	164	S830XC.....	173	S84810XNSL.....	166
S6105.....	138	S80.....	198	S81653.....	159	S82105XR.....	164	S830XE.....	173	S84810XR.....	166
S6106.....	138	S8000.....	182	S81654.....	159	S82106.....	179	S830XJ.....	173	S84810XRSL.....	166
S6107.....	138	S8000-12.....	179	S81654SL.....	160	S82106XC.....	164	S830XN.....	173	S84812.....	180
S6108.....	138	S8000-18.....	179	S817.....	136	S82106XE.....	164	S830XR.....	173	S84812SL.....	181
S6111.....	127	S8000-9.....	181	S818.....	198	S82106XJ.....	164	S831.....	201	S84812XC.....	165
S6113.....	130	S8000SL.....	182	S81828.....	191	S82106XN.....	164	S8310.....	192	S84812XCSSL.....	165
S6117.....	148	S8000XC.....	166	S818XC.....	172	S82106XR.....	164	S8310SL.....	193	S84812XE.....	165
S6119.....	157	S8000XCSSL.....	166	S818XE.....	172	S82107.....	179	S8311.....	191	S84812XESL.....	165
S6121.....	141	S8000XE.....	166	S818XJ.....	172	S82107XC.....	164	S8311SL.....	193	S84812XJ.....	165
S6123.....	130	S8000XESL.....	166	S818XN.....	172	S82107XE.....	164	S83120.....	199	S84812XJSL.....	165
S6123.....	136	S8000XJ.....	166	S818XR.....	172	S82107XJ.....	164	S831203.....	193	S84812XN.....	165
S6124SL.....	195	S8000XJSL.....	166	S81929P.....	198	S82107XN.....	164	S831203XC.....	169	S84812XNSL.....	165
S6124XCSSL.....	170	S8000XN.....	166	S81929PXC.....	172	S82107XR.....	164	S831203XE.....	169	S84812XR.....	165
S6124XESL.....	170	S8000XNSL.....	166	S81929PXE.....	172	S82112.....	180	S831203XJ.....	169	S84812XRSL.....	165
S6124XJSL.....	170	S8000XR.....	166	S81929PJ.....	172	S82112XC.....	165	S831203XN.....	169	S84813.....	180
S6124XNSL.....	170	S8000XRSL.....	166	S81929PXN.....	172	S82112XE.....	165	S831203XR.....	169	S84813XC.....	165
S6124XRSL.....	170	S807.....	193	S81929PXR.....	172	S82112XJ.....	165	S83120XC.....	173	S84813XE.....	165
S6125SL.....	195	S807XC.....	169	S81931P.....	162	S82112XN.....	165	S83120XE.....	173	S84813XJ.....	165
S6125XCSSL.....	170	S807XE.....	169	S81932P.....	141	S82112XR.....	165	S83120XJ.....	173	S84813XN.....	165
S6125XESL.....	170	S807XJ.....	169	S81933P.....	126	S82113.....	180	S83120XN.....	173	S84813XR.....	165
S6125XJSL.....	170	S807XN.....	169	S81935P.....	130	S82113XC.....	165	S83120XR.....	173	S84814.....	181
S6125XNSL.....	170	S807XR.....	169	S81936P-A.....	133	S82113XE.....	165	S8313.....	191	S84814XC.....	165
S6125XRSL.....	170	S808.....	191	S81937P.....	136	S82113XJ.....	165	S8313SL.....	193	S84814XE.....	165
S6126SL.....	195	S808SL.....	193	S81938P.....	143	S82113XN.....	165	S83141.....	130	S84814XJ.....	165
S6126XCSSL.....	170	S80XC.....	172	S81939P.....	133	S82113XR.....	165	S83142.....	157	S84814XN.....	165
S6126XESL.....	170	S80XE.....	172	S81939P.....	138	S82114.....	180	S83143.....	127	S84814XR.....	165
S6126XJSL.....	170	S80XJ.....	172	S81940P.....	146	S82114XC.....	165	S83145.....	163	S84816.....	181
S6126XNSL.....	170	S80XN.....	172	S81941P.....	148	S82114XE.....	165	S83147.....	154	S84816XC.....	165
S6126XRSL.....	170	S80XR.....	172	S81942P.....	153	S82114XJ.....	165	S83149.....	148	S84816XE.....	165
S6127SL.....	142	S810.....	201	S81983.....	146	S82114XN.....	165	S83152.....	133	S84816XJ.....	165
S6128SL.....	176	S81000.....	201	S82.....	191	S82114XR.....	165	S83152-A.....	133	S84816XN.....	165
S6130SL.....	131	S81086SL.....	199	S8200.....	201	S82116.....	180	S83153.....	136	S84816XR.....	165
S6131SL.....	139	S81086XCSSL.....	173	S82000-2C.....	180	S82116XC.....	165	S83154.....	144	S84886SL.....	179
S6132SL.....	157	S81086XESL.....	173	S82000-3C.....	180	S82116XE.....	165	S83155.....	138	S84886XCSSL.....	164
S6134SL.....	136	S81086XJSL.....	173	S82000-4C.....	180	S82116XJ.....	165	S83156.....	142	S84886XESL.....	164
S6135SL.....	146	S81086XNSL.....	173	S82000-6C.....	180	S82116XN.....	165	S83157.....	146	S84886XJSL.....	164
S626.....	156	S81086XRSL.....	173	S82000XC-2C.....	164	S82116XR.....	165	S8316.....	191	S84886XNSL.....	164
S63.....	192	S811.....	192	S82000XC-3C.....	164	S82200.....	182	S8317.....	193	S84886XRSL.....	164
S663STC.....	200	S8113SL.....	163	S82000XC-4C.....	164	S82200XC.....	166	S8318.....	192	S8508.....	151
S668.....	130	S81186SL.....	193	S82000XC-6C.....	165	S82200XE.....	166	S8319.....	192	S8529.....	151
S669.....	162	S812.....	162	S82000XE-2C.....	164	S82200XJ.....	166	S832.....	193	S8545SL.....	151
S682.....	175	S81208.....	191	S82000XE-3C.....	164	S82200XN.....	166	S8320.....	193	S85700.....	181
S704.....	195	S81225.....	175	S82000XE-4C.....	164	S82200XR.....	166	S8321.....	192	S85700SL.....	181
S707.....	144	S813.....	162	S82000XE-6C.....	165	S82250.....	179	S8321XC.....	169	S85700XC.....	165
S708.....	199	S81300SL.....	163	S82000XJ-2C.....	164	S822X.....	169	S8321XE.....	169	S85700XCSSL.....	166
S708XC.....	173	S8132.....	175	S82000XJ-3C.....	164	S822XE.....	169	S8321XJ.....	169	S85700XE.....	165
S708XE.....	173	S8132SL.....	176	S82000XJ-4C.....	164	S822XJ.....	169	S8321XN.....	169	S85700XESL.....	166
S708XJ.....	173	S814.....	130	S82000XJ-6C.....	165	S822XN.....	169	S8321XR.....	169	S85700XJ.....	165
S708XN.....	173	S8140.....	198	S82000XN-2C.....	164	S822XR.....	169	S8322.....	192	S85700XJSL.....	166
S708XR.....	173	S81401.....	181	S82000XN-3C.....	164	S828.....	191	S8323.....	192	S85700XN.....	165
S709.....	156	S8140STC.....	200	S82000XN-4C.....	164	S829.....	175	S8324.....	192	S85700XNSL.....	166
		S8140XC.....	172	S82000XN-6C.....	165	S829SL.....	176	S832XC.....	169	S85700XR.....	165

Steel

S85700XRSL.....	166	S85928SL.....	176	S880XC.....	172	S92XE.....	169	Profiles..	1045HD.....	211
S8571.....	150	S85930SL.....	154	S880XCSL.....	173	S92XJ.....	169	310.....	1047HD.....	210
S85710.....	181	S85931SL.....	136	S880XE.....	172	S92XN.....	169	100.....	1048HD.....	211
S85710SL.....	182	S85932SL.....	144	S880XESL.....	173	S92XR.....	169	102.....	104XC.....	216
S85710XC.....	165	S85934SL.....	149	S880XJ.....	172	S93.....	201	104.....	104XE.....	216
S85710XCSSL.....	166	S8600.....	201	S880XJSL.....	173	S930.....	130	105.....	104XJ.....	216
S85710XE.....	165	S8600XC.....	173	S880XN.....	172	S930SL.....	131	108.....	104XN.....	216
S85710XESL.....	166	S8600XE.....	173	S880XNSL.....	173	S9320.....	199	118.....	104XR.....	216
S85710XJ.....	165	S8600XJ.....	173	S880XR.....	172	S93203.....	193	128.....	1055HD.....	208
S85710XJSL.....	166	S8600XN.....	173	S880XRSL.....	173	S93203XC.....	169	130.....	1089SLHD.....	218
S85710XN.....	165	S8600XR.....	173	S881.....	192	S93203XE.....	169	131.....	108XC.....	216
S85710XNSL.....	166	S8601.....	199	S881SL.....	194	S93203XJ.....	169	137.....	108XE.....	216
S85710XR.....	165	S8601SL.....	199	S881XC.....	169	S93203XN.....	169	138.....	108XJ.....	216
S85710XRSL.....	166	S8601XCSSL.....	173	S881XCSL.....	169	S93203XR.....	169	198.....	108XN.....	216
S85720.....	181	S8601XESL.....	173	S881XE.....	169	S9320XC.....	173	369.....	108XR.....	216
S85720SL.....	182	S8601XJSL.....	173	S881XESL.....	169	S9320XE.....	173	571.....	1101HD.....	219
S85720XCSSL.....	166	S8601XNSL.....	173	S881XJ.....	169	S9320XJ.....	173	610.....	1101XCHD.....	216
S85720XESL.....	166	S8601XRSL.....	173	S881XJSL.....	169	S9320XN.....	173	620.....	1101XEHD.....	216
S85720XJSL.....	166	S8602.....	144	S881XN.....	169	S9320XR.....	173	626.....	1101XJHD.....	216
S85720XNSL.....	166	S8602SL.....	144	S881XNSL.....	169	S9341.....	130	916.....	1101XNHD.....	216
S85720XRSL.....	166	S8604.....	133	S881XR.....	169	S9342.....	157	1006.....	1101XRHD.....	216
S8572SL.....	151	S8604-A.....	133	S881XRSL.....	169	S9343.....	127	1027.....	1102HD.....	217
S85730.....	181	S8605.....	194	S882.....	192	S9345.....	163	1028.....	1107HD.....	210
S85730XC.....	165	S8605SL.....	195	S884.....	162	S9347.....	154	1029.....	1110HD.....	215
S85730XE.....	165	S8605XC.....	170	S884SL.....	163	S9349.....	148	1200.....	1111HD.....	211
S85730XJ.....	165	S8605XE.....	170	S887.....	133	S9352.....	133	1201.....	1112HD.....	211
S85730XN.....	165	S8605XJ.....	170	S887-A.....	133	S9352-A.....	133	1202.....	1113HD.....	214
S85730XR.....	165	S8605XN.....	170	S887SL.....	133	S9353.....	136	1203.....	1114HD.....	208
S8574.....	150	S8605XR.....	170	S887SL-A.....	133	S9354.....	144	5425.....	1114HD-A.....	208
S8579.....	151	S8606.....	194	S888.....	130	S9355.....	138	03142HD.....	1115HD.....	209
S8581.....	151	S8606SL.....	195	S888SL.....	131	S9356.....	141	1001HD.....	1116HD.....	209
S8583SL.....	151	S8606XC.....	170	S891.....	143	S9357.....	146	1002HD.....	1117HD.....	207
S85892.....	126	S8606XE.....	170	S891SL.....	144	S936.....	130	1004HD.....	1118HD.....	213
S85892SL.....	127	S8606XJ.....	170	S892.....	148	S94.....	162	1005HD.....	1119HD.....	207
S85893.....	136	S8606XN.....	170	S892SL.....	149	S95.....	133	1006SL.....	1120HD.....	212
S85893SL.....	136	S8606XR.....	170	S893.....	136	S950.....	130	1007HD.....	1121HD.....	217
S85895.....	153	S8607.....	194	S894.....	126	S950SL.....	131	1007SLHD.....	1122HD.....	218
S85895SL.....	154	S8607SL.....	195	S894SL.....	127	S95-A.....	133	1008HD.....	1123HD.....	218
S85896SL.....	149	S8607XC.....	170	S895.....	136	S960.....	201	1009HD.....	1123HDXC.....	216
S85897.....	138	S8607XE.....	170	S895SL.....	136	S962.....	141	1009SLHD.....	1123HDXE.....	216
S85898.....	138	S8607XJ.....	170	S896.....	199	S962SL.....	142	100SL.....	1123HDXJ.....	216
S85898SL.....	139	S8607XN.....	170	S896XC.....	173	S964.....	141	100XCSL.....	1123HDXN.....	216
S85900.....	141	S8607XR.....	170	S896XE.....	173	S964SL.....	142	100XESL.....	1123HDXR.....	216
S85900SL.....	142	S8608.....	195	S896XJ.....	173	S966.....	141	100XJSL.....	115HD.....	218
S85901.....	146	S8608XC.....	170	S896XN.....	173	S968.....	141	100XNSL.....	118XC.....	216
S85902.....	153	S8608XE.....	170	S896XR.....	173	S97.....	153	100XRSL.....	118XE.....	216
S85902SL.....	154	S8608XJ.....	170	S897.....	201	S970.....	141	1011HD.....	118XJ.....	216
S85905.....	127	S8608XN.....	170	S89701.....	156	S971.....	176	1020HD.....	118XN.....	216
S85906.....	141	S8608XR.....	170	S8971.....	176	S972.....	127	1021HD.....	118XR.....	216
S85907.....	130	S8675SL.....	194	S8972.....	176	S973.....	136	1022HD.....	1200SL.....	218
S85908.....	144	S867SL.....	157	S898.....	195	S975.....	126	1024HD.....	1201SL.....	218
S85909.....	148	S8682.....	175	S898SL.....	196	S975SL.....	127	1025HD.....	1202SL.....	218
S85910SL.....	199	S8682SL.....	176	S90.....	198	S976.....	141	1027SL.....	128XC.....	216
S85910XCSSL.....	173	S8704.....	195	S902.....	156	S976SL.....	142	1029SL.....	128XE.....	216
S85910XESL.....	173	S8707.....	144	S902SL.....	157	S977.....	130	1031HD.....	128XJ.....	216
S85910XJSL.....	173	S8708.....	199	S90SL.....	182	S979.....	126	1031SLHD.....	128XN.....	216
S85910XNSL.....	173	S8708XC.....	173	S90XC.....	172	S980.....	141	1032HD.....	128XR.....	216
S85910XRSL.....	173	S8708XE.....	173	S90XE.....	172	S981.....	130	1032SLHD.....	130SL.....	217
S85911SL.....	142	S8708XJ.....	173	S90XJ.....	172	S982.....	143	1034HD.....	132HD.....	217
S85912SL.....	127	S8708XN.....	173	S90XN.....	172	S983.....	148	1035HD.....	132SLHD.....	217
S85914SL.....	131	S8708XR.....	173	S90XR.....	172	S985.....	141	1037HD.....	138SL.....	215
S85915SL.....	133	S8721.....	149	S91.....	133	S988.....	141	1037SLHD.....	139-A.....	208
S85915SL-A.....	133	S8735.....	154	S912.....	153	S989.....	162	1038HD.....	139SL.....	208
S85916SL.....	136	S8736.....	139	S916.....	130	S991.....	141	1038SLHD.....	139SL-A.....	208
S85917SL.....	144	S8752.....	193	S916SL.....	130	S992.....	199	1039HD.....	1400SLHD.....	219
S85918SL.....	139	S85720XC.....	165	S91-A.....	133	S994.....	162	1039SLHD.....	1403HD.....	219
S85920SL.....	154	S85720XE.....	165	S91SL.....	133	S995.....	141	103HD.....	1405HD.....	219
S85922SL.....	149	S85720XJ.....	165	S91SL-A.....	133	S997.....	127	1040HD.....	1405SLHD.....	219
S85924SL.....	195	S85720XN.....	165	S92.....	192	S998.....	146	1040SLHD.....	1406HD.....	219
S85925SL.....	195	S85720XR.....	165	S925.....	176	S999.....	148	1041HD.....	1408HD.....	219
S85926SL.....	195	S880.....	198	S926.....	130	SART.....	136	1041SLHD.....	1411HD.....	219
S85927SL.....	127	S880SL.....	199	S92SL.....	179	WLHRT.....	149	1042HD.....	150HD.....	219
				S92XC.....	169			1044HD.....	150SLHD.....	220

151HD.....	218	262HDXJ.....	216	6184SL.....	219	978HD.....	220	6184XNSL.....	221	TS108XN.....	221
151SLHD.....	218	262HDXN.....	216	6185SL.....	219	980HD.....	219	6184XRSL.....	221	TS108XR.....	221
153HD.....	220	262HDXR.....	216	6186SL.....	219	980HDXC.....	216	6185SL.....	224	TS115.....	223
154HD.....	218	263HD.....	218	620SL.....	212	980HDXE.....	216	6185XCSL.....	221	TS118.....	225
1643HD.....	214	263HDXC.....	216	625HD.....	212	980HDXJ.....	216	6185XESL.....	221	TS118XC.....	221
1643SLHD.....	215	263HDXE.....	216	625SLHD.....	212	980HDXN.....	216	6185XJSL.....	221	TS118XE.....	221
1644HD.....	214	263HDXJ.....	216	626SL.....	214	980HDXR.....	216	6185XNSL.....	221	TS118XJ.....	221
1644SLHD.....	215	263HDXN.....	216	627HD.....	214	982HD.....	218	6185XRSL.....	221	TS118XN.....	221
1651HD.....	214	263HDXR.....	216	628HD.....	214	982HDXC.....	216	6186SL.....	224	TS118XR.....	221
1651SL.....	214	263SLHD.....	218	628SLHD.....	214	982HDXE.....	216	6186XCSL.....	221	TS1200.....	223
1657HD.....	214	263SLHDXC.....	216	630HD.....	214	982HDXJ.....	216	6186XESL.....	221	TS1201.....	223
1657SLHD.....	215	263SLHDXE.....	216	631HD.....	214	982HDXN.....	216	6186XJSL.....	221	TS1202.....	223
1659HD.....	214	263SLHDXJ.....	216	632HD.....	212	982HDXR.....	216	6186XNSL.....	221	TS1203.....	223
1660HD.....	214	263SLHDXN.....	216	632SL.....	218	984HD.....	217	6186XRSL.....	221	TS128.....	223
1662HD.....	214	263SLHDXR.....	216	6720SLHD.....	218	985HD.....	215	632SL.....	224	TS128XC.....	221
19020T.....	219	289EHD.....	215	6720HDXCSL.....	216	988HD.....	211	632XCSL.....	221	TS128XE.....	221
19020T.....	220	289ESLHD.....	215	6720HDXESL.....	216	989HD.....	212	632XESL.....	221	TS128XJ.....	221
19055T.....	208	289HD.....	219	6720HDXJSL.....	216	991HD.....	207	632XJSL.....	221	TS128XN.....	221
19055T-A.....	208	289HDXC.....	216	6720HDXNSL.....	216	996HD.....	208	632XNSL.....	221	TS128XR.....	221
19080T.....	208	289HDXE.....	216	6720HDXRSL.....	216	996HD-A.....	208	632XRSL.....	221	TS130.....	222
19200T.....	219	289HDXJ.....	216	704HD.....	219	999HD.....	213	818SL.....	225	TS131.....	222
19200T.....	220	289HDXN.....	216	707HD.....	211	AVRT.....	210	818XC.....	221	TS132.....	222
19210T.....	220	289HDXR.....	216	708HD.....	220	AXRT.....	215	818XCSL.....	222	TS132SL.....	222
19220T.....	219	294HD.....	208	708HDXC.....	216	BLHRT.....	208	818XE.....	221	TS137.....	222
19220T.....	220	294HD-A.....	208	708HDXE.....	216	BSHRT.....	207	818XESL.....	222	TS1405SL.....	224
19520T.....	208	296HD.....	220	708HDXJ.....	216	BSRT.....	207	818XJ.....	221	TS1408.....	224
19520T-A.....	208	296HDXC.....	216	708HDXN.....	216	CNHRT.....	213	818XJSL.....	222	TS1411.....	224
19720T.....	212	296HDXE.....	216	708HDXR.....	216	CNRT.....	213	818XN.....	221	TS150.....	225
19730T.....	212	296HDXJ.....	216	721HD.....	212	FWRT.....	210	818XNSL.....	222	TS150SL.....	225
19740T.....	211	296HDXN.....	216	735HD.....	213	KNRT.....	214	818XR.....	221	TS151.....	223
19750T.....	211	296HDXR.....	216	736HD.....	210	RSRT.....	212	818XRSL.....	222	TS151SL.....	224
19800T.....	208	296SLHD.....	220	752HD.....	218	SART.....	209	8206XC.....	221	TS153.....	225
19810T.....	208	296SLHDXC.....	216	916SL.....	208	TS572SL.....	212	8206XE.....	221	TS154.....	223
19820T.....	208	296SLHDXE.....	216	930HD.....	207	WLHRT.....	212	8206XJ.....	221	TS198.....	224
198SL.....	219	296SLHDXJ.....	216	930SLHD.....	208	Traditions		8206XN.....	221	TS206.....	225
203HD.....	220	296SLHDXN.....	216	936HD.....	208	800.....	226	8206XR.....	221	TS206XC.....	221
205HD.....	220	296SLHDXR.....	216	936SLHD.....	208	808.....	223	828SL.....	224	TS206XE.....	221
206EHD.....	215	3000-2C.....	218	950HD.....	207	810.....	226	829SL.....	222	TS206XJ.....	221
206HD.....	219	3000-3C.....	218	950SLHD.....	208	818.....	225	83000-2C.....	224	TS206XN.....	221
206HDXC.....	216	3000-4C.....	219	956SLHD.....	208	828.....	223	83000-3C.....	224	TS206XR.....	221
206HDXE.....	216	3000-6C.....	219	959HD.....	219	829.....	222	83000-4C.....	224	TS210.....	226
206HDXJ.....	216	309HD.....	207	959HDXC.....	216	896.....	225	83000-6C.....	224	TS210SL.....	225
206HDXN.....	216	310SL.....	207	959HDXCSL.....	216	8132.....	222	8321XC.....	221	TS210XCSL.....	222
206HDXR.....	216	311HD.....	207	959HDXE.....	216	8145.....	224	8321XE.....	221	TS210XESL.....	222
2109HD.....	217	311SLHD.....	207	959HDXESL.....	216	8206.....	225	8321XJ.....	221	TS210XJSL.....	222
210HD.....	220	347HD.....	209	959HDXJ.....	216	8317.....	223	8321XN.....	221	TS210XNSL.....	222
210SLHD.....	220	369SL.....	209	959HDXJSL.....	216	8321.....	223	8321XR.....	221	TS210XRSL.....	222
210SLHDXC.....	216	371HD.....	209	959HDXN.....	216	8322.....	223	8614SL.....	224	TS214.....	226
210SLHDXE.....	216	371SLHD.....	209	959HDXNSL.....	216	8323.....	223	86185SL.....	224	TS236.....	223
210SLHDXJ.....	216	375HD.....	209	959HDXR.....	216	8324.....	223	86186SL.....	224	TS237.....	223
210SLHDXN.....	216	400HD.....	213	959HDXRSL.....	216	8704.....	224	8708XC.....	221	TS243.....	222
210SLHDXR.....	216	416SL.....	213	959SLHD.....	220	8708.....	225	8708XE.....	221	TS255.....	223
2110HD.....	217	426HD.....	213	961HD.....	218	8752.....	223	8708XJ.....	221	TS256.....	225
2111HD.....	218	430HD.....	213	961HDXC.....	216	100SL.....	225	8708XN.....	221	TS256XC.....	221
211HD.....	208	430SLHD.....	213	961HDXE.....	216	100XCSL.....	222	8708XR.....	221	TS256XE.....	221
211HD-A.....	208	450HD.....	213	961HDXJ.....	216	100XESL.....	222	896XC.....	222	TS256XJ.....	221
236HD.....	218	450SLHD.....	213	961HDXN.....	216	100XJSL.....	222	896XE.....	222	TS256XN.....	221
237HD.....	218	453HD.....	213	961HDXR.....	216	100XNSL.....	222	896XJ.....	222	TS256XR.....	221
243HD.....	217	454HD.....	213	962HD.....	207	100XRSL.....	222	896XN.....	222	TS262.....	223
250HD.....	215	4572SLHD.....	218	963HD.....	215	1200SL.....	223	896XR.....	222	TS262XC.....	221
250SLHD.....	215	5425SL.....	217	964SLHD.....	213	1201SL.....	223	TS100.....	226	TS262XE.....	221
253HD.....	215	544HD.....	212	965HD.....	208	1202SL.....	223	TS102.....	225	TS262XJ.....	221
255HD.....	218	546SLHD.....	212	965HD-A.....	208	130SL.....	222	TS104.....	225	TS262XN.....	221
256HD.....	220	576HD.....	212	965SLHD.....	208	19020T.....	225	TS104XC.....	221	TS262XR.....	221
256HDXC.....	216	578HD.....	212	965SLHD-A.....	208	19200T.....	225	TS104XE.....	221	TS263.....	223
256HDXE.....	216	582HD.....	212	966SLHD.....	214	19210T.....	225	TS104XJ.....	221	TS263SL.....	224
256HDXJ.....	216	584SLHD.....	212	967HD.....	213	19220T.....	225	TS104XN.....	221	TS263XC.....	221
256HDXN.....	216	588HD.....	212	968HD.....	209	198SL.....	224	TS104XR.....	221	TS263XCSL.....	221
256HDXR.....	216	6023HD.....	218	969HD.....	220	6184SL.....	224	TS105.....	225	TS263XE.....	221
260HD.....	215	610SL.....	211	970SLHD.....	220	6184KCSL.....	221	TS108.....	223	TS263XESL.....	221
262HD.....	218	613HD.....	211	971SLHD.....	209	6184XESL.....	221	TS108XC.....	221	TS263XJ.....	221
262HDXC.....	216	615HD.....	211	975SLHD.....	208	6184XJSL.....	221	TS108XE.....	221	TS263XJSL.....	221
262HDXE.....	216	615SLHD.....	211	977SLHD.....	213			TS108XJ.....	221	TS263XN.....	221

Fire

TS263XNSL.....	221
TS263XR.....	221
TS263XRSL.....	221
TS296.....	225
TS289.....	225
TS289XC.....	221
TS289XE.....	221
TS289XJ.....	221
TS289XN.....	221
TS289XR.....	221
TS290.....	226
TS291.....	225
TS296SL.....	225
TS296XC.....	222
TS296XCSSL.....	222
TS296XE.....	222
TS296XESL.....	222
TS296XJ.....	222
TS296XJSL.....	222
TS296XN.....	222
TS296XNSL.....	222
TS296XR.....	222
TS296XRSL.....	222
TS3000-2C.....	224
TS3000-3C.....	224
TS3000-4C.....	224
TS3000-6C.....	224
TS704.....	224
TS708.....	225
TS708XC.....	221
TS708XE.....	221
TS708XJ.....	221
TS708XN.....	221
TS708XR.....	221
TS752.....	223

Classic-Craft Mahogany Collection™

CCMF060.....	228
CCMF701.....	228
CCMF890.....	228

Classic-Craft Rustic Collection™

CCRF040.....	229
CCRF040F.....	229
CCRF200.....	229
CCRF200A.....	229
CCRF205.....	229
CCRF205A.....	229
CCRF8005.....	229
CCRF8005A.....	229
CCRF8040.....	229
CCRF8040F.....	229
CCRF8200.....	229
CCRF8200A.....	229
CCRF8205.....	229
CCRF8205A.....	229
CCRF8220.....	229
CCRF8220R.....	229
CCRF8222.....	229
CCRF8225.....	229
CCRF8225R.....	229

Classic-Craft Oak Collection™

CCF060.....	229
CCF810.....	229
CCF831.....	229
CCF91.....	229

Classic-Craft Canvas Collection.

CCVF050.....	230
CCVF060.....	230
CCVF200.....	230
CCVF205.....	229
CCVF205A.....	229
CCVF220.....	230
CCVF400.....	229
CCVF455.....	230
CCVF455A.....	230
CCVF8060.....	230
CCVF8205.....	229
CCVF8205A.....	229
CCVF8220.....	230
CCVF831.....	230

Fiber-Classic Mahogany Collection™

FMF100.....	230
FMF134.....	230
FMF205.....	230
FMF220.....	230
FMF31.....	230
FMF60.....	230
FMF600.....	230
FMF755.....	230
FMF8100.....	230
FMF860.....	230

Fiber-Classic Oak Collection.

FCF100.....	230
FCF134.....	230
FCF160.....	230
FCF31.....	230
FCF755.....	230
FCF808.....	230
FCF809.....	230

FCF8100.....	230
FCF8160.....	230
FCF862.....	230

Smooth-Star.

SSF100.....	231
SSF11.....	231
SSF160.....	231
SSF200.....	231
SSF205.....	231
SSF220.....	231
SSF31.....	231
SSF600.....	231
SSF755.....	231
SSF8100.....	231
SSF8160.....	231
SSF8200.....	231
SSF8205.....	231
SSF8220.....	231
SSF831.....	231
SSF8600.....	231
SSF93.....	231
SSF960.....	231

Profiles™

100.....	231
1005HD.....	231
203HD.....	231
205HD.....	231
210HD.....	231
969HD.....	231
978HD.....	231

Traditions

TS100.....	231
TS210.....	231
TS214.....	231
TS290.....	231

Steel Edge

SE100.....	228
SE1005HD.....	228
SE210HD.....	228
SE514.....	228
SE969HD.....	228
SE978HD.....	228

Pulse®

Ari

S2AX.....	237
S2CL.....	237
S2RS.....	237
S2XC.....	237
S2XE.....	237
S2XJ.....	237
S2XN.....	237
S2XR.....	237
S83AX.....	237
S83CL.....	237
S83RS.....	237
S83XC.....	237
S83XE.....	237
S83XJ.....	237
S83XN.....	237
S83XR.....	237

Linea

S1CL.....	239
S1.....	239
S1AV.....	238
S1AX.....	239
S1BL.....	237
S1BS.....	237
S1FW.....	238
S1L.....	239
S1LAV.....	238
S1LAX.....	239
S1LBL.....	237
S1LBS.....	237
S1LCL.....	239
S1LFW.....	238
S1LRS.....	239
S1LSA.....	238
S1LSG.....	238
S1LSN.....	237
S1LSNA.....	237
S1LTX.....	238
S1LXC.....	239
S1LXE.....	239
S1LXJ.....	239
S1LXN.....	239
S1LXR.....	239
S1R.....	239
S1RAV.....	238
S1RAX.....	239
S1RBL.....	237
S1RBS.....	237
S1RCL.....	239
S1RFX.....	238
S1RRS.....	239
S1RS.....	239
S1RSA.....	238
S1RSG.....	238
S1RSN.....	237
S1RSNA.....	237
S1RTX.....	238
S1RXC.....	239
S1RXE.....	239
S1RXJ.....	239
S1RXN.....	239
S1RXR.....	239
S1SA.....	238
S1SG.....	238
S1SN.....	237
S1SNA.....	237
S1XC.....	239
S1XE.....	239
S1XJ.....	239
S1XN.....	239
S1XR.....	239
S81.....	239

S81AX.....	239
S81BL.....	237
S81BS.....	237
S81CL.....	239
S81L.....	239
S81LAX.....	239
S81LBL.....	237
S81LBS.....	237
S81LCL.....	239
S81LRS.....	238
S81LSA.....	239
S81LSG.....	238
S81LSNA.....	237
S81LXC.....	239
S81LXE.....	239
S81LXJ.....	239
S81LXN.....	239
S81LXR.....	239
S81R.....	239
S81RAX.....	239
S81RBL.....	237
S81RBS.....	237
S81RCL.....	239
S81RRS.....	239
S81RS.....	239
S81RSA.....	238
S81RSG.....	238
S81RSNA.....	237
S81RXC.....	239
S81RXE.....	239
S81RXJ.....	239
S81RXN.....	239
S81RXR.....	239
S81SA.....	238
S81SG.....	238
S81SNA.....	237
S81XC.....	239
S81XE.....	239
S81XJ.....	239
S81XN.....	239
S81XR.....	239

Echo

S4AX.....	240
S4CL.....	241
S4LAX.....	240
S4LCL.....	241
S4LXC.....	241
S4LXE.....	241
S4LXJ.....	241
S4LXN.....	241
S4LXR.....	241
S4RAX.....	240
S4RCL.....	241
S4RXC.....	241
S4RXE.....	241
S4RXJ.....	241
S4RXN.....	241
S4RXR.....	241
S4XC.....	241
S4XE.....	241
S4XJ.....	241
S4XN.....	241
S4XR.....	241
S5AX.....	240
S5CL.....	242
S5LAX.....	240
S5LCL.....	241
S5LXC.....	241
S5LXE.....	241
S5LXJ.....	241
S5LXN.....	241
S5LXR.....	241

S5RAX.....	240
S5RCL.....	242
S5RXC.....	242
S5RXE.....	242
S5RXJ.....	242
S5RXN.....	242
S5RXR.....	242
S5XC.....	242
S5XE.....	242
S5XJ.....	242
S5XN.....	242
S5XR.....	242
S810AX.....	241
S810CL.....	242
S810LAX.....	241
S810LCL.....	242
S810LXC.....	242
S810LXE.....	242
S810LXJ.....	242
S810LXN.....	242
S810LXR.....	242
S810RAX.....	241
S810RCL.....	242
S810RXC.....	242
S810RXE.....	242
S810RXJ.....	242
S810RXN.....	242
S810RXX.....	242
S810XC.....	242
S810XE.....	242
S810XJ.....	242
S810XN.....	242
S810XR.....	242
S811AX.....	241
S811CL.....	242
S811LAX.....	241
S811LCL.....	242
S811LXC.....	242
S811LXE.....	242
S811LXJ.....	242
S811LXN.....	242
S811LXR.....	242
S811RAX.....	241
S811RCL.....	242
S811RXC.....	242
S811RXE.....	242
S811RXJ.....	242
S811RXN.....	242
S811RXX.....	242
S811XC.....	242
S811XE.....	242
S811XJ.....	242
S811XN.....	242
S811XR.....	242
S84AX.....	240
S84CL.....	241
S84LAX.....	240
S84LCL.....	241
S84LXC.....	241
S84LXE.....	241
S84LXJ.....	241
S84LXN.....	241
S84LXR.....	241
S84RAX.....	240
S84RCL.....	241
S84RXC.....	241
S84RXE.....	241
S84RXJ.....	241
S84RXN.....	241
S84RXX.....	241
S84XC.....	241
S84XE.....	241
S84XJ.....	241
S84XN.....	241
S84XR.....	241

S84XN	241	S9LXR	242	S8165SL	243
S84XR	241	S9RAX	240	S84586SL	243
S85AX	240	S9RCL	242	S84AXSL	243
S85CL	242	S9RXC	242	S84CLSL	244
S85LAX	240	S9RXE	242	S84XCSL	244
S85LCL	241	S9RXJ	242	S84XESL	244
S85LXC	241	S9RXN	242	S84XJSL	244
S85LXE	241	S9RXX	242	S84XNSL	244
S85LXJ	241	S9XC	242	S84XRSL	244
S85LXN	241	S9XE	242	S8572SL	243
S85LXR	241	S9XJ	242	S85927SL	243
S85RAX	240	S9XN	242	S85928SL	243
S85RCL	242	S9XR	242	S85931SL	243
S85RXC	242			S85932SL	243
S85RXE	242	Sidelites		S85933SL	243
S85RXJ	242	S10AXSL	243	S85933SL-A	243
S85RXN	242	S10CLSL	244	S85AXSL	243
S85RXX	242	S10XCSL	244	S85CLSL	244
S85XC	242	S10XESL	244	S85XCSL	244
S85XE	242	S10XJSL	244	S85XESL	244
S85XJ	242	S10XNSL	244	S85XJSL	244
S85XN	242	S10XRSL	244	S85XNSL	244
S85XR	242	S1651SL	243	S85XRSL	244
S86AX	240	S4570SL	243	S86AXSL	243
S86CL	242	S4AXSL	243	S86CLSL	244
S86LAX	240	S4CLSL	244	S86XCSL	244
S86LCL	242	S4XCSL	244	S86XESL	244
S86LXC	242	S4XESL	244	S86XJSL	244
S86LXE	242	S4XJSL	244	S86XNSL	244
S86LXJ	242	S4XNSL	244	S86XRSL	244
S86LXN	242	S4XRSL	244	S9AXSL	243
S86LXR	242	S572SL	243	S9CLSL	244
S86RAX	240	S5AXSL	243	S9XCSL	244
S86RCL	242	S5CLSL	244	S9XESL	244
S86RXC	242	S5XCSL	244	S9XJSL	244
S86RXE	242	S5XESL	244	S9XNSL	244
S86RXJ	242	S5XJSL	244	S9XRSL	244
S86RXN	242	S5XNSL	244		
S86RXR	242	S5XRSL	244		
S86XC	242	S601SL	243		
S86XE	242	S601XCSL	243		
S86XJ	242	S601XESL	243		
S86XN	242	S601XJSL	243		
S86XR	242	S601XNSL	243		
S8AX	240	S601XRSL	243		
S8CL	242	S602SL	243		
S8LAX	240	S604SL	243		
S8LCL	242	S604SL-A	243		
S8LXC	242	S6127SL	243		
S8LXE	242	S6128SL	243		
S8LXJ	242	S6130SL	243		
S8LXN	242	S6134SL	243		
S8LXR	242	S6135SL	243		
S8RAX	240	S81086SL	243		
S8RCL	242	S81086XCSL	243		
S8RXC	242	S81086XESL	243		
S8RXE	242	S81086XJSL	243		
S8RXJ	242	S81086XNSL	243		
S8RXN	242	S81086XRSL	243		
S8RXX	242	S810AXSL	243		
S8XC	242	S810CLSL	244		
S8XE	242	S810XCSL	244		
S8XJ	242	S810XESL	244		
S8XN	242	S810XJSL	244		
S8XR	242	S810XNSL	244		
S9AX	240	S810XRSL	244		
S9CL	242	S811AXSL	243		
S9LAX	240	S811CLSL	244		
S9LCL	242	S811XCSL	244		
S9LXC	242	S811XESL	244		
S9LXE	242	S811XJSL	244		
S9LXJ	242	S811XNSL	244		
S9LXN	242	S811XRSL	244		



Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL
 Bottom: Smooth-Star, Concorde Glass, Door – S97, Sidelites – S416SL




Top: Fiber-Classic Mahogany Collection, Sedona Art Glass, Door – FCM604-A, Sidelites – FCM816SL-A, Transom – 19520T-A
 Bottom Left: Classic-Craft Mahogany Collection, Longford Glass, Door – CCM703, Sidelites – CCM3303SL, Transom – LFET
 Bottom Right: Classic-Craft Rustic Collection Door – CCR205; Low-E Glass, Sidelites – CCR3400SL



Top: Fiber-Classic Mahogany Collection, Blackstone Glass, Door – FCM765; Rainglass, Sidelites – FCM12101XRSL
Middle Right: Fiber-Classic Oak Collection, Saratoga Glass, Door – 81956P
Bottom Right: Classic-Craft Canvas Collection, Lucerna Glass, Doors – CCV22022, ©TheHouseDesigners.com



Top Left: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609
Middle Left: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM305, Sidelites – CCM3305SL, Transom – ASRT
Bottom: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8220; Smooth-Star, Satin Etch Glass, Sidelites – S8601XESL




Top: Smooth-Star, Clear Glass with GBGs, Door – S82104
 Middle Right: Pulse Ari, Chinchilla Glass with Scrolled Lite Frame, Door – S2XJ
 Bottom Right: Smooth-Star, Satin Etch Glass with SDLs, Door – S4813XE

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. www.homestyles.thermatru.com.



Unlock the Opportunities

Learn about new products and the power of curb appeal, and enter for a chance to win prizes at www.unlocktheopportunities.com.

Promotion runs January 2–April 30, 2017.



National Home Valuation Study

A stylish new Therma-Tru entry door can increase your home's perceived value by 4.2% or \$18,750 on average.* Learn more and download promotional materials at www.thermatru.com/curbappeal.



DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at www.thermatru.com/doorways.



Consumers Digest Best Buy

Order free, ready-to-use promotional material to promote Classic-Craft and Fiber-Classic in your showroom at www.thermatru.com/trade-professionals/consumersdigest.



*Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Not based on actual home sales. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android and Google Play are trademarks of Google, Inc.



THERMA-TRU[®] DOORS

www.thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



Cover: Classic-Craft Oak Collection, Arborwatch Glass,
Door – CC1423, Sidelites – CC1423SL, Transom – ABRT
Top: Smooth-Star, Low-E Glass with SDLs, Door – S4814,
Sidelites – S4812SL

Bottom Left: Smooth-Star, Internal Blinds, Door – S8132

Bottom Right: Smooth-Star, Satin Etch Glass with SDLs,
Door – S5710XE, Sidelite – S5710XESL, ©TheHouseDesigners.com